MIL-W-63441A (AR)
AMENDMENT 4
21 May 1985
SUPERSEDING
AMENDMENT 3
29 March 1984

MILITARY SPECIFICATION

WARHEAD, 2.75 INCH ROCKET, PRACTICE: M267

This amendment forms a part of Military Specification MIL-W-63441A (AR), dated 17 May 1983, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1.1: Military Specifications: Add the following:

"MIL-B-63469 Body Assemblies, General Purpose Grenade: M73 and M75 (Practice)"

PAGE 3

3.3: Delete in its entirety and substitute:

"3.3 Grenades.

3.3.1 M75 General Purpose Practice Grenade. The grenade shall comply with specification MIL-G-63445.

3.3.2 Simulator Grenade. The grenade body assembly shall comply with specification MIL-B-63469."

3.9: Delete "components" and substitute "major components and subassemblies; such as: pusher plate, M75 Grenade, simulator grenade, cable, etc;".

PAGE 6

4.3.1: Add to Table:

"Simulator, Load	9362871	10
Grenade, Simulator	9362870	15"

FSC 1340

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-23T02:53Z
Check the source to verify that this is the current version before use.

PAGE 7

TABLE I: Add to table:

"Simulator, Load (Dwg. 9362871) Examination for defects	10	3.2	4.4.2.4
Grenade, Simulator (Dwg. 9362870) Examination for defects	15	3.2	4.4.2.5"

Note (b): Delete "41" and substitute "7".

PAGE 10

4.4.2.2: Add Minor 202:

"202. Packing missing	0.65%	3.2	Visual"

PAGE 11

4.4.2.3, Major 109: Delete in its entirety.

Add Majors 109 and 110:

"109	Leakage test	6	3.16	4.5.6
110	Ballistic test	36(a)	3.18	4.5.8"

Add Note (a):

"(a) Sample includes 6 items from leakage test."

Add new Paragraphs 4.4.2.4 and 4.4.2.5, included Pages 3 and 4 (Pages 11A and 11B of 22).

PAGE 12

4.5.1: Insert after "sub-assemblies": "; such as: pusher plate, M75 Grenade, simulator grenade, cable, etc;".

PAGE 16

4.5.6: Add "To inspect the cargo compartment, unthread the plug in the rear of the warhead. If one or more warheads fail to meet the requirement, the lot shall be rejected."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-W-63441A (AR)
AMENDMENT 4

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.4	Simulator, Load	1 OF 1	9362871
			NEXT HIGHER ASSEMBLY 9362870

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL	None defined				
MAJOR					
101	Largest outside diameter		0.40%	3.2	Gage
102	Depth of largest outside diameter		0.40%	3.2	Gage
103	Chamfer on second largest diameter		0.40%	3.2	Gage
MINOR					
201	Second largest outside diameter		0.65%	3.2	Gage
202	Depth of second largest outside diameter		0.65%	3.2	Gage
203	Smallest outside diameter		0.65%	3.2	Gage
204	Depth of smallest outside diameter		0.65%	3.2	Gage
205	Evidence of poor workmanship		0.65%	3.21	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.5	Grenade, Simulator				9362870
					NEXT HIGHER ASSEMBLY
					9334123
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL	None defined				
MAJOR					
101	Staking improper		0.40%	3.2	Visual/Gage
102	Staked surface of load simulator above top of body assembly		0.40%	3.2	Visual
MINOR					
201	Evidence of poor workmanship		0.65%	3.2.1	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-02-23 02:35Z
Check the source to verify that this is the current version before use.

PAGE 17

4.5.8: Delete "14" and substitute "6".

PAGE 19

6.3: Delete "US Army Armament Research and Development Command, ATTN: DRDAR-QAF-I" and substitute "Armament Research and Development Center, US Army Armament, Munitions and Chemical Command, ATTN: DRSMC-QAF-I(D)".

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1340-A698)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:53Z
Check the source to verify that this is the current version before use.