MILITARY SPECIFICATION

FITTINGS, HOSE, WATER, AND STEAM

(OTHER THAN FLEXIBLE, METALLIC)

This amendment forms a part of Military Specification MIL-F-19488(SHIPS), 27 July 1956.

Page 2, paragraph 2.1 (cont'd.), lines 1 and 2: Delete "NAVY DEPARTMENT - General Specifications for Inspection of Material."

Pages 5 and 6, table III, heading: Delete "1/" and substitute "1/, 5/"

Page 5, table III: Add footnote as follows:

"5/Alternate construction using wire, pellets, piston ring or ball bearing attachment of female swivel and hose bowl may be used in place of the still thread or groove shown on drawings."

Page 7, table IV, footnote 1, line 1: Delete and substitute "Alternate construction using wire, pellets, piston ring or".

Page 12, paragraph 3.2.2: In line 5 after "hand" add "(see 5/ of table III" and in line 13 delete "in".

Page 15, paragraph 4.1.2, line 2: Delete "offered for Government inspection."

Page 15, paragraphs 4.1.3 and 4.1.4: Delete and substitute:

"4.1.3 Sampling for chemical analysis.- Two samples each of at least 2 ounces of drillings, millings or clippings shall be taken from separate fittings selected from each lot for chemical analysis.

"4.1.4 Sampling for hydrostatic pressure test.- A random sample of fittings shall be selected from each lot for tests in accordance with MIL-STD-105 at inspection level S-2."

Page 15, paragraph 4.2.1, line 2: Delete "inspected" and substitute "examined".

FSC 4730

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:54Z
Check the source to verify that this is the current version before use.

Page 15, paragraph 4.2.3, lines 3 and 4: Delete "and the test shall be conducted or witnessed by the Government inspector".

Page 16, paragraph 4.2.3 (cont'd): Delete the last sentence.

Page 16, paragraph 4.3: Delete and substitute:

"4.3 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

Page 16: Add paragraph 4.4 as follows:

"4.4 Examination of preparation for delivery.- An examination shall be made to determine that preservation, packaging, packing, and marking requirements of the applicable contract or order are complied with. Defects shall be scored in accordance with the list below. The lot size shall be the number of shipping containers fully prepared for delivery, with the exceptions that containers need not be sealed or closed, nor interior containers or case liners sealed (if applicable). Examination shall be made in two phases; first an interior examination, in process of packaging, and second an examination of containers fully prepared for delivery. The sample unit for each of the two phases shall be one container prepared for delivery as set forth above. The inspection level shall be S-2 of MIL-STD-105, with an acceptable quality level (AQL) of 4.0 defects per 100 units.

Examine	Defects
Marking (interior package or container and exterior container as applicable)	Omitted, incorrect, illegible, improper size, location, sequence or method of application.
Materials	Component missing, damaged, defective or not as specified.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:54Z
Check the source to verify that this is the current version before use.

Examine	Defects
Workmanship (as applicable)	Inadequate or improper packaging or packing, such as closure of interior packages or containers, closure of case liners or container flaps, taping of seams, corners, and manufacturer's joint, closure of alternate containers; loose strapping or tape banding; inadequate stapling; bulging or distortion of containers.
Contents (interior and exterior container as applicable)	Number per container not as specified.
Weight (exterior container)	Weight per container exceeds maximum specified.
Preservation (as applicable)	Preservation missing, improperly applied or incorrect type.

Preparing activity:
Navy - SH
(Project 4730-N081SH)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:54Z
Check the source to verify that this is the current version before use.