MILITARY SPECIFICATION

GLOVE, MAN'S, (LEATHER CHIPPER)

This amendment forms a part of the Military Specification MIL-G-19465E, dated 21 July 1980, and is approved for use by Navy Clothing and Textile Research Facility, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

Page 1

Paragraph 2.1 Delete entire paragraph and substitute:
"2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation."

Under "SPECIFICATIONS FEDERAL": Add "NN-P-71 - Pallet, Material Handling, Wood, Stringer Construction, 2 Way and 4 Way"

Under "SPECIFICATIONS MILITARY": Add
"MIL-P-15011 - Pallet, Material Handling Wood, Post Construction, 4 Way Entry
MIL-T-43548 - Thread, Polyester, Cotton-Covered and Rayon Covered"

Under "STANDARDS MILITARY": Add "MIL-STD-147 - Palletized Unit Loads"

Page 2

Before "LAWS AND REGULATIONS" insert new paragraph:
"2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this specification to the extent specified herein. Unless otherwise specified, the issues shall be those in effect on the date of the solicitation.

AMSC N/A FSC 8415

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-18T12:53Z
Check the source to verify that this is the current version before use.

Paragraph 2.2 Delete second sentence and substitute: "Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issue of the nongovernment documents which is current on the date of the solicitation."

Page 3

Before "3. REQUIREMENTS" add new paragraph:

"2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, (except for associated detail specifications, specification sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained."

Page 4

Paragraph 3.3.4 Add: "As an alternate, ticket number 16, 4 ply or ticket number 24, 3 ply of MIL-T-43548 may be used. The color of the thread shall be natural, bleached white, or unbleached."

Page 10

Table II, operation 7b, line one: Delete "overlap the" and substitute "Using a one piece or overlap"

Table II, operation 8, line 3: Delete "that the distance between the bottom edge of the last line and top opening is approximately one inch." and substitute "approximately one inch from the top opening."

Page 13

Paragraph 4.1.1 Delete and substitute:

"4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material.

4.1.2 Certificate of compliance. Where certificates of compliance are submitted, the Government reserves the right to check test such items to determine the validity of the certification."

Source: https://assist.dla.mil -- Downloaded: 202610-18T12:53Z
Check the source to verify that this is the current version before use.

Page 17

Under "Components" Add the following defect: " Any component part missing or not as specified MAJOR"

Page 19

Under "Assembly detail": Delete "Not constructed with specified number of pieces of leather, knitted glove liner, and gauntlet linings MAJOR"

Page 20

Insert new paragraph:
"4.4.4 Palletization examination. An examination shall be made to determine that the palletization complies with the section 5 requirements. Defects shall be scored in accordance with the list below. The sample unit shall be one palletized unit load fully packaged. The lot size shall be the number of palletized unit loads in the end item inspected lot. The inspection level shall be S-1 and the AQL, expressed in terms of defects per hundred units, shall be 6.5 in accordance with MIL-STD-105.

Examine	Defect
Finished dimensions	Length, width,or height exceeds specified maximum requirements.
Palletization	Pallet pattern not as specified. Interlocking of loads not as specified. Load not bonded with required straps as specified.
Weight	Exceeds maximum load limits.
Marking	Omitted, incorrect, illegible, of improper size, location, sequence, or method of application."

Paragraph 5.2.1 Delete first two sentences and substitute the following:
"Twenty gloves of one size and hand only, packaged as specified in 5.1 shall be packed in a fiberboard shipping container assembled, closed and reinforced conforming to type CF, class weather-resistant, variety DW, grade V15c, size 1A of MIL-B-17757. The fiberboard used for the liner shall conform to type CF, class domestic conforming to MIL-B-17757."

Page 21

Paragraph 5.2.2 Delete first two sentences and substitute the following:
"Twenty gloves of one size and hand only, packaged as specified in 5.1, shall be packed in a fiberboard shipping container assembled, closed and reinforced conforming to type CF, class domestic, variety DW, grade 200, size 1A of MIL-B-17757. The fiberboard used for the liner shall conform to type CF, class domestic of MIL-B-17757."

Source: https://assist.dla.mil -- Downloaded: 20260-18T12:53Z
Check the source to verify that this is the current version before use.

Paragraph 5.2.2.1 Delete entire paragraph.

Paragraph 5.3 Line 2, after the word "order" insert the words "interior packages and"

Add new paragraph:

"5.4 Palletization. When specified (see 6.2) item packed as specified shall be palletized on a 4-way entry pallet in accordance with load type 1A of MIL-STD-147. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means C, K, and L or O or P. Pallet pattern shall be in accordance with the appendix of MIL-STD-147.

The pallet shall be 4-way, Type IV, V or VIII, Class 1, Style A, Size 2, wood group I, II, III or IV, Grade A of NN-P-71, or 4-way, Style 1, Size A, Type I, Class 1 of wood group I, II, III, or IV, Grade A of MIL-P-15011. Interlocking of loads shall be effected by reversing the pattern of each course. If the container is of a size which does not conform to any of the patterns specified in MIL-STD-147, the pallet pattern used shall be approved by the contracting officer."

Paragraph 6.2 Delete "c" in its ,entirety and substitute "c. When first article sample is required (see 3.2 and 4.3) the item will be tested and should be a first article sample. The contracting officer should include specific instructions in acquisition documents reqarding arrangements for examinations, quantity, and testing and approval of the first article."

Delete "f" in its entirety and substitute "f. When palletization is required (see 5.4)"

Add new paragraph:

6.4 Subject term (key word) listing:

Chipping
Leather
Protection, hand

CUSTODIAN:
Navy - NU

Preparing Activity:
Navy - NU

Review Activity:
DLA - CT

Project No. 8415-0528

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:53Z
Check the source to verify that this is the current version before use.