INCH-POUND

MIL-W-22900A (AS)
AMENDMENT 3
16 April 2001
SUPERSEDING
AMENDMENT 2
26 July 1968

MILITARY SPECIFICATION

WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE F

This amendment forms a part of MIL-W-22900A (AS), dated 15 February 1966, and has been approved by the Naval Air Systems Command, Department of the Navy. It is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 3.1: Delete and substitute:

"3.1 First article. When specified (see 6.2), a sample shall be subjected to first article inspection in accordance with 4.2."

PAGE 2

3.2: Add

"(d) Onboard repair parts (see 3.3.1 and 3.4.4)."

PAGE 3

3.3.1, line 8: Delete "Temperature and humidity (special cold limit applies)" and substitute "Temperature and humidity (special cold limit applies to detector and indicator only)".

3.3.2.1, item (c), delete and substitute:

"(c) Starting wind speed 1 knot."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:48Z
Check the source to verify that this is the current version before use.

PAGE 4

3.4.1.3, line 2: Delete “0.1” and substitute “0.015.”

3.4.1.4, line 2: Delete “4.0” and substitute “2.0.”

PAGE 5

3.4.3, line 8: Delete “case size ½ inch” and substitute “case size 1 inch”.

PAGE 6

3.4.3.2, lines 3, 4, 5 and 6: Delete and substitute:

“Height – 11.125 reference inches.
Width – 7.375 reference inches.
Depth – 4.8125 reference inches.
Weight – 15 pounds.”

Table I, add as items 13 and 14:

“Item	Quantity	Nomenclature	Bendix Corp. part identification number or specification number	Drawing number or type	Drawing piece number
13	1	Amplifier, magnetic	1136582	3331251	115
14	1	Gear assembly assembly	1134450	3331251	246”

PAGE 7

* 4.2: Delete and substitute:

“4.2 First article inspection. First article shall be conducted at a laboratory satisfactory to the Naval Air Systems Command. One complete wind indicating system shall be subjected to the tests listed in table II.

* Table II: Delete title and footnote “Qualification tests 1/” and substitute “First article inspection.”

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:48Z
Check the source to verify that this is the current version before use.

PAGE 8

Table IV: Delete reference to “Supply line voltage and frequency variation” from group B tests and add as first test under group C.

PAGE 10

Table V, second column: Delete and substitute:

“Correct intensity knots
16.8
33.6
50.4
67.2
75.6”

Under note to table V, last two lines, delete and substitute:

“60 cycles/1800 rpm, 75.6 knots.

57 cycles/1800 rpm, 80 knots.”

PAGE 12

* 6.1: Add as 6.1(h):

“(h) When first article is required (see 3.1).”

* 6.2: Delete.

* 6.2.1: Delete.

* 6.3: Delete.

NOTE: The margins of this amendment are marked with asterisks to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:48Z
Check the source to verify that this is the current version before use.

Preparing activity:
Navy - AS

(Project 6660 - 0141)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T14:48Z
Check the source to verify that this is the current version before use.