| INCH-POUND |

MIL-C-52950A
AMENDMENT 2
27 November 1991
SUPERSEDING
AMENDMENT 1
18 September 1991

MILITARY SPECIFICATION

CRATES, WOOD, OPEN AND COVERED

This amendment forms a part of Military Specification MIL-C-52950A, dated 20 March 1991, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* Change document identifier to read as follows:

| INCH-POUND |

MIL-C-52950A
20 March 1991
SUPERSEDING
MIL-C-52950
10 April 1978

PAGE 2

* Table I, above first column and to left of "load" add "Type."

Table I, delete last row of numbers (Type V), and replace with the following:

V 2/	2500	12	6	6		4000	32	6	10

PAGE 22

Project number: Delete "PACK-0793" and substitute "8115-0513."

Under "User Activities" delete "MU" and insert "AR."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.

PAGE 23 THRU PAGE 40

Add figures 1 thru 18.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Army - ME
Navy - YD
Air Force - 69


Preparing Activity:
Navy - YD

(Project 8115-0533)


Review Activities:
Army - CR, SM, GL, EA
Navy - SA

User Activities:
Army - AR, AT
Navy - MC

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.



A



B

FIGURE 1. Nailing patterns. (All widths are nominal. Similar patterns shall be used when boards cross at angles other 90°.).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 2. Splicing of members; A, splice of 4-by-4 inch or 4-by-6 inch skids; B, splice of 2-inch member; C, splice of 1-inch member; D, lamination of skid.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 3. Type I, style A crate assembly.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:41Z
Check the source to verify that this is the current version before use.





FIGURE 4. Type I, style B crate assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.






FIGURE 5. Type II, style A, crate assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 6. Type II, crate with exterior side cleats: A, complete crate; B, two panel; C, three panel; and D, four panel.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 7. Type III, style B, crate assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 8. Type IV, style A crate assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 9. Type V, style A crate assembly.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 10. Bases for type V, style B crates:
A, up through 42 inches wide;
B, over 42 inches wide.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 11. Single - panel sides for Type V, style B crates: A, side of long crate; B, side of short crate; C, covered side.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 12. Double - panel sides for type V, style B crates for heights through 96 inches: A, open side; B, covered side.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 13. Triple - panel sides for type V, style B crates for heights over 96 inches: A, open side; B, covered side.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 14. Ends for type V, style B crates: A, two - panel horizontal; B, single - panel (covered); C, four - panel; D, two - panel vertical.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 15. Ends for type V, style B crates: A, wide and narrow double - panel ends; B, wide and narrow triple - panel ends.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 16. Tops for type V, style B crates: A, narrow top; B, medium - wide top; C, wide top.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 17. Type V, style B crate assembly (open).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.




FIGURE 18. Type V, style B crate assembly (covered).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:41Z
Check the source to verify that this is the current version before use.