MIL-A-37377A
23 December 1976
SUPERSEDING
MIL-A-37377 (DSA-DM)
25 November 1975

MILITARY SPECIFICATION

AMPICILLIN SODIUM, STERILE, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Ampicillin Sodium, Sterile, USP.

1.2 Classification. The Sterile Ampicillin Sodium covered by this specification shall be of the following sizes and strengths (See 6.2):

Strength 1	-	0.50 Gram Ampicillin.
Strength 2	-	1.0 Gram Ampicillin.
Strength 3	-	2.0 Grams Ampicillin.
Size 1	-	Multiple dose vial.
Size 2	-	Bottle (rated capacity of not less than 100 ml).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:34Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Applications for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:34Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Shall be Ampicillin Sodium, Sterile, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein.

S2. Classification. Shall be type IV, class 1, style a.

For size 1, shall be suitable for intramuscular and intravenous use when solubilized.

For size 2, shall be suitable for intermittent intravenous administration when solubilized.

S5.2 The following is added to this paragraph:

Each immediate container of strength 1 shall contain a quantity of ampicillin sodium equivalent to 0.50 gram of ampicillin.

Each immediate container of strength 2 shall contain a quantity of ampicillin sodium equivalent to 1.0 gram of ampicillin.

Each immediate container of strength 3 shall contain a quantity of ampicillin sodium equivalent to 2.0 grams of ampicillin.

3.2 Certification. Shall be in accordance with the regulations for the Certification of Antibiotics and Antibiotic-containing Drugs, as promulgated by the FDA. Each lot shall be certified by the FDA.

3.3 Ingredients.

3.3.1 Ampicillin sodium. The ampicillin sodium used in the manufacture of the product shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto and shall be in accordance with the regulations for the Certification of Antibiotics and Antibiotic-containing Drugs, as promulgated by the FDA.

3.4 Other ingredients. All other ingredients used in the manufacture of the product shall comply with S5.1 of FED-STD-140.

3.5 Expiration dating period. The expiration dating period for size 1 shall be not less than 48 months. The expiration dating period for size 2 shall be not less than 36 months.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:34Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. Sampling as shown in FED-STD-142 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:34Z
Check the source to verify that this is the current version before use.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One multiple dose vial containing an equivalent of 0.5 gram or 1.0 gram of ampicillin or one package comprising a bottle containing an equivalent of 1.0 gram or 2.0 grams of ampicillin and a suitable hanging device which allows the bottle to be hung for intermittent intravenous administration.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1. The immediate container for size 1 shall be a commercially available multiple dose vial considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way be each other. In addition, the vial for size 1, strength 1 shall be capable of containing 5 ml of diluent and the vial for size 1, strength 2 shall be capable of containing 10 ml of diluent.

5.2.2.1.2 Size 2. The immediate container for size 2 shall be a commercially available bottle with a rated capacity of not less than 100 ml considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The bottle closure shall be compatible with stocklisted intravenous sets, and accompanied by a suitable hanging device which allows the bottle to be hung for intermittent intravenous administration.

5.2.2.2 Unit package.

5.2.2.2.1 Size 1, strength 1, or size 1, strength 2. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each vial shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.2.2 Size 2, strength 2, or size 2, strength 3. Each unit shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package.

5.2.2.3.1 Size 1, strength 1, or size 1, strength 2. Fifty units of one strength and size only shall be packaged in an intermediate package as specified in 5.2.7.1 of PPP-C-186.

5.2.2.3.2 Size 2, strength 2, or size 2, strength 3. Twenty-five size 2, strength 2, or twenty-five size 2, strength 3, units shall be packaged in an intermediate package as specified in 5.2.7.1 of PPP-C-186.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:34Z
Check the source to verify that this is the current version before use.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Twelve intermediate packages (600 units) of size 1, strength 1, or size 1, strength 2, or four (4) intermediate packages (100 units) of size 2, strength 2, or size 2, strength 3, shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Twelve intermediate packages (600 units) of size 1, strength 1, or size 1, strength 2, or four (4) intermediate packages (100 units) of size 2, strength 2, or size 2, strength 3, shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:34Z
Check the source to verify that this is the current version before use.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

(c) extended potency lines.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Label adhesion test shall not apply.

(4) If a unit package is not supplied for size 1, the National Stock Number and extended potency lines shall appear on the immediate container label.

5.4.2 Intermediate package. Intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.

(b) National Stock Number.

(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:34Z
Check the source to verify that this is the current version before use.

6.2

National Stock Number	Item Identification	Specification Designation
6505-00-946-4700	AMPICILLIN SODIUM, STERILE, USP, Equivalent to 0.50 Gram of Ampicillin	Strength 1, size 1
6505-00-993-3518	AMPICILLIN SODIUM, STERILE, USP, Equivalent to 1.0 Gram of Ampicillin	Strength 2, size 1
6505-01-010-8607	AMPICILLIN SODIUM, STERILE, USP, Equivalent to 1 Gram of Ampicillin	Strength 2, size 2
6505-01-010-8608	AMPICILLIN SODIUM, STERILE, USP, Equivalent to 2 Grams of Ampicillin	Strength 3, size 2

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Preparing activity:
Defense Logistics Agency - DM

Project No. 6505-1754

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:34Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-A-37377A - AMPICILLIN SODIUM, STERILE, USP

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:34Z
Check the source to verify that this is the current version before use.