MIL-M-37374
28 May 1976

MILITARY SPECIFICATION

MEPIVACAINE HYDROCHLORIDE INJECTION, U.S.P.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Mepivacaine Hydrochloride Injection, U.S.P.

1.2 Classification. The injection covered by this specification shall be of the following sizes and strengths(See 6.3):

Size 1 - 30 ml
Size 2 - 50 ml

Strength 1 - 1 percent
Strength 2 - 1.5 percent

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on dated of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals (See 6.3).

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:33Z
Check the source to verify that this is the currentversion before use.

STANDARDS

FEDERAL

FED-STD-142	- Parenteral Preparations.

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and
Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Mepivacaine Hydrochloride Injection, U.S.P., and shall be in accordance with all applicable requirements of FED-STD-142 and as specified herein:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:33Z
Check the source to verify that this is the current version before use.

S.2 Classification. Shall be type I, class 1.

For size 1, strength 1, the injection shall be suitable for nerve block, caudal, epidural and infiltration anesthesia.

For size 2, strength 1, the injection shall be suitable for nerve block infiltration.

For size 1, strength 2, the injection shall be suitable for caudal and epidural blocks.

S5.2.1 The following is added to this paragraph:

Size 1, strength 1: Shall be a 1 percent W/V solution of Mepivacaine Hydrochloride, within the applicable assay limits of the U.S.P.

Size 2, strength 1: Shall be 1 percent W/V solution of Mepivacaine Hydrochloride, within the applicable assay limits of the U.S.P.

Size 1, strength 2: Shall be 1.5 percent W/V solution of Mepivacaine Hydrochloride, within the applicable assay limits of the U.S.P.

3.2 Ingredients.

3.2.1 Mepivacaine Hydrochloride. The Mepivacaine Hydrochloride used in the preparation of the injection shall be in accordance with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto.

3.2.2 Other ingredients. All other ingredients used in the preparation of the suspension shall be of U.S.P. or N.F. quality, or, if not included in either of these compendia, they shall be of the highest pharmaceutical grade and suitable for use in the product.

3.3 Expiration dating period. The expiration dating period shall be 60 months.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:33Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-142 shall be applicable.

4.3 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

4.4 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issues of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:33Z
Check the source to verify that this is the current version before use.

5. PACKAGING.

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable paragraphs of PPP-C-186 (see 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One bottle containing 30 ml of size 1, strength 1, 30 ml of size 1, strength 2 or 50 ml of size 2, strength 1, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1, strength 1 and size 1, strength 2. Each immediate container for size 1, strength 1, and size 1, strength 2, shall be a commercially available single-dose vial considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.2 Size 2, strength 1. Each immediate container for size 2, strength 1, shall be a commercially available multiple dose vial considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished for size 1, strength 1, size 1, strength 2 or size 2, strength 1. If a unit package is furnished, each unit shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Ten units of issue of one strength and size only shall be packaged as specified in 5.2.8 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:33Z
Check the source to verify that this is the current version before use.

5.3.1 Level A. Ten intermediate packages (100 units) containing one size and strength only shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Ten intermediate packages (100 units) containing one size and strength only shall be packed in an exterior as specified in 5.4.3.2 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The national stock number shall not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Labeling adhesion test shall not apply.

(4) If a unit package is not supplied, the National Stock Number shall appear on the immediate container label.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:33Z
Check the source to verify that this is the current version before use.

5.4.2 Intermediate package. Intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I Shelf life markings as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86° F.)" and "DO NOT PERMIT TO FREEZE".

5.4.3 Exterior container. Exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C (59° - 86°F.)" and "DO NOT PERMIT TO FREEZE".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.

(b) National Stock Number.

(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification	Specification Designation
6505-00-754-0076	MEPIVACAINE HYDROCHLORIDE INJECTION, USP, 1%, 30 ml	Size 1, strength 1
6505-00-754-0085	MEPIVACAINE HYDROCHLORIDE INJECTION, USP, 1%, 50 ml	Size 2, strength 1
6505-00-914-1742	MEPIVACAINE HYDROCHLORIDE INJECTION, USP, 1.5%, 30 ml	Size 1, strength 2

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1516

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:33Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:33Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-M-37374 MEPIVACAINE HYDROCHLORIDE INJECTION, U.S.P.

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

☆ GPO 1974 — 603-680/6126 2-1

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:33Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:33Z
Check the source to verify that this is the current version before use.