MILITARY SPECIFICATION

PENICILLIN V POTASSIUM TABLETS, U.S.P.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Penicillin V Potassium Tablets, U.S.P.

1.2 Classification. The tablets covered by this specification shall be of the following sizes and strengths (See 6.2).

Size 1	- bottle of 40s
Size 2	- bottle of 100s
Size 3	- Individually sealed 100s
Strength 1	- 400,000 units (250 mg)
Strength 2	- 800,000 units (500 mg)

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-C-186	- Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals (See 6.3).

STANDARDS

FEDERAL

FED-STD-140	- Tablets (for Medicinal Purposes).

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:35Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Penicillin V Potassium Tablets, U.S.P. and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein.

S2 Classification. Shall be type I, class 2, style A, grade 3.

S5.2 The following is added to this paragraph:

For strength 1, shall be tablets containing 400,000 units (250 mg) of Penicillin V (as the Potassium Salt) per tablet within the applicable assay limits for the tablets

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:35Z
Check the source to verify that this is the current version before use.

For strength 2, shall be tablets containing 800,000 units (500 mg) of Penicillin V (as the Potassium Salt) per tablet within the applicable assay limits for the tablets.

S6.4.1.3.1 In addition, base tablets prior to coating may be mottled.

S6.4.5 Shape. Shall be any commercial shape.

3.2 Certification. The finished tablets shall conform to the pertinent provisions of the applicable regulations for the Certification of Antibiotic containing Drugs, as promulgated by the F.D.A, U.S. Department of Health, Education and Welfare. Each lot shall be certified by the F.D.A.

3.3 Ingredients.

3.3.1 Penicillin V Potassium. The Penicillin V Potassium used in the manufacture of the finished tablets shall be in accordance with the tests, standards, and requirements of the U.S.P., including any supplements or revisions thereto, and shall be in accordance with the applicable regulations for the Certification of Antibiotics and Antibiotic-Containing Drugs, as promulgated by the Food and Drug Administration, U.S. Department of Health, Education, and Welfare.

3.3.2 Other ingredients. All other ingredients shall comply with S5.1 of FED-STD-140.

3.4 Expiration dating period. The expiration dating period shall be not less than 48 months for sizes 1 and 2; not less than 24 months for size 3, strength 1; not less than 36 months for size 3, strength 2.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:35Z
Check the source to verify that this is the current version before use.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period (potency period) specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the items to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. Sampling shall be conducted in accordance with FED-STD-140.

4.3 Packaging inspection. The inspection of the unit, intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests. Tests shall be performed to determine compliance with all requirements of this document and all reference documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (See 6.1).

5.2.1 Unit of issue. One bottle containing 40 or 100 tablets of size and strength specified or one box containing 100 tablets of size and strength specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1 and size 2. The immediate container for size 1 and size 2 shall be a commercially available container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. In addition, size 1 shall be supplied with a child resistant safety closure.

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:35Z
Check the source to verify that this is the current version before use.

5.2.2.1.2 Size 3. The immediate container for size 3 shall comply with the following: Tablets shall be individually sealed in a commercially available blister or strip package considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit packaging. At the option of the contractor, each unit of issue of size 1 or size 2 may be packaged as specified in PPP-C-186. Each unit of issue of size 3 shall be packaged as specified in PPP-C-186.

5.2.2.3 Intermediate packaging. Twelve (12) units of issue of size 1 shall be packaged as specified in 5.2.7.1 of PPP-C-186 or twelve (12) units of issue of size 2 shall be packaged as specified in 5.2.8 of PPP-C-186 or ten (10) units of issue of size 3 shall be packaged as specified in PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. One hundred forty-four (144) units of issue of size 1 or ninety-six (96) units of issue of size 2 or sixty (60) units of issue of size 3 shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. One hundred forty-four (144) units of issue of size 1 shall be packed as specified in 5.4.3.1.1 of PPP-C-186 or ninety-six (96) units of issue of size 2 shall be packed as specified in 5.4.3.2 of PPP-C-186 or sixty (60) units of issue of size 3 shall be packed as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container.

5.4.1.1.1 Size 1. The label of the immediate container for size 1 shall be a tri-part label consisting of the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:35Z
Check the source to verify that this is the current version before use.

(1) a tab portion which shall remain attached to the immediate container. This portion shall bear:

(a) the National Drug Code (NDC)
(b) the lot or control number
(c) the expiration date

NOTE: Other label information may be included.

(2) a tear-off portion adjacent to the tab portion, or at the extreme end of the label, bearing the following:

(a) the National Drug Code (NDC)
(b) the lot or control number
(c) the expiration date

No other labeling shall appear thereon.
This portion shall be easily removed for attachment to a prescription.

(3) the principal portion connected to the tear-off and/or the tab portion shallbear the following:

(a) the National Stock Number (which shall not be preceded by any prefix).
(b) all other information required by the Federal Food, Drug, and Cosmetic Act.

This portion shall also be easily removed.

Label adhesion test shall not apply to any portion of the tri-part label.

5.4.1.1.2 Size 2 and size 3. Each immediate container label for size 2 and size 3 shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.
(c) extended potency lines.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:35Z
Check the source to verify that this is the current version before use.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied for sizes 1 and 2, the National Stock Number and extended potency lines shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in paragraph 5.5.3 of PPP-C-186. In addition, Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)"

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II Shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)"

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification	Specification Designation
6505-00-116-1408	PENICILLIN V POTASSIUM TABLETS, USP, 400,000 Units (250 mg), Individually Sealed, 100s	Size 3, Strength 1
6505-00-116-1411	PENICILLIN V POTASSIUM TABLETS, USP, 800,000 Units (500 mg), Individually Sealed, 100s	Size 3, Strength 2
6505-00-117-8579	PENICILLIN V POTASSIUM TABLETS, USP, 400,000 Units (250 mg), 40s	Size 1, Strength 1
6505-00-149-0139	PENICILLIN V POTASSIUM TABLETS,USP, 800,000 Units (250 mg), 100s	Size 2, Strength 2
6505-00-149-0141	PENICILLIN V POTASSIUM TABLETS, USP, 400,000 Units (250 mg), 100s	Size 2, Strength 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:35Z
Check the source to verify that this is the current version before use.

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1526

☆U.S. GOVERNMENT PRINTING OFFICE: 1976-603-768/5021

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:35Z
Check the source to verify that this is the current version before use.