INCH-POUND

MIL-DTL-44036A
30 JUNE 2003
SUPERSEDING
MIL-T-44036
29 DECEMBER 1980

DETAIL SPECIFICATION

TIEDOWN ASSEMBLY, CARGO, AERIAL DELIVERY, LOAD BINDER TYPE

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for one type of load binding system in cargo aircraft.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are cited in sections 3 and 4 of this specification. These lists do not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of these lists, document users are cautioned that they must meet all specified requirements documents cited in sections 3 and 4 of this specification, whether or not they are listed.

2.2 Government documents.

2.2.1 Specifications and standards. The following specifications and standards form a part of this document to the extent herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto, cited in the solicitation (see 6.2).

SPECIFICATIONS

Beneficial comments (recommendations, additions, deletions) and any pertinent data that may be of use in improving this document should be addressed to: Natick Soldier Center ATTN: AMSSB-RAD-AD(N), Natick, MA 01760-5017, using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 1670

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:29Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE

MIL-DTL-43021 - Binder, Load, Cargo Tie-down, 10,000 Pounds (44.5 kN) Capacity
MIL-W-43342 - Webbing Assembly, General Specification for

(Unless otherwise indicated, copies of the above specifications, standards, and handbooks are available from the Standardization Document Order Desk, 700 Robbins Avenue, Building 40, Philadelphia, PA 19111-5094)

2.2.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

DRAWINGS

NATICK SOLDIER CENTER

11-1-892 - Strap, Tie Down, Cargo Heavy Duty

(Copies are available from the Natick Soldier Center, ATTN: AMSSB-RAD-AD(N) – CONFIGURATION MANAGER, Natick, MA 01760-5017.)

2.3 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents that are DoD adopted are those listed in the issue of the DoDISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DoDISS are the issues of the documents cited in the solicitation.

PARACHUTE INDUSTRY ASSOCIATION

PS22046-8 - Dee Ring

(Application for copies should be addressed to the Parachute Industry Association, 3833 West Oakton Street, Skokie, IL 60076.)

2.4 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for related associated specifications or specification sheets), the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First article. When specified (see 6.2), a sample shall be subjected to a first article inspection in accordance with 4.2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:29Z
Check the source to verify that this is the current version before use.

3.2 Materials and construction. Materials and construction details shall conform to the requirements of the applicable specifications and as specified herein. A tie-down assembly shall consist of one of the following items:

3.2.1 Load binder. The load binder shall be in accordance with the requirements of MIL-DTL-43021.

3.2.2 Tie-down strap. The tie-down strap shall be in accordance with the requirements of MIL-DTL-43342 and Drawing 11-1-892.

3.2.3 "Dee" ring. The dee ring shall conform to the requirements of PIA Standard PS 22046-8.

3.3 Marking. Identification marking of each component shall be in accordance with the applicable specification or standard.

3.4 Workmanship. The workmanship shall conform to the quality established by the applicable specification.

4. VERIFICATION

4.1 Classification of Inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.2).

b. Conformance inspection (see 4.3).

4.2 First article inspection. First article inspection shall be performed on one complete tie-down assembly, unless otherwise stated in the contract, when a first article sample is specified (see 3.1). The inspection shall include the tests and examinations of 4.3.1 and 4.4. Any defect or nonconformance shall be cause for rejection of the first article.

4.3 Conformance inspection. Conformance inspections shall include the examinations of 4.3.1 and 4.5 Sampling plans and acceptance/rejection criteria shall be as specified in the contract or purchase order. Tie-down assemblies which fail the acceptance criteria shall be cause for rejection of the lot.

4.3.1 Component and material inspection. Components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.4 Examinations. Each item (see 3.2.1, 3.2.2 and 3.2.3) shall be examined for conformance to the applicable specification.

5. PACKAGING

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:29Z
Check the source to verify that this is the current version before use.

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2). When actual packaging of material is to be performed by DoD personnel, these personnel need to contact the responsible packaging activity to ascertain requisite packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activity within the Military Department or Defense Agency, or within the Military Department's System Command. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. The cargo tiedown assembly is intended for securing general cargo and equipment for transport and air delivery. It can exert a binding force of up to 10,000 pounds.

6.2 Acquisition requirements. Acquisition documents should specify the following:

a. Title, number and date of this specification.
b. Issue of DoDISS to be cited in the solicitation and if required, the specification of individual documents referenced (see 2.2.1).
c. When a first article is required (see 3.1).
d. Sampling plan (see 4.3).
e. Packaging requirements (see 5.1).

6.3 Subject term (keyword listing).

Restraint
Secure
Air delivery

6.4 Changes from previous issue. Marginal notations are not used in this version to identify changes with respect to the previous issue due to the extent of the changes.

Custodians:
Army - GL2
Air Force - 99

Review Activities:
Air Force - 11

Preparing Activity:
Army - GL2

(Project 1670-1044)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:29Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.

2. The submitter of this form must complete blocks 4, 5, 6, and 7.

3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	**1. DOCUMENT NUMBER** MIL-DTL-44036A	**2. DOCUMENT DATE (YYYYMMDD)** 20030630

3. DOCUMENT TITLE

Tiedown Assembly, Cargo, Aerial Delivery, Load Binder Type

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE (Include Area Code) (1) Commercial (2) DSN *(if applicable)*	**7.DATE SUBMITTED** (YYYYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE *Include Area Code)*
Natick Soldier Center	(508) 233-4258
c. ADDRESS *(Include Zip Code)* AMSSB-RAD-AD(N), J. Riley Natick, Ma 01760-5017	**IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT:**

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:29Z
Check the source to verify that this is the current version before use.