INCH-POUND

MIL-K-44028(GL)
AMENDMENT 1
30 August 1990

MILITARY SPECIFICATION

KIT, DRIVE-OFF AID, VEHICLE

This amendment forms a part of MIL-K-44028(GL), dated 25 June 1980, and is approved for use by the Natick Research, Development, and Engineering Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1, under "SPECIFICATIONS FEDERAL": Add

"A-A-50083 - Bag, Plastic, Folded Garment"

PAGE 2

2.1, Under "STANDARDS MILITARY": Delete "MIL-STD-1188" and its title.

Add the following:

MIL-STD-147 - Palletized Unit Loads
MIL-STD-731 - Quality of Wood Members for Containers and Pallets"

2.1, Delete "DRAWING" entry completely and add the following as the new source paragraph

"(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)"

Add the following new paragraphs:

"2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

DRAWINGS

U.S. ARMY NATICK RESEARCH, DEVELOPMENT, AND ENGINEERING CENTER

11-1-3771 - Drive Off Aid, Type V

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:26Z
Check the source to verify that this is the current version before use.

(Copies of drawings are available from the U.S. Army Natick Research, Development, and Engineering Center, ATTN: STRNC-EMSS, Natick, MA 01760-5014.)"

"2.2 Non-Government publications. The following document forms a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2).

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

D 3951 - Standard Practice for Commercial Packaging

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103-1187.)

(Non-Government standards and other publications are normally available from organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)"

3.2, line 2: Delete "11-1-486" and substitute "11-1-3771".

3.2.1: Delete.

PAGE 4

Table I: Delete the defects and classifications for "Hook" and "Grommet and washer assembly" examinations in their entirety.

PAGE 5

Section 5: Delete entirely and substitute:

"5. PACKAGING

5.1 Preservation. Preservation shall be level A or Commercial, as specified (see 6.2).

5.1.1 Level A. Each drive-off aid kit shall consist of two webbed ladders. Each ladder shall be compactly arranged to measure approximately 20 inches in length, 9 inches in width, and 6-1/2 inches in depth, and inserted into a plastic bag conforming to A-A-50083.

5.1.2 Commercial. The drive-off aid kit shall be preserved in accordance with ASTM D 3951.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:26Z
Check the source to verify that this is the current version before use.

5.2 Packing. Packing shall be level A, B or Commercial, as specified (see 6.2).

5.2.1 Level A packing. Three drive-off aid kits preserved as specified in 5.1, shall be packed in a close-fitting shipping container conforming to overseas type, style A, type 3 load of PPP-B-601. Inside dimensions of the box shall approximate 27 inches in length, 20 inches in width, and 12 inches in depth. Each box shall be closed and reinforced in accordance with the appendix of PPP-B-601.

5.2.2 Level B packing. Three drive-off aid kits preserved as specified in 5.1, shall be packed in shipping containers conforming to style RSC-L, type CF (variety SW) or SF, class domestic, grade 275 of PPP-B-636. Inside dimensions of the box shall approximate 27 inches in length, 20 inches in width, and 12 inches in depth. Each box shall be closed in accordance with method II as specified in the appendix of PPP-B-636.

5.2.2.1 Weather-resistant fiberboard containers. When specified (see 6.2), the shipping containers shall be a grade V3c, V3s, or V4s fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with the appendix of PPP-B-636.

5.2.3 Commercial packing. Each drive-off aid kit, preserved as specified in 5.1, shall be packed in accordance with ASTM D 3951.

5.3 Palletization. When specified (see 6.2), drive-off aid kits packed as specified in 5.2 shall be palletized on a 4-way entry pallet in accordance with load type Ia of MIL-STD-147. Pallet type shall be type I (4-way entry), type IV, or type V in accordance with MIL-STD-147. Pallets shall be fabricated from wood groups I, II, III or IV of MIL-STD-731. Each prepared load shall be bonded with primary and secondary straps in accordance with bonding means C and D or film bonding means F or G. Pallet patterns shall be number 1 in accordance with the appendix of MIL-STD-147.

5.4 Marking. In addition to any special marking required by the contract or purchase order, unit packs, shipping containers, and palletized unit loads shall be marked in accordance with MIL-STD-129 or ASTM D 3951, as applicable."

PAGE 6

6.1, line 2, After "wheeled vehicles from" add "Type V airdrop".

6.2, Add the following new subparagraphs:

"(e) Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.2).
(f) When palletization is required (see 5.3)".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:26Z
Check the source to verify that this is the current version before use.

PAGE 8

Delete copy of drawing 11-1-486 and substitute copy of drawing 11-1-3771.

Custodian:


Army - GL

Preparing activity:

Army - GL

(Project 1670-A778)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:26Z
Check the source to verify that this is the current version before use.



This drawing is a miniture copy of the U.S. Army Natick Research, Development Center's drawing 11-1-3771, and is for information only, the drawing referenced in 2.1.2 governs.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:26Z
Check the source to verify that this is the current version before use.