QUALIFICATIONS CERTIFIED
EVERY 3 YEARS

QPL-7928-28
26 February 1999
SUPERSEDING
QPL-7928-27
1 April 1998

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-T-7928

TERMINALS, LUG: SPLICES, CONDUCTOR: CRIMP STYLE,
COPPER, GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL AIR SYSTEMS COMMAND.

Questions concerning this QPL may be directed to the Raytheon Systems Company, MS-60, 6125 E. 21st Street, Indianapolis, IN 46219-2058, Mr. Barry L. Everton, (317) 306-7465.

Manufacturer's full name, office and plant addresses are listed at the end of this QPL.

AMSC N/A FSC 5940

Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
MIL-T-7928/1 - TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER INSULATED RING TONGUE, FOR THIN WASLL WIRE, TYPE II CLASS 1 FOR 105°C TOTAL CONDUCTOR TEMPERATURE		
M7928/1-1	53078	AMP Incoroporated (2)
-2	53049	NAC E10.144/05-31-96
-3	53050	
-4	53051	
-5	53052	
-6	53053	
-7	53054	
-8	53055	
-9	53056	
-10	53057	
-11	52273	
-12	2-36149-3	
-13	51863-2	
-14	1-320551-2	
-15	2-36153-3	
-16	2-320571-3	
-17	2-320572-2	
-18	2-320573-1	
-19	2-328975-1	
-20	52273-1	
-21	2-36149-4	
-22	51863-3	
-23	1-320551-3	
-24	2-36153-4	
-25	2-320571-4	
-26	2-320572-3	
-27	2-320573-2	
-28	2-328975-2	
-29	52273-2	
-30	2-36149-5	
-31	51863-4	
-32	1-320551-4	
-33	2-36153-5	
-34	2-320571-5	
-35	2-320572-4	
-36	2-320573-3	
-37	2-328975-3	
-38	52274	
-39	2-320561-3	
-40	51864-6	
-41	1-51864-0	
-42	5l864-7	
-43	2-320563-3	
-44	2-320575-2	
-45	2-320564-l	
-46	2-328976-l	
-47	52274-l	
-48	2-32056l-4	
-49	5l864-8	
-50	l-5l864-l	
-5l	5l864-9	
-52	2-320563-4	
-53	2-320575-3	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
-54	2-320564-2	AMP Incoroporated (2)
-55	2-328976-2	continued
-56	2-36l6l-5	NAC E10.144/05-31-96
-57	2-320568-2	
-58	2-36l6l-3	
-59	2-320569-5	
-60	2-320576-2	
-6l	2-320577-l	
-63	2-36l6l-6	
-64	2-320568-3	
-65	2-36l6l-4	
-66	2-320569-6	
-67	2-320576-3	
-68	2-320577-2	

MIL-T-7928/4 - TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED RING TONGUE, BELL-MOUTHED, TYPE II CLASS 1 (FOR 150°C TOTAL CONDUCTOR TEMPERATURE)

M7928/4-101	53406-1	AMP Incorporated (2)
-102	53407-1	NAC E10.144/05-31-96
-103	53409-1	
-104	53411-1	
-105	53412-1	
-106	53415-1	
-107	53416-1	
-108	53418-1	
-109	53420-1	
-110	53421-1	
-111	53423-1	
-112	53425-1	
-113	53427-1	
-114	53428-1	
-143	53400-1	
-144	53401-1	
-145	53402-1	
-146	53403-1	
-147	53404-1	
-148	53405-1	
-149	53408-1	
-150	53410-1	
-151	53413-1	
-152	53414-1	
-153	53417-1	
-154	53419-1	
-155	53422-1	
-156	53424-1	
-157	53426-1	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
MIL-T-7928/5 - TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, (PERMANENT, TYPE II, CLASS 1) FOR 105°C TOTAL CONDUCTOR TEMPERATURE		
M7928/5-1	323994	AMP Incorporated (2)
-2	323975	NAC E10.144/05-31-96
-3	320559	
-4	320562	
-5	320570	
M7928/5-3	WA-840	Molex-ETC Incorporated
-4	WB-841	NAC A10.163/05-31-96
-5	WC-842	
M7928/5-3	B1870BN	Wearnes Hollingsworth
-4	B1871BN	Corp.
-5	B1872BN	NAC E10.142/05-31-96
MIL-T-7928/6 - TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, (PERMANENT, TYPE II, CLASS 1) FOR 150°C TOTAL CONDUCTOR TEMPERATURE		
M7928/6-1	53546-1	AMP Incorporated (2)
-2	53547-1	NAC E10.144/05-31-96
-3	53548-1	01001301.AB/2-28-98
-4	53549-1	
-5	53550-1	
MIL-T-7928/7 - TERMINAL LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER		
M7928/7-8	320093	AMP Incorporated (1) NAC E10.144/05-31-96
M7928/7-1	R4103B	Wearnes Hollingsworth
-2	R4104B	Corp.
-3	R4262B	NAC E10.142/05-31-96
-4	R4264B	
-5	R4114B	
-6	R4115B	
-7	R4121B	
-8	R4123B	
-9	R4125B	
-10	R4126B	
-11	R4119B	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
SAE-AS17143 - TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TYPE II, CLASS 1 FOR 105°C TOTAL CONDUCTOR TEMPERATURE		
MS17143-1	327932)	AMP Incorporated (2)
-2	2-327934-2	01001308.AD/12-29-98
-3	327936	
-4	2-327938-1	
-5	2-327940-4	
-6	327942	
-7	327944	
-8	2-327946-4	
-9	327948	
-10	2-327950-1	
-11	2-327952-2	
-12	327954	
-13	2-327956-1	
-14	2-327958-4	
-15	2-327960-1	
-16	327962	
-17	2-327964-4	
-l8	327966	
-19	2-327968-1	
-20	2-327970-4	
-21	327972	
MS17143-1	AA-880-1	Molex-ETC Incorporated
-2	BB-880-2	01001308.AB/12-29-98
-4	AA-881-1	
-5	BB-881-2	
-7	AA-882-1	
-8	BB-882-2	
-10	AA-883-1	
-11	BB-883-2	
-13	AA-884-1	
-14	BB-884-2	
-16	AA-885-1	
-17	BB-885-2	
-19	AA-886-1	
-20	BB-886-2	
MS17143-1	RA480	Thomas & Betts
-2	RB480	Corp.(2)
-3	RC480	01023008.AC/12-29-98
-4	RA481	
-5	RB481	
-6	RC481	
-7	RA482	
-8	RB482	
-9	RC482	
-10	RA483	
-11	RB483	
-12	RC483	
-13	RA484	
-14	RB484	
-15	RC484	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
-16	RA485	Thomas & Betts
-17	RB485	Corp.(2)
-18	RC485	(cont)
-19	RA486	
-20	RB486	
-21	RC486	
MS20659 AND SAE-AS20659 - TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TYPE I, CLASS 1, FOR 175°C TOTAL CONDUCTOR TEMPERATURE		
MS20659-105	33457	AMP Incorporated (1)
-106	33459	NAC H10.114/10-31-95
-128	33220	01001308.AC/12-29-98
MS20659-105	YAV10	FCI Burndy Electrical
-106	YAV10-T2	NAC F10.130/10-31-95
-107	YAV8C-L	01003808.AB/12-29-98
-108	YAV8C-L2	
-109	YAV6C-L	
-110	YAV6C-L2	
-111	YAV4C-L	
-112	YAV4C-L2	
-113	YAV2C-L1	
-114	YAV2C-L	
-115	YAV1C-L1	
-116	YAV1C-L	
-117	YAV25-L1	
-118	YAV25-L	
-119	YAV26-L2	
-120	YAV26-L	
-121	YAV27-L	
-122	YAV27-L1	
-123	YAV28-L	
-124	YAV28-L12	
-128	YAV10-T4	
-129	YAV8C-L3	
-130	YAV6C-L1	
-131	YAV6C-L4	
-132	YAV4C-L4	
-133	YAV2C-L4	
-134	YAV1C-L3	
-135	YAV25-L3	
-136	YAV26-L3	
-137	YAV28-L54	
-140	YAV8C-L14	
-141	YAV8C-L1	
-142	YAV8C-L4	
-143	YAV6C-L10	
-144	YAV4C-L3	
-145	YAV4C-L5	
-146	YAV2C-L3	
-147	YAV2C-L2	
-148	YAV2C-L11	
-149	YAV1C-L2	
-150	YAV1C-L4	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
-151	YAV25-L2	FCI Burndy Electrical
-152	YAV25-L16	continued
-153	YAV26-L1	NAC F10.130/10-31-95
-154	YAV26-L16	01003808.AB/12-29-98
-155	YAV27-L20	
-156	YAV27-L18	
-157	YAV28-L56	
-158	YAV28-L60	
-159	YAV28-L13	
-160	YAV28-L14	
-165	YAV10-T7	
MS20659-105	C-328-10	Molex-ETC Incorporated
-106	C-330-56	NAC D10.118/10-31-95
-128	C-340-38	01009308.AC/12-29-98
MS20659-101	A85G	Thomas & Betts
-102	A87G	Corp.(1)
-103	B85G	NAC F10.120/10-31-95
-104	B87G	01023008.AD/12-29-98
-105	C26	
-106	C70	
-107	D10361	
-108	D10721	
-109	E10711	
-110	E10731	
-111	F10711	
-112	F10731	
-113	G971	
-114	G973	
-115	H971	
-116	H973	
-117	J971	
-118	J973	
-119	K972	
-120	K973	
-121	L973	
-122	L975	
-123	M973	
-124	M975	
-128	C73	
-129	D10731	
-130	E10261	
-131	E10721	
-132	F10721	
-133	G975	
-134	H975	
-135	J975	
-136	K975	
-140	D10161	
-141	D10711	
-144	F10261	
-146	G926	
-147	G972	
-148	G974	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
-149	H972	Thomas & Betts
-150	H974	Corp.(1)
-151	J972	continued
-152	J974	NAC F10.120/10-31-95
-153	K971	01023008.AD/12-29-98
-154	K974	
-155	L972	
-156	L974	
-157	M972	
-158	M974	
-165	C33	
-166	C75	
MS20659-105	R3457B	Wearnes Hollingsworth
-106	R3459B	Corp.
-128	R3220B	NAC D10.116/10-31-95
-165	R3453B	01027408.AB/12-29-98
-166	R3223B	
MS21004 - TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, CRIMP STYLE, COPPER, TYPE I, CLASS 1 FOR 175°C TOTAL CONDUCTOR TEMPERATURE		
MS21004-1	A486	Thomas & Betts
-2	A483	Corp.(1)
-3	A482	NAC D10.139/12-31-95
-4	A481	
-5	A485	
-6	A484	
-7	A480	
-8	B486	
-9	B483	
-10	B482	
-11	B481	
-12	B485	
-13	B484	
-14	B480	
-15	C486	
-16	C483	
-17	C482	
-18	C481	
-19	C485	
-20	C484	
-21	C480	
MS25036 AND SAE-AS25036 - TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1, (FOR 105°C TOTAL CONDUCTOR TEMPERATURE)		
MS25036-101	36149 or 36150	AMP Incorporated (2)
-102	51863	01001302.AA/9-30-98
-103	36153 or 36154	01001308.AE/2-29-98
-104	320572 or 31895	
-105	320573 or 31897	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
-106	320561	AMP Incorporated (2) (cont)
-107	51864	
-108	51864-2	01001302.AA/9-30-98
-109	320575	01001308.AE/2-29-98
-110	320564	
-111	320567 or 35107	
-112	36161 or 35109	
-113	320576 or 35111	
-114	320577 or 35112	
-143	54310-1	
-144	52189	
-145	53073	
-146	54311-1	
-147	54312-1	
-148	320553 or 31880	
-149	320551 or 31890	
-150	320571 or 31894	
-151	328975	
-152	324159	
-153	51864-1	
-154	320563	
-155	328976	
-156	320568 or 35108	
-157	320569 or 35110	
MS25036-101	YAES18-N1	FCI Burndy Electrical
-102	YAES18-N2	NAC E10.132/06-17-96
-103	YAES18-N3	01003808.AE/12-29-98
-104	YAES18-N4	
-105	YAES18-N5	
-106	YAES14-N6	
-107	YAES14-N7	
-108	YAES14-N8	
-109	YAES14-N9	
-110	YAES14-N10	
-111	YAES10-N11	
-112	YAES10-N12	
-113	YAES10-N13	
-114	YAES10-N14	
-115	YAEV8C-L	
-116	YAEV8C-L1	
-117	YAEV8C-L2	
-118	YAEV8C-L3	
-119	YAEV6C-L1-M	
-120	YAEV6C-L-M	
-121	YAEV6C-L4-M	
-122	YAEV6C-L2-M	
-123	YAEV4C-L	
-124	YAEV4C-L4	
-125	YAEV4C-L2	
-126	YAEV2C-L1	
-127	YAEV2C-L	
-128	YAEV2C-L4	
-129	YAEV1C-L1	
-130	YAEV1C-L	
-131	YAEV1C-L3	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
-132	YAEV25-L1	FCI Burndy Electrical
-133	YAEV25-L	NAC E10.132/06-17-96
-134	YAEV25-L3	01003808.AE/12-29-98
-135	YAEV26-L2	(cont)
-136	YAEV26-L	
-137	YAEV26-L3	
-148	YAES18-N48	
-149	YAES18-N49	
-150	YAES18-N50	
-152	YAES14-N52	
-153	YAES14-N53	
-154	YAES14-N54	
-155	YAES14-N55	
-156	YAES10-N56	
-157	YAES10-N57	
-158	YAES10-N58	
MS25036-101	AA-820-06	Molex-ETC Incorporated
-102	AA-832-06	01009302.AA/7-31-98
-103	AA-821-10	01009308.AC/12-29-98
-104	AA-822-56	
-105	AA-826-38	
-106	BB-823-06	
-107	BB-837-06	
-108	BB-837-10	
-109	BB-825-56	
-110	BB-818-38	
-111	C-828-06	
-112	C-828-10	
-113	C-830-56	
-114	C-840-38	
-148	AA-820-04	
-149	AA-821-08	
-150	AA-822-14	
-152	BB-823-04	
-153	BB-837-08	
-154	BB-825-14	
-156	C-828-08	
-157	C-830-14	
-159	AA-820-02	
MS25036-101	RA333	Thomas & Betts Corp.
-102	RA853	(1 & 2)
-103	RA873	NAC E10.106/07-31-95
-104	RA723	01023008.AD/12-29-98
-105	RA733	
-106	RB1333	
-107	RB853	
-108	RB873	
-109	RB723	
-110	RB733	
-111	RC333	
-112	RC363	
-113	RC703	
-114	RC733	
-115	RD10361	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
-116	RD10711	Thomas & Betts Corp.
-117	RD10721	(1 & 2)
-118	RD10731	NAC E10.106/07-31-95
-119	RE10261	01023008.AD/12-29-98
-120	RE10711	(cont)
-121	RE10721	
-122	RE10731	
-123	RF10711	
-124	RF10721	
-125	RF10731	
-126	RG9711	
-127	RG9731	
-128	RG9751	
-129	RH9711	
-130	RH9731	
-131	RH9751	
-132	RJ9711	
-133	RJ9731	
-134	RJ9751	
-135	RK9721	
-136	RK9731	
-137	RK9751	
-138	RL9731	
-139	RL9751	
-140	RM9731	
-141	RM9751	
-143	RAX23	
-144	RAX43	
-145	RAX63	
-146	RAX83	
-147	RAX103	
-148	RA323	
-149	RA863	
-150	RA713	
-151	RA753	
-152	RB1323	
-153	RB863	
-154	RB713	
-155	RB753	
-156	RC863	
-157	RC713	
-158	RC753	
MS25036-101	XR1881SN	Wearnes Hollingsworth
-102	XR1885SN	Corp.
-103	XR1891SN	01027402.AA/7-31-98
-104	XR1895SN	01027408.AB/12-29-98
-105	XR1896SN	
-106	XR2442SN	
-107	XR1901SN	
-108	XR1903SN	
-109	XR1907SN	
-110	XR1908SN	
-111	XR5107N	
-112	XR5109N	
-113	XR5111N	
-114	XR5112N	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND TEST QUAL. REFERENCE
-143	XR26336N	Wearnes Hollingsworth Corp. (cont)
-144	XR26337N	
-145	XR26338N	
-146	XR26339N	01027402.AA/7-31-98
-147	XR26340N	01027408.AB/12-29-98
-148	XR1880SN	
-149	XR1890SN	
-150	XR1894SN	
-153	XR1902SN	
-154	XR1906SN	
-156	XR5108N	
-157	XR5110N	
-158	XR5117N	
-159	XR1879SN	
MS25274 - CAP, ELECTRICAL (WIRE END, CRIMP STYLE, TYPE II, CLASS 1) FOR 105°C TOTAL CONDUCTOR TEMPERATURE		
MS25274-2	328307	AMP Incorporated (2)
-3	328308	01001302.AA/9-30-98
-4	328309	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

MANUFACTURER 'S COMPLETE NAME AND ADDRESS	CAGE Number
Office:	
AMP Incorporated 470 Friendship Road Harrisburg, PA 17111	00779
Plants:	
(1) AMP Incorporated 30 Kauffman Road Landisville, PA 17538-1499	
(2) AMP Incorporated 250 Main Street Jacobus, PA 17407-1098	
Office:	
Framatome Connectors USA, Inc. Burndy Electrical P.O. Box 9507 47 East Industrial Park Drive Manchester, NH 03180-9507	09922
Plants:	
Framatome Connectors USA, Inc. Burndy Electrical Littleton Industrial Park Littleton, NH 03561	
and	
Framatome Connectors USA, Inc. Burndy Electrical Route 3A Connector Road Lincoln, NH 03251	
Office:	
Molex-ETC Incorporated 4650 62nd Avenue North Pinellas Park, FL 33781	98410
Plant:	
Molex-Etc Incorporated 2375 72nd Avenue North St. Petersburg, FL 33710	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

MANUFACTURER 'S COMPLETE NAME AND ADDRESS	CAGE Number
Office:	
T&B/Thomas & Betts Corporation 8155 T&B Boulevard Memphis, TN 38125	56501
Plants:	
(1) Thomas & Betts Corporation 9932 East 58th Street Tulsa, OK 74146	
(2) Thomas & Betts Corporation Street “A” Lot 32-24 Cabo-Caribe Industrial Park Vega Baja, Puerto Rico 00763	
Office:	
Wearnes Hollingsworth Corporation 1601 North Powerline Road Pompano Beach, FL 33069-1622	14726
Plant:	
Same as above	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.

CLASS 2 INFORMATION

CLASS 2 PRODUCTS

(1) Class 2 products are for original equipment installations or high production situations only.

(2) When a military procurement activity receives a military part number request for Class 2 products, the procurement activity must procure suitable Class 1 replacement products in lieu of the Class 2 items.

(3) A Class 2 part is ordered by the manufacturers part number. Only that particular manufacturer's approved Class 2 Tool can be used with the Class 2 part.

(4) Class 2 products will not be stocked by the Defense General Supply Center for replacement purposes.

(5) Class 2 products do require qualification approval. Copies of the Qualifying Activity's approved part number listing must be obtained from the manufacturer. Class 2 products have the same periodic qualification requirements as Class l products. A verbal confirmation of a manufacturer's qualification reference number for particular Class 2 product may be obtained from the Qualifying Activity: Telephone (317) 306-3237 or Autovon 369-3237.

(6) For information purposes, Class 2 products are listed below by slash sheet or military standard for each approved manufacturer.

M7928/1 - AMP

M7928/2 - None

M7928/4 - AMP

M7928/5 - AMP, Wearnes Hollingsworth

M7928/6 - AMP

M7928/7 - AMP, Wearnes Hollingsworth

MS17143 - AMP, Thomas & Betts, Molex-ETC

MS20659 - AMP, FCI Burndy, Molex-ETC, Panduit, Thomas & Betts, Wearnes Hollingsworth

MS21004 - Thomas & Betts

MS25036 - AMP, FCI Burndy, Molex-ETC, Wearnes Hollingsworth Thomas & Betts, Panduit

MS25274 - AMP

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:08Z
Check the source to verify that this is the current version before use.