NOTICE When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever and the fact that the Government may have formulated, furnished or in any way supplied the said drawings, specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture use or sell any patented invention that may in any way be related thereto.

NOTE This drawing was approved by joint action of the [illegible] Air Force and Navy Departments as the [illegible] Air Force-Navy standard for this product. This drawing supersedes all antecedent standard drawings for the same product and shall become effective for the procurement of aeronautical supplies, or for use in new design not later than 6 months after the latest date of approval shown.

(Project No. 5325-0137)



SOCKET

DASH NO.		A	C
PLATED	BLACK		
1	1B	11/64	1/4
1L	1BL	7/32	19/64



PLATE
-2 PLATED
-2 B BLACK



POST STUD
-5 PLATED
-5 B BLACK



WASHER
-3 PLATED
-3 B BLACK

FED. SUP CLASS
5325



POST STUD

DASH NO.		D	E	F
PLATED	BLACK			
4	4B	3/16	17/64	5/16
4-7	4B7			7/16
4-9	4B9			9/16
4L	4BL	11/32	7/16	5/16
4L7	4BL7			7/16
4L9	4BL9			9/16

SMALL CURTAIN TYPE MFG DWG NAF 312319



BUTTON
-6 PLATED -6 B BLACK
-6A BROWN



SOCKET
-7 PLATED
-7 B BLACK



STUD
-8 PLATED
-8 B BLACK

(a) USE -61 OR -61B EYELETS WHERE THREADED SHANK IS REQUIRED



(a) EYELET
-9 PLATED
-9B BLACK



STUD

DASH NO.		H	THD T
PLATED	BLACK		
10	10B	1/4	NO. 10 ⑥ -32 NF-2A
10-6	10B6	3/8	
10-10	10B10	5/8	
10M	10BM	1/4	NO 8 ⑥ -32 NC-2A
10M6	10BM6	3/8	
10M10	10BM10	5/8	



STUD

DASH NO.		J	SCREW FORM
PLATED	BLACK		
10W10	10BW10	5/8	WOOD
10T6	10BT6	3/8	SELF TAPPING

REGULAR WIRE SPRING CLAMP TYPE MFG DWG NAF 312320



BUTTON
-11 PLATED, -11 B BLACK
-11 A BROWN



SOCKET
-12 PLATED, -12 B BLACK



STUD
-13 PLATED, -13 B BLACK



EYELET
-14 PLATED, -14 B BLACK

SMALL WIRE SPRING CLAMP TYPE MFG DWG NAF 312321

MATERIAL ALL PARTS ARE METAL EXCEPT AS SPECIFIED.
DIMENSIONS GIVEN ARE APPROXIMATE, FOR REFERENCE ONLY. FOR EXACT DIMENSIONS, SEE MANUFACTURING DRAWINGS.
EXAMPLES OF PART NUMBERS AN227-1 = FASTENER, SMALL CURTAIN TYPE SOCKET, PLATED FINISH, SHORT PRONG.
AN227-1BL = FASTENER, SMALL CURTAIN TYPE SOCKET, BLACK FINISH, LONG PRONG.
⑥ COMPONENT PARTS OF THE SAME FASTENER SHALL BE PROCURED FROM THE SAME MANUFACTURER.
THIS DRAWING IS FOR REFERENCE AND STOCK PURPOSES ONLY. FOR MANUFACTURING DETAILS SEE AN AERO. STANDARD ISSUE OF THE NAF, OR USAF DRAWING REFERENCED FOR EACH TYPE.

⑨ INACTIVE FOR NEW DESIGN AFTER 22 MAY 1970 USE MS27977 THRU MS27986

APPROVED 28 Nov 41 REVISED ① 14 Oct 42 ② 6 Sep ③ 12 May 44 ④ 17 Dec 48 ⑤ 30 Sep 49 ⑥ 8 Apr 53 ⑨ 22 May 1970

PROCUREMENT SPECIFICATION
NONE

AIR FORCE-NAVY AERONAUTICAL STANDARD

FASTENERS - SNAP AND CURTAIN

AN227
SHEET 1 OF 3

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

NOTE: This drawing was approved by joint action of the Air Force and Navy Departments as the Air Force-Navy standard for this product. This drawing supersedes all antecedent standard drawings for the same product and shall become effective for the procurement of aeronautical supplies, or for use in new design, not later than 6 months after the latest date of approval shown.



INDICATE OPENING HERE

SOCKET

PLATE
-16 PLATED
-16B BLACK

PARTIAL OR FULL LIP TYPE OPTIONAL

DASH NO.		A	C
PLATED	BLACK		
15S	15BS	7/32	21/64
15L	15BL	9/32	25/64



CLINCH STUD

PLATE
-18 PLATED
-18B BLACK

DASH NO.		D
PLATED	BLACK	
17S	17BS	19/64
17L	17BL	1/2



POST STUD

DASH NO.		F
PLATED	BLACK	
19S	19BS	17/64
19L	19BL	1/2

PLATE
-20 PLATED
-20B BLACK



PLATE
-20P PLATED
-20BP BLACK



HEX BASE STUD

DASH NO.		G	H	THREAD T
PLATED	BLACK			
21	21B	1/4	1/4	NO. 8-32 NC-2 MACHINE SCREW
22	22B	3/8		
23	23B	5/8		
24	24B	1/4	1/2	
25	25B	3/8		
26	26B	5/8		
21L	21BL	1/4	1/4	NO. 10-32 NF-2 MACHINE SCREW
22L	22BL	3/8		
23L	23BL	5/8		
24L	24BL	1/4	1/2	
25L	25BL	3/8		
26L	26BL	5/8		
21T10	21BT10	3/8	1/4	NO. 10-14 SELF TAPPING SCREW
22T10	22BT10	1/2		
23T10	23BT10	5/8		
24T10	24BT10	3/8	1/2	
25T10	25BT10	1/2		
26T10	26BT10	5/8		



HEX BASE STUD

DASH NO.		J	K	THREAD T
PLATED	BLACK			
21M8	21BM8	1/4	1/4	NO. 8-32 NC-2 MACHINE SCREW
22M8	22BM8	3/8		
23M8	23BM8	5/8		
24M8	24BM8	1/4	1/2	
25M8	25BM8	3/8		
26M8	26BM8	5/8		
21M10	21BM10	1/4	1/4	NO. 10-32 NF-2 MACHINE SCREW
22M10	22BM10	3/8		
23M10	23BM10	5/8		
24M10	24BM10	1/4	1/2	
25M10	25BM10	3/8		
26M10	26BM10	5/8		



WOOD SCREW STUD

DASH NO.		R	U
PLATED	BLACK		
29	29B	1/4	3/4
30	30B	1/2	
29S	29BS	1/4	3/8
30S	30BS	1/2	



TEE NUT STUD

DASH NO.		V	X	Y
PLATED	BLACK			
48	48B	1/4	3/8	1/4
48L	48BL	1/2	3/8	1/2



ALTERNATE DESIGN



RIVETING STUD

DASH NO.		M	P
PLATED	BLACK		
27	27B	9/32	1/4
28	28B	1/2	1/2



ALTERNATE DESIGN

LARGE CURTAIN TYPE MFG DWG NAF 49955



BUTTON-SMALL
-31 BROWN
-31B BLACK
-31C BROWN
31CB BLACK
CELLULOID OR
PLASTIC TOP



BUTTON-LARGE
-32C BROWN
-32CB BLACK
CELLULOID OR
PLASTIC TOP



SOCKET
-33 PLATED
-33B BLACK



STUD-REGULAR
-34 PLATED
-34B BLACK



EYELET-SMALL
-35 PLATED
-35B BLACK



STUD-WIDE FLANGE
-36 PLATED
-36B BLACK



EYELET-LARGE
-37 PLATED
-37B BLACK

⑤

GLOVE SNAP TYPE MFG DWG NAF 312322

SEE SHEET 1 FOR NOTES

FED. SUP CLASS 5325

APPROVED 28 Nov 41 REVISED ① 14 Oct 42 ② 6 Sep 43 ③ 12 May 44 ④ 17 Dec 49 ⑤ 16 Aug 51 ⑨ See Sheet 1

PROCUREMENT SPECIFICATION	AIR FORCE-NAVY AERONAUTICAL STANDARD	AN227
NONE	FASTENERS — SNAP AND CURTAIN	SHEET 2 OF 3 SHEETS

NOTICE. When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

NOTE: This drawing was approved by joint action of the Air Force and Navy Department as the Air Force-Navy standard for this product. This drawing supersedes all antecedent standard drawings for the same product and shall become effective for the procurement of aeronautical supplies, or for use in new design, not later than 6 months after the latest date of approval shown.

APPROVED 24 Nov 41 REVISED (1) 14 Oct 42 (2) 6 Sep 43 (3) 12 May 44 (4) 17 Dec 48 (5) 30 Sep 49 (6) 16 Aug 51 (7) 30 Nov 51 (8) 12 May 53 (9) See Sheet 1



BUTTON SNAP TYPE MFG DWG NAF 312323

FED SUP CLASS
5325



RIVET TYPE MFG DWG NAF 312324



FLAT HEAD SNAP TYPE MFG DWG NAF 312325



THREE WAY LOCKING SNAP TYPE MFG DWG NAF 312326



EYELET MANUFACTURING DWG USAF 45A25157
-61 PLATED -61B BLACK

SEE SHEET 1 FOR NOTES

SEE SHEET 2 FOR -48, -48B, -48L, -48BL

WIRE SPRING CLAMP LOCKING TYPE MFG DWG NAF 313491

(a) USE -7 OR -7B EYELETS WHERE UNTHREADED SHANK IS REQUIRED

(b) USE -9, -9B, -61 OR -61B EYELET WITH THIS STUD

PROCUREMENT SPECIFICATION	AIR FORCE-NAVY AERONAUTICAL STANDARD	AN227
NONE	FASTENERS – SNAP AND CURTAIN	SHEET 3 OF 4

INCH-POUND

AN227 Rev. 9
NOTICE 1
10 June 1994

NOTICE
OF VALIDATION

MILITARY SPECIFICATION

FASTENERS - SNAP AND CURTAIN (INACTIVE USE MS27977 THRU MS27986

AN227 Rev 9 remains inactive for new design, however, the document is valid for acquisition when needed.

Preparing activity:
DLA-IS

AMSC N/A FSC 5325

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.