QUALIFICATIONS CERTIFIED
FEBRUARY 1988

QPL-8985-7
02 March 1988
SUPERSEDING
QPL-8985-6
6 Novemeber 1985

QUALIFIED PRODUCTS LIST

OF FSC 5310

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-N-8985

NUT, SELF-LOCKING, STEEL, 180 ksi Ftu, 450°F

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST IS THE NAVAL AIR SYSTEMS COMMAND (ATTENTION: COMMANDING OFFICER, NAVAL AIR ENGINEERING CENTER (SESD), (CODE 53), LAKEHURST, NJ 08733-5100)

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
MS14156-04	LH11860-4	Report No. 305Q75011 of 3 Apr 1975	Elastic Stop Nut A Division of Harvard Industries, Inc. 2330 Vauxhall Road Union, NJ 07083 Plant: Same address
MS14156-05	LH11860-5		
MS14156-06	LH11860-6		
MS14156-07	LH11860-7		
MS14156-08	LH11860-8		
MS14156-09	LH11860-9		
MS14156-10	LH11860-10		
MS14156-12	LH11860-12		
MS14156-14	LH11860-14		
MS14156-16	LH11860-16		

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:09Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
MS14179-3	VF12502-3	Report No.	Elastic Stop Nut
MS14179-4	VF12502-4	305Q81065 of	A Division of
MS14179-5	VF12502-5	22 Jul 1981	Harvard Industries, Inc. (cont'd)
MS14180-3	VA12502-3		
MS14180-4	VA12502-4		
MS14180-5	VA12502-5		
NOTE: Manufacturing Process: "strip and machine"			
MS21133L03	RMLH10718-3	Report No.	
MS21133L04	RMLH10718-4	305Q74015 of	
MS21133L05	RMLH10718-5	19 Nov 1974	
MS21133L06	RMLH10718-6		
MS21133L07	RMLH10718-7		
MS21133L08	RMLH10718-8		
MS21133L09	RMLH10718-9		
MS21133L10	RMLH10718-10		
MS21133L12	RMLH10718-12		
MS21133L14	RMLH10718-14		
MS21133L16	RMLH10718-16		
MS21133L18	RMLH10718-18		
MS21133L20	RMLH10718-20		
MS21133L22	RMLH10718-22		
MS21133L24	RMLH10718-24		
MS21133-03	LH10718-3		
MS21133-04	LH10718-4		
MS21133-05	LH10718-5		
MS21133-06	LH10718-6		
MS21133-07	LH10718-7		
MS21133-08	LH10718-8		
MS21133-09	LH10718-9		
MS21133-10	LH10718-10		
MS21133-12	LH10718-12		
MS21133-14	LH10718-14		
MS21133-16	LH10718-16		
MS21133-18	LH10718-18		
MS21133-20	LH10718-20		
MS21133-22	LH10718-22		
MS21133-24	LH10718-24		
NOTE: "RM" designates Molybdenum Disulphide Lubricant Coating (Everlube #642).			

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:09Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	TEST OR QUALIFICATION REFERENCE	MANUFACTURER'S NAME AND ADDRESS
M8985/2-3	LH11922-3	Report No.	Elastic Stop Nut
M8985/2-4	LH11922-4	305Q77029 of	A Division of
M8985/2-5	LH11922-5	24 Jan 1977	Harvard Industries, Inc.
M8985/2-6	LH11922-6		(cont'd)
M8985/2-7	LH11922-7		
M8985/2-8	LH11922-8		
M8985/2-9	LH11922-9		
M8985/2-10	LH11922-10		
M8985/2-12	LH11922-12		
M8985/2-14	LH11922-14		
M8985/2-16	LH11922-16		
M8985/2-18	LH11922-18		
M8985/2-20	LH11922-20		
M8985/2-22	LH11922-22		
M8985/2-24	LH11922-24		
M8985/2L3	RMLH11922-3		
M8985/2L4	RMLH11922-4		
M8985/2L5	RMLH11922-5		
M8985/2L6	RMLH11922-6		
M8985/2L7	RMLH11922-7		
M8985/2L8	RMLH11922-8		
M8985/2L9	RMLH11922-9		
M8985/2L10	RMLH11922-10		
M8985/2L12	RMLH11922-12		
M8985/2L14	RMLH11922-14		
M8985/2L16	RMLH11922-16		
M8985/2L18	RMLH11922-18		
M8985/2L20	RMLH11922-20		
M8985/2L22	RMLH11922-22		
M8985/2L24	RMLH11922-24		

NOTE: "RM" designates Molybdenum Disulphide Lubricant Coating (Everlube #642).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:09Z
Check the source to verify that this is the current version before use.