[INCH-POUND]
A-A-55517
21 February 1997


COMMERCIAL ITEM DESCRIPTION

RESISTOR, FIXED, CARBON FILM,
GENERAL REQUIREMENTS FOR

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

1. SCOPE. This CID covers the general requirements for a carbon film resistor. These resistors offer long - term stability and may be considered as a substitute for carbon composition resistors. Requirements for specific resistors are covered in the individual CID sheets. For technical assistance when utilizing parts for parameters not specifically detailed (such as surge or high frequency applications) contact manufacturers listed on applicable CID sheet. The resistors covered by this CID are intended for commercial/industrial applications.

2. CLASSIFICATION. This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see 6.1).



3. SALIENT CHARACTERISTICS

3.1 Interface and physical dimensions. The resistors supplied to this CID shall be as specified on the applicable CID sheet.

3.2 Resistance. The nominal resistance value expressed in ohms is identified by a three-digit number; the first two digits represent significant figures and the last digit specifies the number of zeros to follow. When resistance values less than 10 ohms are required, the letter "R" is substituted for one of the significant digits to represent the decimal point. When the letter "R" is used, significant digits follow.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Defense Supply Center, Columbus, ATTN: DSCC-VAM, 3990 East Broad Street, Columbus, OH 43216-5000, telephone (614)692-0553, or facsimile (FAX) (614)692-6939.

AMSC N/A FSC 5905

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:50Z
Check the source to verify that this is the current version before use.

3.3 Resistance value. Minimum and maximum resistance values shall be as specified (see 3.1).

3.4 Resistance tolerance. The resistance tolerance is identified by a single letter in accordance with table I.

TABLE I. Resistance tolerance.

Symbol	Resistance tolerance Percent (±)
G	2
J (Standard)	5
K	10

3.5 Operating ambient temperature. The operating ambient temperature shall be as specified on the applicable CID sheet.

3.6 Marking. Resistors shall be legibly and permanently color coded with the manufacturers standard color coding.

4. QUALITY ASSURANCE PROVISIONS

4.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial market. The Government reserves the right to require proof of such conformance.

4.2 Market acceptance. The following market acceptance criteria are necessary to document the quality of the product to be provided under this CID:

a. The company producing the item must have been producing a product meeting the requirements of this CID for at least 6 months.

b. The company must have sold 1,000 units meeting this CID in the commercial marketplace over the past 6 months.

5. PACKAGING

5.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See section 2 for PIN format example.

6.2 CAGE code. For ordering purposes, inventory control, and submission of these resistors to DSCC under the Military Parts control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:50Z
Check the source to verify that this is the current version before use.

6.3 Ordering data. The contract or order should specify the following:

a. CID document number, revision, and CID PIN.

b. Quality assurance provisions.

c. Packaging requirements.

6.4 Government users. To acquire information on obtaining these resistors from the Government inventory system, contact Defense Supply Center, Columbus, ATTN: DSCC-CP, 3990 East Broad Street, Columbus, OH 43216-5000, or telephone (614)692-7684.

MILITARY INTERESTS:

Custodian

Navy - EC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

Preparing Activity:

DLA-CC

Project 5905-D351

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:50Z
Check the source to verify that this is the current version before use.