[INCH-POUND]
A-A-55517/2B
12 December 2002
SUPERSEDING
A-A-55517/2A
17 June 1997

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

# RESISTOR, FIXED, CARBON FILM, 1/4 WATT

The General Services Administration has authorized the use of this Commercial Item Description (CID) for all agencies.

The complete requirements for procuring a 1/4 watt, fixed, carbon film resistor described herein shall consist of this document and the issue in effect of CID A-A-55517.

CLASSIFICATION. This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see notes).

| AA55517 | 02 | *** | * |
|---|---|---|---|
| CID number | Applicable CID sheet (two digits) | Resistance | Tolerance |

SALIENT CHARACTERISTICS

Interface and physical dimensions. The resistors supplied to this CID shall meet the interface and physical dimensions as specified herein (see figure 1).

Power rating. The power rating for the resistor shall be 1/4 watt.

Voltage rating. The voltage rating shall be 250 V.

Overload voltage. The overload voltage shall be 500 V.

Resistance. The resistance range shall be 1.0 ohm to 22 megohms.

Resistance tolerance. The standard resistance tolerance available is J (±5 percent). G (±2 percent), and K (±10 percent) are also available.

Operating ambient temperature. The operating ambient temperature range shall be -55°C to +155°C.

Marking. The resistors supplied to this CID shall be marked as specified in A-A-55517.


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:50Z
Check the source to verify that this is the current version before use.




| Dimension | | | |
|---|---|---|---|
| L | D | H | d |
| 0.250 ±.032 (6.35 ±.81) | 0.095 ±.025 (2.41 ±.64) | 0.788 min. (20.02 min.) | 0.024 ±.003 (0.61 ±.08) |

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given in parenthesis for general information only.
3. The picturization of the style above is given as a representative of the envelope item. Light deviations from the outline shown, which are contained within the envelope and do not alter the functional aspects of the device, are acceptable.

FIGURE 1. Dimensions and configuration.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:50Z
Check the source to verify that this is the current version before use.

NOTES.

The PIN should be used for Government purposes to buy commercial products to this CID. See classification information for PIN format example.

Commercial and Government Entity (CAGE) code. For ordering purposes, inventory control, and submission of these resistors to DSCC under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

Source of documents.

Commercial Item Description

A-A-55517 - Resistor, Fixed, Carbon Film, General Requirements for.

(Copies of federal specifications and standards are available from the Document Automation and Production Service, Building 4D, (DPM-DODSSP), 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

Ordering data. Ordering data is as specified in A-A-55517.

Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID (See Table II). (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown).

TABLE II. Commercial products.

| CID PIN | MFR's CAGE | MFR's name and address |
|---|---|---|
| AA5551702**** | 08KU4 | RFE International, Inc.<br>20432 Barents Sea Circle<br>Lake Forest, CA 92630 |
| AA5551702**** | 56637 | RCD Components, Inc.<br>520 East Industrial Park Dr.<br>Manchester, NH 03109-5316 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:50Z
Check the source to verify that this is the current version before use.

Part number (P/N) supersession data. This CID supersedes the following manufacturers P/N as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

TABLE III. P/N supersession data.

| CID dash number | MFR's CAGE | MFR's P/N 1/ |
|---|---|---|
| AA5551702**** | 08KU4 | CR25 |
| | 56637 | CF25 |

1/ The manufacturers P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID PIN shown.

Government users. To acquire information on obtaining these resistors from the Government inventory system, Defense Supply Center, Columbus, ATTN: DSCC-CPB, Post Office Box 3990, Columbus, OH 43216-5000, or telephone (614) 692-7678.

MILITARY INTERESTS:

Custodians:
Navy - EC
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

Preparing activity:

DLA - CC

Project 5905-1688-02



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:50Z
Check the source to verify that this is the current version before use.