INCH-POUND

A-A-52134
October 29, 1993

COMMERCIAL ITEM DESCRIPTION

GLASSWASHER, ELECTRIC, PORTABLE

The General Services Administration has authorized the use of this Commercial Item Description in preference to MIL-G-11491.

1. ABSTRACT

1.1 Abstract. This commercial item description covers portable electric glasswashers.

2. SALIENT CHARACTERISTICS

2.1 Design and construction. The glasswasher shall be designed to remove foreign matter on the inside and outside of two items of glassware simultaneously. The unit shall be designed so it can be suspended from a sink back-splash submerged in water, or used on a drainboard. The glasswasher shall primarly consist of an electric motor, with not less than 1/4 horsepower (HP), brush drive mechanism, interchangeable brushes, and a splashguard. The glasswasher shall be not more than 20 inches wide by 20 inches high by 18 inches deep. The drive mechanism shall be enclosed in a housing constructed of 300 series stainless steel. The splashguard shall be constructed of 300 series stainless steel. Three nylon brushes, a minimum of 3 inches in diameter, shall be furnished. An on-off switch shall be located on the front of the housing for easy access. A bracket shall be furnished to hang glasswasher on back-splash and be easily adjustable for the most convenient height for the operator. The bracket shall be fabricated from 300 series stainless steel.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Commander, U.S. Army Natick Research, Development, and Engineering Center, ATTN: SATNC-WEE, Natick, MA 01760-5018.

AMSC N/A FSC 7320

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

2.2 Electrical characteristics. The glasswasher shall be designed for operation on a 120V, single-phase, 60 Hz system. A minimum 6 foot, three-wire flexible cord with grounding conductor shall be provided.

2.3 Standard compliance. The glasswashers shall comply with the Underwriters Laboratory (UL) Standard 921 and NSF International Standard No. C-2 (see 2.2 and 3.2).

2.4 Data nameplate ("Government unique" requirement). The glasswashers shall be furnished with a data nameplate in accordance with the applicable requirements of MIL-STD-130 except the requirements for: (a) Methods of applying, (b) Identification tags, (c) Information not required, and (d) Optional marking information shall not apply. The data nameplate shall be made of minimum 20 gauge corrosion-resisting metal and attached to the glasswasher by rivets, screws, or welding in such a manner as to meet the applicable NSF International sanitary requirements for this equipment. The plate shall contain the following information which shall be stamped, engraved, or applied by photosensitive means:

Contract Number
National Stock Number
Procurement Instrument Identification Number
CID Based Part Identification Number (PIN)
Manufacturer's Name, Address, and Telephone Number
Supplier's Name, Address, and Telephone Number (List Only if Different from Manufacturer)
Manufacturer's Model and Serial Number
Government Approved Manual Number

Each plate shall be placed so that it is readily visible to the operator during normal operating use and so as to not adversely affect the life and utility of the glasswasher.

2.5 Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this commercial item description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

2.6 Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

ade submitted in accordance with 3.4 audit

adversely affecting performance requirements or exposing suppliers' employees to undue hazards from the recovered materials. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable. The term "recovered materials" means materials which have been collected or recovered from solid waste and reprocessed to become a source of raw materials as opposed to virgin raw materials. None of the above shall be interpreted to mean that the use of used or rebuilt products are allowed under this commercial item description unless otherwise specified.

2.7 Workmanship. The finished glasswashers shall be complete, clean, and free of fabrication marks, scratches, dents, sharp edges, sharp corners, burrs, slivers, or visible evidence of rust. Rivets, when used, shall be tight and the rivet heads and peened ends shall be round and concentric and in full contact with the joined metal surfaces. There shall be no empty rivet holes. Welds shall be clean, continuous, sound, and free of flux, pits, buildups, undercuts, and shall be ground so as to blend with the adjacent surfaces. Spot welds shall be free from pits, burn throughs, and flashes.

3. QUALITY ASSURANCE

3.1 Contractor certification. The contractor shall certify that the product offered meets the salient characteristics and requirements of this commercial item description and except for those Government unique requirements specified, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace or that had successfully been delivered to the Government on a previous contract or purchase order. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

3.2 Compliance. Prior to approval of the first shipment, the contractor shall submit satisfactory evidence to the contracting officer or his authorized representative that the glasswasher conforms to the requirements of UL Standard No. 921 and NSF International Standard No. C-2, as applicable.

3.2.1 Underwriters Laboratories, Inc. (UL). Acceptable evidence of meeting the requirements of UL Standard No. 921 shall be the UL listing mark, or a certified test report from a recognized independent laboratory acceptable to the Government indicating compliance with the applicable requirements of UL Standard No. 921.

3.2.2 NSF International. Acceptable evidence of meeting the requirements of NSF International Standard No. C-2 shall be a listing in the current edition of the NSF International "Listing of Food Service Equipment" and display of the NSF International mark on the finished product, or a certified test report from a recognized independent laboratory acceptable to the Government indicating compliance with the applicable NSF International requirement(s).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

4. PACKAGING

4.1 Packaging and packing. Packaging and packing shall be commercial or export as specified (see 5.2).

4.1.1 Commercial. Each glasswasher shall be cleaned, preserved, packaged, packed, and unitized in accordance with ASTM D 3951.

4.1.2 Export packing. Each complete glasswasher shall be packed in a snug-fitting, fiberboard shipping container conforming to style RSC, grade V3c or V3s of PPP-B-636. Uninstalled brushes shall be secured in an unused portion of the shipping container. Cushioning shall be used as necessary to prevent movement or damage while in transit.

4.2 Marking (commercial and export). Shipping containers shall be marked in accordance with MIL-STD-129.

5. NOTES

5.1 Intended use. The glasswasher covered by this commercial item description is intended for removing soiled matter from glassware prior to washing and sanitizing in a dishwashing machine.

5.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this commercial item description.
b. Government approved manual number to be included on data nameplate (see 2.4).
c. Selection of applicable packaging and packing required (see 4.1).

5.3 Sources for documents.

5.3.1 Sources for non-Government association documents.

ASTM D 3951 - Standard Practice for Commercial Packaging

ASTM documents are available from:

American Society for Testing and Materials (ASTM)
1916 Race Street
Philadelphia, PA 19103-1187

NSF International Standard No. C-2 - Special Equipment and/or Devices

NSF International documents are available from:

NSF International
3475 Plymouth Road
P.O. Box 130140
Ann Arbor, MI 48113-0140

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.

UL Standard No. 921 - Commercial Electrical Dishwashers

UL Standards are available from:

Underwriters Laboratories, Inc. (UL)
333 Pfingsten Road
Northbrook, IL 60062

5.3.2 Source for Government documents. Copies of military and federal documents are available from:

Standardization Documents Order Desk
Building 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

5.5 "Government unique" requirements. Whenever a "Government unique" requirement is included in the title of a paragraph under "Salient Characteristics", it is meant that the requirement is something that is not normally offered to the commercial marketplace by the manufacturer.

MILITARY INTERESTS:

Custodians

Army - GL
Navy - SA
Air Force - 99

Review Activities

Army - MD, QM
Navy - MC
Air Force - 50, 84
DLA - GS

User Activities

Navy - CG, MS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project 7320-0902

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:07Z
Check the source to verify that this is the current version before use.