A-A-53947
28 July 1989

COMMERCIAL ITEM DESCRIPTION

ARCH BOARD FILE AND BOX, PRESCRIPTION FILING

The General Services Administration has authorized the use of this commercial item description as a replacement for Military Specification MIL-A-37270 which will be cancelled.

This commercial item description covers one type of arch board file and box suitable for filing and storing 1000 prescriptions.

Salient characteristics.

The arch board file and box shall consist of the following basic components:

One box with hinged door.

One removable arch board file.

Nine dividers.

Two pressure sensitive labels.

The box and door shall be constructed from heavy steel sheets, electrically welded at all joints, and having nominal overall dimensions of 5 5/16 inches wide by 6 3/16 inches high by 9 7/16 inches deep. The door shall lift up on a welded continuous piano type hinge, set flush with the top of the box to permit stacking of the files. A pull handle shall be located at the bottom of the door in a location that will not interfere with application of the door label. The box and door shall have a durable, high gloss, white finish.

AMSC N/A FSC 7520

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:27Z
Check the source to verify that this is the current version before use.

The removable arch board file shall consist of a base and two arch wires constructed of corrosion resistant or plated steel. The arches shall be spaced 2 3/4 inches apart and capable of filing and storing 1000 prescriptions. A pull tab on the front of the base shall facilitate removal of the file from the box.

Nine dividers constructed of manila paper, or equal, shall be supplied with the file to separate the prescriptions into ten divisions of 100. The dividers shall be nominally 5 1/2 inches long by 4 1/2 inches wide with two holes spaced 2 3/4 inches apart punched on one 4 1/2 inch side for mounting on the arch files.

Two pressure sensitive labels shall be supplied for annotating prescription number sequence and date. One of the labels shall be affixed to the front of the door.

Workmanship. The arch board file and box shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA). One arch board file, box, and accessories, as specified, constitutes one unit.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:27Z
Check the source to verify that this is the current version before use.

NCBC: CBSO Code 156: Port Hueneme, CA: for disaster purposes only.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Sampling for inspections and tests. Sampling for inspections and tests shall be conducted in accordance with commercial practice. The unit of product for test purposes shall be one arch board file, box, and accessories.

Inspections and tests. Inspections and tests shall be conducted in accordance with commercial practice to determine compliance with specification requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376, and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U. S. Food and Drug Administration to be under its jurisdiction, the offeror/ contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State and local statutes, ordinances, and regulations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:27Z
Check the source to verify that this is the current version before use.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580, as amended, and as implemented by Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Number is covered by this document:

7520-00-935-0998

Ordering data. (Intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order).

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS

Project No. 7520-0185

Location: CID/ARCH/S38/17

Source: https://assist.dla.mil -- Downloaded: 20261O-26T09:27Z
Check the source to verify that this is the current version before use.

indicate items such as project title, location, and contract number (if