MILITARY SPECIFICATION

ROOFING FELT: IN ROLLS, PACKAGING OF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers preservation, packing, and marking of asphalt-impregnated roofing felt, asbestos fiber, and organic fiber, in rolls, and includes roofing nails and cement.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications and standards. Unless otherwise specified (see 6.2), the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

L-P-378	- Plastic Sheet and Strip, Thin Gauge Polyolefin.
MMM-A-260	- Adhesive, Water-Resistant (For Sealing Waterproof Paper).
PPP-B-1055	- Barrier Material, Waterproofed, Flexible.
PPP-T-60	- Tape: Packaging, Waterproof.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Mobility Equipment Research and Development Command, ATTN: DRDME-DS, Fort Belvoir, VA 22060 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

NO DELIVERABLE DATA REQUIRED BY THIS DOCUMENT

AREA PACK

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:39Z
Check the source to verify that this is the current version before use.

MILITARY

MIL-B-22191	- Barrier Materials, Transparent, Flexible, Heat Sealable.

STANDARDS

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-147	- Palletized Unit Loads.
MIL-STD-1188	- Commercial Packaging of Supplies and Equipment.

(Copies of specifications and standards required by manufacturers in connection with specific acquisition functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.1.2 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, the text of this specification shall take precedence.

3. REQUIREMENTS

3.1 Materials. Materials shall be as specified herein. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification (see 6.3).

3.2 Preservation. Preservation shall be level A or commercial, as specified (see 6.2).

3.2.1 Level A. When applicable, unit packed nails and unit packed cement shall be placed in the center void of each roll. Each roll shall be wrapped with waterproof paper conforming to PPP-B-1055, class B-2 or class B-3, or with plastic sheeting, polyethylene (4 mil or thicker gage) conforming to MIL-B-22191 or L-P-378. The wrap shall be sealed with adhesive conforming to MMM-A-260 or with tape conforming to PPP-T-60, type IV or with heat as applicable.

3.2.2 Commercial. Commercial preservation shall be in accordance with MIL-STD-1188.

3.3 Packing. Packing shall be level A or commercial as specified (see 6.2).

3.3.1 Level A. Rolls of roofing felt, preserved as specified in 3.2, shall be palletized in accordance with MIL-STD-147, load type XVII. All rolls shall be stacked on end.

3.3.2 Commercial. Commercial packing shall be in accordance with MIL-STD-1188.

Source: https://assist.dla.mil -- Downloaded: 202610-16T17:39Z
Check the source to verify that this is the currentversion before use.

3.4 Marking. For military levels of protection, individual rolls and each palletized unit shall be marked in accordance with MIL-STD-129. Commercial marking shall be in accordance with MIL-STD-1188.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The contractor is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Quality conformance inspection.

4.2.1 Unit of product. For the purpose of inspection a completed pack of any one degree of protection prepared for shipment shall be considered a unit of product.

4.2.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.2.3 Examination. Samples selected in accordance with 4.2.2 shall be examined for the defects listed in table I. AQL shall be 2.5 percent defective, inspection level S-4.

TABLE I. Examination.

Defects	
101.	Materials not as specified. Each incorrect material shall constitute one defect (see 3.1).
102.	Nails and cement not unit packed and placed in center void of each roll when applicable (see 3.2.1).
103.	Each roll not wrapped as specified (see 3.2.1).
104.	Wrap not sealed as specified (see 3.2.1).
105.	Rolls not palletized as specified (see 3.3.1).
106.	Marking illegible, incomplete, incorrect, or missing (see 3.4).

Source: https://assist.dla.mil -- Downloaded: 202610-16T17:39Z
Check the source to verify that this is the current version before use.

5. PACKAGING (Not applicable to this specification).

6. NOTES

6.1 Intended use. It is intended that this specification cover preservation, packing and marking of roofing felt in rolls and be used for reference in Section 5 of commodity specifications, and for direct reference in procurement documents.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) Degree of preservation and degree of packing required (see 3.2 and 3.3).

6.3 Recycled material. It is encouraged that recycled material be used when practical as long as it meets the requirements of the specification (see 3.1).

Custodians:
Army - ME
Navy - YD
Air Force - 99

Review activity:
Army - SM

Preparing activity:
Army - ME

Project PACK-0641

Source: https://assist.dla.mil -- Downloaded: 202610-16T17:39Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-R-3423D Roofing Flet: In Rolls, Packaging of

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 20260-16117:39Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 12062 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Mobility Equipment Research and
Development Command
ATTN: DRDME-DS
Fort Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:39Z
Check the source to verify that this is the current version before use.