MIL-S-3404C
4 June 1975
SUPERSEDING
MIL-S-3404B
17 March 1967

MILITARY SPECIFICATION

SURVEYING SET, PRECISE BASELINE:

SPECIALIZED SET FOR FIRST-ORDER ACCURACY,

PACKAGING OF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the requirements for preservation, packaging, and packing of a precise baseline surveying set SC 6675-93-CL-E23 (NSN 6675-00-641-3605).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

QQ-S-781	- Strapping, Steel, and Seals.
NNN-P-40	- Paper, Lens Tissue.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-621	- Boxes, Wood, Nailed and Lock-Corner.
PPP-T-76	- Tape, Pressure-Sensitive Adhesive Paper, Water Resistant, (for Carton Sealing).

Military

MIL-P-116	- Preservation-Packaging, Methods of.
MIL-B-121	- Barrier Material, Greaseproofed, Waterproofed, Flexible.

FSC 6675

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:38Z
Check the source to verify that this is the current version before use.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section, 1616 P Street, NW, Washington DC 20036.)

3. REQUIREMENTS

3.1 Materials. Materials shall be as specified herein and in applicable specifications. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification.

3.2 Preproduction pack. The supplier shall furnish a preproduction pack for examination and testing within the time frame specified (see 6.2), to prove prior to starting production packaging that the applied preservation, packaging, packing and marking comply with the preparation for delivery requirements of this specification. Examination and tests shall be those specified in Section 4, and shall be subject to surveillance and approval by the Government (see 6.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:38Z
Check the source to verify that this is the current version before use.

3.3 Preservation and packaging. Preservation and packaging shall be Level A or C, as specified (see 6.2).

3.3.1 Level A.

3.3.1.1 Cleaning and drying. Prior to the preservation and packaging of the instruments and accessories, all metal surfaces shall be cleaned and dried in accordance with MIL-P-116, Cleaning Process C-1, Drying Procedure D-4. Exposed optical components shall be cleaned with lens tissue paper conforming to NNN-P-40, type optional.

3.3.1.2 Preservatives and methods. Preservatives and methods of preservation indicated by symbols herein shall conform to the corresponding symbols in MIL-P-116.

3.3.1.3 Preservatives and application. Immediately after cleaning, exposed threads and metal surfaces of parts and accessories requiring the application of a contact preservative in accordance with MIL-P-116, shall be coated with Type P-7 preservative. Preservatives shall not contact lenses, mirrors, instrument finish, or nonmetallic surfaces. Surfaces to which the preservative is applied shall be wrapped or covered with greaseproof barrier material conforming to MIL-B-121, Type II, Grade A, Class 2 secured with water-resistant, pressure-sensitive adhesive paper tape conforming to PPP-T-76. The tape shall be applied on the greaseproof barrier material and not in contact with the instrument finish.

3.3.1.4 Scribers, dividers, and measuring tapes. The scribers, dividers, and measuring tapes shall be preserved Method I, with Type P-7 preservative being applied to all unprotected ferrous metal areas and the coated surfaces wrapped and covered as specified in 3.3.1.3.

3.3.1.5 Drafting scales. The drafting scales shall be individually preserved Method IC-1.

3.3.1.6 Nails and aluminum strips. The required quantity of nails and each package of aluminum strips shall be packaged Method IC-1.

3.3.1.7 Thermometer. Each thermometer contained in its carrying case shall be preserved Method IC-1.

3.3.1.8 Baseline tape stretcher. The components of the baseline tape stretcher shall be packaged in the chest provided.

3.3.1.9 Consolidated packaging. The components of the surveying set, shall be consolidated packaged in the surveying equipment chest provided.

Source: https://assist.dla.mil -- Downloaded: 202610-16T17:38Z
Check the source to verify that this is the current version before use.

3.3.2 Level C. The set components shall be preserved and packaged to afford protection against deterioration and damage during shipment from the supplier to the initial destination. The baseline tape stretcher shall be packaged in the chest provided. Consolidated packaging shall be as specified for Level A.

3.4 Packing. Packing shall be Level A, B, or C as specified (see 6.2).

3.4.1 Level A. The chests containing the components of each complete set shall be packed together in a close-fitting box conforming to PPP-B-621, Class 2, or PPP-B-601, Overseas Type, Grade B. Strapping shall conform to QQ-S-781, Class 1, Type I or IV, Size as applicable; and unless otherwise specified, shall be Finish B (see 6.2). When specified, Finish A strapping shall be used.

3.4.2 Level B. The chests containing the components of each complete set shall be packed together in a close-fitting box conforming to PPP-B-621, Class 1 or PPP-B-601, Domestic Type, Grade B. Strapping shall be either Finish A or B.

3.4.3 Level C. The chests containing the components of each complete set shall be packed to insure carrier acceptance and safe delivery to destination at lowest ratings in compliance with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. In addition to any special marking required, packages and shipping containers shall be marked in accordance with MIL-STD-129.

3.6 Workmanship. Workmanship shall be such that the finished preservation, packaging, packing, and marking will provide adequate protection against deterioration and physical damage to the items being preserved, packaged, packed, and marked under this specification.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 20260-16T17:38Z
Check the source to verify that this is the current version before use.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspections. Inspections shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection of pack (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects specified in 4.5.1. Presence of one or more defects shall be cause for rejection.

4.4 Quality conformance inspection of pack.

4.4.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.4.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.3 Examination. Sampling selected in accordance with 4.4.2 shall be examined for the defects marked "X" for the applicable level in 4.5.1. Acceptable Quality Level (AQL) shall be 2.5 percent defective.

4.5 Inspection procedure.

4.5.1 Examination. Packs shall be examined for the following defects:

	Defect	Level		
		A	B	C
101.	Materials, methods and containers not as specified. Each incorrect material, method or container shall constitute one defect.	X	X	X
102.	Preservatives not applied as specified	X	-	-
103.	Baseline tape stretcher not packaged in the chest provided	X	-	X
104.	Components not consolidated packaged in the chest provided.	X	-	X
105.	Strapping not as specified.	X	X	-
106.	Marking illegible, incomplete, or incorrect.	X	X	X

Source: https://assist.dla.mil -- Downloaded: 202610-16T17:38Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

(Not applicable to this specification.)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contract or orders for the preservation, packaging, packing and marking of a surveying set conforming to SC 6675-93-CL-E23 (NSN 6675-00-641-3605).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.2).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).
(d) When other than Finish B strapping is required (see 3.4.1).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the surveying sets in accordance with this specification.

Custodian:

Army - ME

Review activities:

Army - SM
DSA - GS

User activity:

Navy - MC

Preparing activity:

Army - ME

Project No. 6675-0622

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:38Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-S-3404C Surveying Set, Precise Baseline: Specialized Set for First-Order Accuracy, Packaging Of

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-16T17:38Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research
and Development Center
ATTN: AMXFB-DS
Ft. Belvoir, Va. 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T17:38Z
Check the source to verify that this is the current version before use.