:METRIC:


MIL-C-38999/26D
07 May 1990
SUPERSEDING
MIL-C-38999/26C
17 February 1988

MILITARY SPECIFICATION SHEET

Ⓓ CONNECTORS, ELECTRICAL, PLUG, CIRCULAR, STRAIGHT, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC

This specification is approved for use by all Departments and Agencies of the Department of Defense.

Ⓓ The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-C-38999.



Ⓓ FIGURE 1. Receptacle, classes F, G, J, K, M, S, and W.

Ⓓ denotes changes

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:46Z
Check the source to verify that this is the current version before use.

Dimensions							
Shell size	Shell size code	B dia +.2 -.0	(D) B' dia max	(D) H max	K max	S dia max	Z max
9	A	18.4	20.6	12	19.0	21.8	31.0
11	B	21.1	23.6	14	21.9	25.0	"
13	C	25.4	28.2	16	26.1	29.4	"
15	D	28.7	31.3	18	29.3	32.5	"
17	E	32.2	34.5	20	32.8	35.7	"
19	F	34.9	37.3	22	35.5	38.5	"
21	G	38.1	40.5	24	38.7	41.7	"
23	H	41.1	43.7	26	41.7	44.9	"
25	J	44.3	46.8	28	44.9	48.0	"

NOTES:
1. Dimensions are in millimeters.

(D) FIGURE 1. Receptacle, classes F, G, J, K, M, S, and W.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:46Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1. Interface dimensions shall conform to MIL-C-38999.

Mating connectors: DOD-C-38999/20, /21, /23, /24, /25, and /27.

Insert arrangements: See MIL-STD-1560.

(D) Part or Identifying Number (PIN) example:

D38999/	26	F	A	35	P	N

DOD number prefix

Specification sheet number

Class

Shell size code

Insert arrangement

Contact style

Polarizing positions

N is required for normal position

(D) Class F is not for Navy use and is inactive for Air Force new design use.

(D) NOTE: The term Part or Identifying Number (PIN) is equivalent to the term (part number, identification number, and type designator) which was previously used in this specification.

CONCLUDING MATERIAL

Custodians:
Army - CR
Navy - AS
Air Force - 85
(D) NASA - NA

Review activities:
Army - AR, MI
Navy - EC, MC, OS
Air Force - 11, 15, 99
DLA - ES

Preparing activity:
Air Force - 85

Agent:
DLA - ES

(Project 5935-3740-04)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T15:46Z
Check the source to verify that this is the current version before use.