A-A-53989
18 September 1989

# COMMERCIAL ITEM DESCRIPTION

## CAP, SCREW, BOTTLE AND JAR

The General Services Administration has authorized the use of this commercial item description in preference to Military Specification MIL-C-42061.

This commercial item description covers one type of threaded closure cap for use with aircraft lubricants and hydraulic fluids.

Salient characteristics.

Shall be a closure cap for use in an oil analysis program for checking the condition of aircraft lubricants and hydraulic fluids.

Material. Shall be fabricated from white urea material (see Notes).

Size. Shall be a size 24-400 closure cap.

Construction. Shall be a closure cap with an internal thread for closure on a glass bottle with a 24 millimeter GPI 400 finish (see Notes). The outside of the closure cap shall have ribbed surfaces to facilitate gripping. The ribbed surfaces shall cover at least (50) percent of the gripping surface. Shall be supplied without a liner.

Durability. Shall be capable of withstanding a 14 day immersion in typical aircraft lubricants and hydraulic fluids without any evidence of deterioration that would cause softening, cracking or failure as a closure cap on a glass bottle holding aircraft lubricant or hydraulic fluid samples (see Notes).

AMSC N/A FSC 6640

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:27Z
Check the source to verify that this is the current version before use.

Intended use. Shall be suitable for use as a closure cap on a bottle used for transporting samples, and then as a specimen cup for evaluating a sample in an atomic emission spectrophotometer. As a specimen cup for use with an atomic emission spectrophotometer, shall be capable of withstanding heating of oil without evidence of melting or other types of deterioration (see Notes).

Workmanship. The screw cap shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Package (PG). One package containing 3600 caps, as specified, constitutes one unit.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Inspection and tests. Inspection and tests shall be conducted in accordance with commercial practice to determine compliance with specification requirements. Sampling for inspections and tests shall also be conducted in accordance with commercial practice.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:27Z
Check the source to verify that this is the current version before use.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376, and all other requirements of this document are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable. The contracting officer has the option of accepting or rejecting the product.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U. S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580, as amended, and as implemented by Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:27Z
Check the source to verify that this is the current version before use.

NOTE: This document covers the following item listed in the Federal Supply Catalog:

| NSN | Item Identification |
|---|---|
| 6640-01-042-6583 | CAP, SCREW, BOTTLE AND JAR |

The following item listed in the Federal Supply Catalog is the bottle that is intended for use with the screw cap for transporting fluid samples.

| NSN | Item Identification |
|---|---|
| 8125-00-933-4414 | BOTTLE, SCREW CAP |

The white urea material that is specified, is intended to withstand the heating of a fluid sample when used as a specimen cup in an atomic emission spectrophotometer. The whitish color is required in order to provide a contrasting color to facilitate a visual inspection of a fluid sample when the cap is used as a specimen cup.

First article samples or pre-award samples, when required, may be forwarded for evaluation to the Technical Support Center for Joinst Analysis Program at the Naval Air Station (Pensacola, Florida). The evaluation will include a determination as to a cap's capability for use as a specimen cup with a flame spectrophotometer.

The following products, as of the date of this document, are purported by the following companies to meet the salient characteristics of the item described herein:

| | |
|---|---|
| Kerr Glass Manufacturing Corporation | - Item 46124/DS 24-400 White Urea Cap |
| Owens-Illinois/Closure Operation/ Glass Container Div. | - Mold No. 2429 (white urea) Size 24-400 closure cap |

Ordering data. (Intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order).



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:27Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 99

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

Project No. 6640-1584



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:27Z
Check the source to verify that this is the current version before use.