INCH-POUND

A-A-52021
May 10, 1991

COMMERCIAL ITEM DESCRIPTION

SCALE, BEAM INDICATING; WEIGHING

SENSITIVE TO 1 GRAM

The General Services Administration has authorized the use of this commercial item description in preference to Military specification MIL-S-11581B

Salient characteristics.

Design:

Description: The scale shall be of the weight-beam type, with a normal 20-kilogram (kg) capacity, sensitive to 1 gram (g), and equipped with a tare bar. The scale shall have the maximum over-all dimensions as shown in figure 1 The weigh beam shall be provided with the following

a. Main bar, 1000 gram(g) capacity marked in 100g increments. The increments shall be labeled (i.e. 100, 200 etc).
b Fractional bar, 100g capacity marked in 1g increments. The increments shall be labeled (i.e. 1, 2, 3 etc).
c Tare weigh bar, 2kg capacity positioned between main and fractional bar.
d Suspension plate with means of attaching the beam and the following counterpoise weights: one 1kg, two 2kg, one 5kg, and one 10kg.

Material. The scale shall be made of a material that can support a load equal to 125 percent of the normal capacity with no visual bends, deformations, breakage or misalignments provided that the load is placed on the platform as specified (at the center). When the load is removed, the scale indicator shall return to the initial position. Exposed parts shall be made of stainless steel or metal

Beneficial comments recommendations, additions, deletions, clarifications, etc. and other data which may improve this document should be sent by letter to: Commander, US Army Belvoir Research, Development and Engineering Center, ATTN: STRBE-TSE, Fort Belvoir, VA 22060-5606.

AMSC N/A FSC 6670

DISTRIBUTION STATEMENT A Approved for public release, distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:04Z
Check the source to verify that this is the current version before use.

made corrosion-resistant by a suitable treatment. Exposed parts must offer sufficient protection to prevent deterioration in hostile environments

Workmanship. All parts, components, and assemblies of the scales including castings, forgings, stampings, and machined surfaces shall be clean and free from sand, dirt, fins, pits, sprues, scale, flux, and other harmful extraneous materials.

Regulatory requirements: In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing the supplier's employees to undue hazards from the recovered materials.

Packaging and marking: Military packaging shall be specified when shipments are to overseas Department of Defense (DoD) consignees. Commercial packaging may be specified for shipments to DoD consignees within the Continental United States and to non-DoD consignees worldwide. When a suppliers' normal packaging will satisfy the requirements for military packaging, it may be used

Military packaging: The scale shall be preserved and packed to protect against physical damage and deterioration in a logistics environment characterized by the following:

1. Multiple handling during transportation and in-transit storage
2 Shock, vibration, and static loading forces during worldwide shipment
3. Uncontrolled warehouse storage for extended periods.
4. Weather exposure during shipment and in-transit transfer.
5. Stacking loads during shipment and storage

Quantities of scales delivered to a single addressee may be unitized into one or more loads.

Commercial packaging· Each scale shall be packaged in accordance with the supplier's normal method for retail distribution. Scales shipped to a single destination may be unitized to permit handling a single unit. Shipping containers shall comply with the Uniform Freight Classification or National Motor Freight Classification rules

Marking for shipping and storage. Unit, intermediate (when provided) and exterior pack shall be marked with the item nomenclature, stock or part number, quantity per pack, and contract or package order. Additional marking shall be applied in a legible manner in a contrasting color, or an appropriate size, and of waterproof material

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:04Z
Check the source to verify that this is the currentversion before use.

Quality assurance: The scale shall be examined for the following defects. Presence of one or more defects shall be cause for rejection

1. Design not as specified.
2. Material not as specified.
3. Workmanship not as specified.
4. Packaging and marking not as specified.

Certification of commercial item: The contractor shall certify that the product offered to the Government meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product as the manufacturer's current product offered by the contractor in the commercial marketplace for at least one year preceding the solicitation. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this Commercial Item Description are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable

The contracting officer has the option of accepting or rejecting the product

Notes:

1. When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation

FED-STD-376 is available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:04Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS.

Custodians:
Army - ME
Air Force - 99

Review activities.
Army - GL, SM
Air Force - 82
DLA - GS


User activity:
Navy - YD

CIVIL AGENCY COORDINATING ACTIVITY
GSA - FSS

Preparing activity:
Army - ME

Project No. 6670-0180

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:04Z
Check the source to verify that this is the current version before use.



NOTE:
ALL DIMENSIONS ARE IN INCHES (CENTIMETERS).

FIGURE 1. Scale, beam indicating.

X-177 B

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:04Z
Check the source to verify that this is the current version before use.