INCH-POUND

A-A-52043
March 11, 1992

COMMERCIAL ITEM DESCRIPTION

PARALLEL RULERS (ROLLING)

The General Services Administration has authorized the use of this commercial item description in preference to Military Specification MIL-P-3631.

This description covers rolling parallel rulers. The roller assembly consists of an axle, two rollers, and two bearing standards near the end of the base. The axle, suspended between the standards, is free to rotate. The attached rollers, one at each end of the axle, turn with the axle and protrude slightly below the base. The rollers are knurled, scored, or grooved to prevent slipping when the ruler is guided over a drafting surface.

Salient characteristics:

Design: The rulers shall be as specified herein. The rulers shall consist of a base with two parallel, beveled drawing edges, and a roller assembly to permit parallel movement of the rulers. A carrying case shall be provided.

Classification: Rulers shall be the following sizes:

Size A - 12 inches long
Size B - 18 inches long

Material: The ruler shall be of a corrosion-resistant material, the same for both the axle cover and the base. Material could be CRES or high impact plastic.

Surface and edges: Each beveled drawing edge of the ruler shall be straight to within 0.006 inch. The drawing edges shall be parallel to within 0.01 inch per foot.

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and other data which may improve this document should be sent by letter to: Commander, U.S. Army Belvoir Research, Development and Engineering Center, ATTN: STRBE-TSE, Fort Belvoir, VA 22060-5606.

AMSC N/A FSC 6675

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Certification of commercial item: The contractor shall certify that the product offered to the Government meets the salient characteristics of this description and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices and is the same product as the manufacturer's current product offered by the contractor in the commercial marketplace for at least one year preceding the solicitation. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Metric products: Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within specified tolerances using conversion tables contained in the latest revision of FED-STD-376, and all other requirements of this commercial item description are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Regulatory requirements: In accordance with Federal Acquisition Regulation, section 23.403, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing the supplier's employees to undue hazards from the recovered materials.

Preservation, packing, and marking: Preservation, packing and marking shall be as specified in the contract or purchase order.

Quality assurance: The parallel rulers (rolling) shall be examined for the following defects. Presence of one or more defects shall be cause for rejection.

1. Design not as specified.
2. Classification not as specified.
3. Material not as specified.
4. Surface and edges not as specified.

CID based part identification number: The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor.

Part or identifying number (PIN): The PIN to be used for parallel rulers acquired to this commercial item description are created as follows:

A52043-Y

Document identifier

Size (A or B)

Notes: The procuring agency should specify the preferred options permitted herein and include the following information in procurement documents:

1. Title, number, and date of this description.
2. Classification (size) required.
3. Certification that the model offered meets all requirements of this item description.
4. When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation.

The following is a suggested source of supply for this item description (Competition is not limited to this source):

a. Lutz Superdyne, Inc., 815 Broad Ave., P.O. Box 57, Ridgefield, NJ 07657.

FED-STD-376 is available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.

The preparing activity for this item description is the U.S. Army Belvoir Research, Development, and Engineering Center, Fort Belvoir, VA 22060-5606.

MILITARY INTERESTS:

Custodians
Army - ME
Navy - SH
Air Force - 99

Review Activity
DLA - GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA-FSS

PREPARING ACTIVITY: Army - ME
Army - ME

Project 6675-0948