MILITARY SPECIFICATION

FIRING KIT, DEMOLITION, ELECTRICAL

XM 147E1

This amendment forms a part of Military Specification MIL–F–46524A(MU), 8 May 1963.

Page 1, paragraph 2.1, under SPECIFICATIONS:

add "FEDERAL

PPP–B–636—Box, Fiberboard

QQ–S–781—Steel Strapping, Flat"

under MILITARY, add:

"MIL–C–3106 —Board, Composition, Water Resistant, Solid, for Filler Cushioning Pads"

under STANDARDS, add:

"MIL–STD–129—Marking for Shipment and Storage"

Page 7, paragraph 4.2.2.6: Change Major defect AQL to 0.40 percent. Add Major defect: "103. Tag or label not waterproof . . . Visual 06004."

Page 8, add the following:

"4.2.4 *Inspection Equipment.* Index of Inspection Equipment Number IEL–8865497 identifies the inspection equipment required to perform the examinations and tests prescribed in this section. The contractor shall design inspection equipment in accordance with the instructions in paragraph 6.3.

4.2.4.1 *Government rights to documentation.* Inspection equipment drawings and lists provided and revised in accordance with the requirements of the IEL may be used by DOD activities for design, procurement, manufacture, testing, evaluation, production and receiving, inspection, overhaul, shipping, storage, identification of stock, ordering and storage of replacement parts, inspection of items at overhaul, general maintenance of equipment, construction, survey and whenever inspection equipment drawings are needed.

4.2.4.2 *Supply and maintenance.* Supply and maintenance of the equipment listed on the IEL shall be in accordance with Specification MIL–I–45607.

4.2.4.3 *Government use of contractor's inspection equipment.* The contractor shall as required make available to the Government all inspection equipment necessary for determining conformance with contract requirements. Operation of the equipment and verification of its accuracy shall be supplied by the contractor, as required by the Government in performance of its examination or test."

Page 9, paragraph 5.1.1: Change "Level C" to "Level A." Add at end of paragraph: "The corner protector shall be 1½ x 3 inches and shall be of fiberboard material, W5C or V3C in accordance with Specification PPP–B–636 or Type I or II composition board in accordance with Specification MIL–C–3106. The steel strapping shall be Type I or II, Class A or B in accordance with Specification QQ–S–781."

Page 9, change paragraph 5.2 to 5.3 and add new paragraph:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:11Z
Check the source to verify that this is the current version before use.

"5.2 **Marking.** Each kit shall be marked for shipment in accordance with Standard MIL–STD–129 using 2 waterproof tags or labels—no stencilling shall be used."

Add following as section 6:

"6. NOTES

6.1 **Ordering data.** Procurement documents ments shall specify the following:

(a) Title, number and date of this specification.

6.2 **Inspection code numbers.** The five digit code numbers assigned to the inspections herein are to facilitate future data collection and analysis by the Government.

6.3 **Inspection equipment.** The contractor shall design inspection equipment as required by the referenced Inspection Equipment Lists (IEL) in accordance with the instructions of 6.3.1 through 6.3.7.

6.3.1 *Inspection Equipment Lists.* Inspection Equipment Lists indicate the availability of inspection equipment designs by showing in the "number" column of the list of inspection equipment (OO Form 1242–3) the numbers of drawings of existing equipment designs or codes as indicated in 6.3.2. Design action required of the contractor with respect to the different types of drawings that may be listed is described in 6.3.3 and 6.3.4. Action required by the contractor with respect to commercial inspection equipment is described in 6.3.5. The contractor will be required to prepare detailed drawings in accordance with 6.3.6 for all the equipment coded as "contractor design" in the number column. These contractor designs must be approved by the Government prior to fabrication or procuring of the equipment. Designs shall be submitted for approval as specified in 6.3.7.

6.3.2 *Inspection Equipment List codes.* The inspection equipment as defined in 6.3.3, 6.3.4, 6.3.5, and 6.3.6 will be designated in the Inspection Equipment List by the following codes:

CDOF —Contractor's design responsibility on Ordnance format; ORDM–608–12.
CDCF —Contractor's design responsibility on contractor format.
OD —Ordnance design.
ODMU —Ordnance design, mandatory for use.
CE —Commercial equipment.
SCD —Specification Control Drawing.

6.3.3 *Ordnance designs.* Ordnance designs are reflected on detailed drawings which completely depict all the information necessary for the fabrication of the item of inspection equipment. The contractor need provide no design when an Ordnance Design is listed for an item of inspection equipment. Ordnance designs fall into two basic classifications; mandatory and non-mandatory. When an Inspection Equipment List references mandatory Ordnance designs, the contractor shall comply with, and use these designs accordingly. The contractor may, however, in connection with non-mandatory designs and with the approval of the Government, design alternate inspection equipment or use comparable commercial equipment to facilitate his operations. Such contractor prepared designs or commercial equipment selections must be approved by the Government prior to fabrication or procuring of the equipment. Designs shall be submitted for approval as specified in 6.3.7.

6.3.4 *Specification control drawings.* Specification control drawings depict the minimum equipment requirements in outline, descriptive, diagrammatic, or pictorial form only and specify the required performance or other characteristics. Contractors must prepare detailed drawings (see 6.3.6) of their designs in support of specification control drawings. These contractor prepared designs must be approved by the Government prior to the fabrication or procuring of the equipment. Commercial equipment meeting the requirements of specification control drawings may be approved if described in sufficient detail to permit identification and

Source: https://assist.dla.mil -- Downloaded: 202610-22T06:11Z
Check the source to verify that this is the current version before use.

evaluation by the Government. Designs shall be submitted for approval as specified in 6.3.7.

6.3.5 *Commercial equipment.* Commercial equipment is inspection equipment that has universal application for a specific function. It is comprised of items commonly used by industry and government. Contractors are not required to furnish drawings of commercial inspection equipment but a list of such equipment must be approved by the Government. Lists shall be submitted for approval to the inspection element of the agency administering the contract.

6.3.6 *Contractor designs.* Contractor designs are designs of inspection equipment for which the Government has assigned design responsibility to the contractor. Contractor designs shall be supported by detailed drawings which depict all information necessary to completely fabricate, calibrate and operate an item of inspection equipment. This requires that the necessary views, dimensions, materials, finish, notes, operating and calibration instructions be properly depicted in accordance with approved practices to the extent that further calculation or clarification will not be required. Contractor designs identified as CDCF may be developed on the format the contractor normally employs in his equipment design procedure provided such format reflects the detail and information specified above. Contractor designs identified as CDOF shall comply with the format and requirements of ORDM 608–12, and, in addition, contain the detail and information specified above.

6.3.7 *Submission of contractor designs.* Designs shall be submitted for approval to the Commanding Officer, Picatinny Arsenal, ATTN: SMUPA–ND. Design review will normally be accomplished within one month after receipt by Picatinny Arsenal. Partial submission of inspection equipment designs is permissible and encouraged. However, the Arsenal completion date for design review will be based on the date of the final submission of designs.

6.4 **Government furnished material.** The procuring activity shall furnish a sufficient quantity of Battery, Dry Cell, Type BA–414/U, Specification MIL–B–18, Galvanometer, Type 1, Specification W–B–411 and Knife, Electricians, Federal Stock Number 7340–721–6811 for each procurement.

6.5 **Intended use.** It is intended that the item of this specification will be used in Demolition Kit, Projected Charge, HE, M125 and M126."

Custodian:
Army—MU

Preparing activity:
Army—MU

Project No. 1375—A080

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T06:11Z
Check the source to verify that this is the current version before use.