MIL-P-60340A(EA)
14 February 1978
SUPERSEDING
MIL-P-60340(MU)
6 May 1965

MILITARY SPECIFICATION

PROJECTILE, 155MM, SMOKE, HC,

BE, M116E2, PARTS FOR

This specification is approved for use by US Army, Armament Research and Development Command, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the parts for the Projectile, 155MM, Smoke, HC, BE, M116E2.

2. APPLICABLE DOCUMENTS

2.1 Government documents. The following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-2550 - Ammunition, General Specification For.

FSC 1320

: Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn: DRDAR-TSC-S, Aberdeen Proving Ground, MD 21010, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

STANDARDS

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.
MIL-STD-1167 - Ammunition Data Card.
MIL-STD-1168 - Lot Numbering of Ammunition.
MIL-STD-1188 - Commercial Packaging of Supplies and Equipment.

DRAWINGS

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

*CHEMICAL SYSTEMS LABORATORY

8885153 - Plate Baffle
8885154 - Spacer
8885155 - Spacer, Front
8885161 - Disc Closure
B15-11-129 - Pin, Groove
9239112 - Spacer
9255386 - Expelling Charge Support

(Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from procuring activity or as directed by the Contracting Officer.)

3. REQUIREMENTS

3.1 Materials and Parts.

3.1.1 Materials. All materials shall comply with the requirements as set forth in the applicable drawings and specifications.

3.1.2 Parts. All parts shall conform to the requirements of the applicable drawings and specifications.

3.2 Workmanship. All parts shall be dry, clean, and free of contamination (dirt, grease, oil, rust, or foreign matter) and damage, including but not limited to dents, cracks, chips, surface defects, tears, or deformation which could affect its assembly into the projectile or its intended use. Parts shall be free of burrs and sharp edges.

*Formerly Edgewood Arsenal

Source: https://assist.dla.mil -- Downloaded: 202610-23T00:30Z
Check the source to verify that this is the currentversion before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.

4.1.1 Contractor's responsibilities. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specifications where such inspections are deemed necessary to assure supplies and services conform to specified requirements. The provisions of MIL-A-2550 shall apply.

4.1.2 Submission of product. At the time the completed lot of product is submitted to the Government for acceptance the contractor shall supply the following information accompanied by a certificate which attests that the information provided is correct and applicable to the product being submitted.

(a) A statement that the lot complies with all of the quality assurance provisions specified within this specification.

(b) Number of units of product inspected.

(c) Results obtained, by defect code, for all inspection performed.

(d) Drawing, specification number and date, together with an identification and date of changes.

(e) Certificates of compliance on all material purchased by the contractor when such material is controlled by Government specifications referenced in any of the contractual documents.

(f) Number of items in the lot.

(g) Ammunition data cards prepared in accordance with MIL-STD-1167 shall be supplied for each lot of like components.

(h) Date submitted.

The certificate shall be signed by a responsible agent of the certifying organization. The initial certificate submitted shall be substantiated by evidence of the agent's authority to bind his principal. Substantiation of the agent's authority will not be required with subsequent certificates unless, during the course of the contract, this authority is vested in another agent of the certifying organization.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

4.1.3 Objective evidence. The contractor shall provide objective evidence acceptable to the contracting officer that the requirements of Sections 3 and 5 for which specific inspection has not been provided in this specification have been satisfied.

4.2 Quality conformance inspection.

4.2.1 Lotting. Each lot shall be identified and controlled in accordance with MIL-STD-1168. A lot shall consist of like components or like sub-assemblies of one interfix number, produced by one manufacturer, from the same materials and under essentially the same manufacturing conditions.

4.2.2 Sampling.

4.2.2.1 For examination. Sampling shall be conducted in accordance with MIL-STD-105, level II. The AQL's shall be as specified in 4.3.2.

4.3 Inspection procedure.

4.3.1 Examination and nondestructive tests. The sample components shall be examined in accordance with the classification of defects (4.3.2) and MIL-STD-105.

4.3.2 Classification of defects. See pages 5 through 12.

5. PREPARATION FOR DELIVERY

5.1 Packing and marking.

5.1.1 Level C. Packing and marking shall be in accordance with MIL-STD-1188.

5.2 Data cards. Data cards shall be prepared for each lot in accordance with the information specified in MIL-STD-1167.

5.3 Marking. In addition to any special marking required by the contract or order, shipping containers shall be marked in accordance with the domestic marking requirements of MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION
CLASSIFICATION OF DEFECTS & TESTS

MIL-P-60340A(EA)

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.3.2	Projectile, 155MM, Smoke, HC, BE, M116E2, Parts For	1 OF 7	8885154 Spacer

NEXT HIGHER ASSEMBLY 8885162

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE/ INSPECTION METHOD
Critical:	None defined				
Major:					
101	Thickness incorrect		0.65%	3.1	Gage/SMI
102	Outside diameter incorrect		0.65%	3.1	Gage/SMI
103	Diameter of hole incorrect		0.65%	3.1	Gage/SMI
104	Workmanship (3.2)		0.65%		Visual
	Note: SMI - Small measuring instrument				

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION
CLASSIFICATION OF DEFECTS & TESTS

MIL-P-60340A(EA)

PARAGRAPH	TITLE				DRAWING NUMBER
4.3.2	Projectile, 155MM, Smoke, HC, BE, M116E2, Parts for		SHEET 2 OF 7		8885155 Spacer, Front
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	NEXT HIGHER ASSEMBLY 8885162 PARAGRAPH REFERENCE/ INSPECTION METHOD
Critical:	None defined				
Major:					
101	Thickness incorrect		0.65%	3.1	Gage/SMI
102	Outside diameter incorrect		0.65%	3.1	Gage/SMI
103	Diameter of hole incorrect		0.65%	3.1	Gage/SMI
104	Workmanship (3.2)		0.65%		Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION
CLASSIFICATION OF DEFECTS & TESTS

MIL-P-60340A(EA)

PARAGRAPH	TITLE				DRAWING NUMBER
4.3.2	Projectile, 155MM, Smoke, HC, BE, M116E2, Parts For		SHEET 3 OF 7		8885153 Plate, Baffle
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	NEXT HIGHER ASSEMBLY 8885162 PARAGRAPH REFERENCE/ INSPECTION METHOD
Critical:	None defined				
Major:					
101	Part bent or damaged		0.40%	3.1	Visual
102	Outside diameter incorrect		0.65%	3.1	Gage/SMI
103	Diameter of hole incorrect		0.65%	3.1	Gage/SMI
104	Thickness incorrect		0.65%	3.1	Gage/SMI
105	Protective coating missing or damaged exposing base metal		0.65%	3.1	Visual
106	Radii or chamfer missing		0.65%	3.1	Visual
107	Workmanship (3.2)		0.65%		Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION
CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE				DRAWING NUMBER
4.3.2	Projectile, 155MM, Smoke, HC, BE, M116E2, Parts For		SHEET 4 OF 7		8885161, Disk,Closure
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	NEXT HIGHER ASSEMBLY 8885162 PARAGRAPH REFERENCE/ INSPECTION METHOD
Critical:	None defined				
Major:					
101	Spherical radius incorrect		0.40%	3.1	Visual and SMI
102	Outside diameter incorrect		0.65%	3.1	Gage/SMI
103	Thickness incorrect		0.65%	3.1	Gage/SMI
104	Protective coating missing, incorrect or damaged exposing base metal		0.65%	3.1	Visual
105	Workmanship (3.2)		0.65%		Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION
CLASSIFICATION OF DEFECTS & TESTS

MIL-P-60340A(EA)

PARAGRAPH	TITLE				DRAWING NUMBER
4.3.2	Projectile, 155MM, Smoke, HC, BE, M116E2, Parts For		SHEET 5 OF 7		9239112 Spacer
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	NEXT HIGHER ASSEMBLY 8885162 PARAGRAPH REFERENCE/ INSPECTION METHOD
Critical:	None defined				
Major:					
101	Outside diameter incorrect		0.65%	3.1	Gage/SMI
102	Thickness incorrect		0.65%	3.1	Gage/SMI
103	Radius of dimple incorrect or missing		0.65%	3.1	Gage/SMI
104	Workmanship (3.2)		0.65%		Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION
CLASSIFICATION OF DEFECTS & TESTS

MIL-P-60340A(EA)

PARAGRAPH	TITLE				DRAWING NUMBER
4.3.2	Projectile, 155MM, Smoke, HC, BE, M116E2, Parts For		SHEET 6 OF 7		9255386 Expelling charge Support
					NEXT HIGHER ASSEMBLY 8885162
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE/ INSPECTION METHOD
Critical:	None defined				
Major:					
101	Outside diameter incorrect		0.65%	3.1	Gage/SMI
102	Diameter of hole incorrect		0.65%	3.1	Gage/SMI
103	Thickness incorrect		0.65%	3.1	Gage/SMI
104	Radius incorrect		0.65%	3.1	Gage/SMI
105	Protective finish incorrect or damaged exposing base metal		0.65%	3.1	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION
CLASSIFICATION OF DEFECTS & TESTS

MIL-P-60340A(EA)

PARAGRAPH	TITLE				DRAWING NUMBER
4.3.2	Projectile, 155MM, Smoke, HC, BE, M116E2, Parts For			SHEET 7 OF 7	B15-11-129 Pin, Groove
					NEXT HIGHER ASSEMBLY 8885162
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE/ INSPECTION METHOD
Critical:	None defined				
Major:					
101	Material incorrect per requirements section of drawing				Certification
	NOTE: Material certification shall address the requirement section of drawing.				

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use. These components are intended for use in the 155MM Smoke Projectile, BE, M116E2.

6.2 Ordering data. Procurement documents should specify the title, number, and date of this specification.

Custodian:

Army - EA

Preparing activity:

Army - EA

Project No. 1320-A406

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Commander
US Army Armament Research
and Development Command
Attn: DRDAR-TSC-S
Aberdeen Proving Ground, MD 21010

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-23T00:30Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:30Z
Check the source to verify that this is the current version before use.

ated Piping Components for Naval Surface Sh