MIL-S-52365B
12 January 1972
SUPERSEDING
MIL-S-52365A
23 September 1965

MILITARY SPECIFICATION

SURVEYING SET, ARTILLERY-FIRE-CONTROL:

FOURTH-ORDER, PACKAGING OF

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the requirements for the preservation, packaging, packing and marking of Surveying Set, Artillery-Fire-Control, Fourth Order, SC6675-97-CL-E29. (FSN 6675-664-4662)

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Box, Fiberboard.
PPP-P-40	- Packaging and Packing of Hand Tools.

Military

MIL-P-116	- Preservation, Methods of.
MIL-B-121	- Barrier Material, Greaseproofed, Waterproofed, Flexible.

FSC 6675

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:16Z
Check the source to verify that this is the current version before use.

STANDARDS

Federal

FED. TEST METHOD STD. No. 101	- Preservation, Packaging and Packing Materials: Test Procedures.

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-1186	- Cushioning, Anchoring, Bracing, Blocking and Waterproofing; with Appropriate Test Methods.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 202, Union Station, 516 West Jackson Boulevard, Chicago, Illinois 60606.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section, 1616 P Street, NW, Washington, D. C. 20036.)

Source: https://assist.dla.mil -- Downloaded: 20261O-22T21:16Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 First article (preproduction pack). The supplier shall furnish a preproduction pack for examination and testing within the time frame specified, to prove prior to starting production packaging and packing, that the applied preservation, packaging, packing, and marking comply with the requirements of this specification. Examination and test shall be as specified in section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 Materials. Materials shall be as specified herein. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification.

3.3 Preservation and packaging. Preservation and packaging shall be level A, B or C as specified.

3.3.1 Level A.

3.3.1.1 Cleaning and drying. Cleaning and drying shall be in accordance with MIL-P-116, cleaning process C-1 and drying procedure D-4. Prior to preservation and packaging of the instruments and accessories, all metal surfaces shall be cleaned and dried. Lenses and mirrors shall be cleaned with optical type lens tissue.

3.3.1.2 Preservative. Preservative specified herein shall conform to the specification listed in and shall be applied in accordance with MIL-P-116. Preservative shall not contact lenses, mirrors, instrument finish or non-metallic surfaces. Surfaces coated with preservative shall be wrapped or covered with barrier material conforming to MIL-B-121, type II, grade A, class 2. The barrier material shall be secured with tape applied on the barrier material and not in contact with the instrument finish.

3.3.1.3 Methods of preservation. Methods of preservation specified herein by symbols shall conform to the applicable symbols listed in MIL-P-116.

3.3.1.4 Exposed threads and metal surfaces. Immediately after cleaning and drying, exposed threads and exposed metal surfaces of instruments, parts and accessories requiring a contact preservative in accordance with MIL-P-116, shall be coated with type P-7 preservative.

3.3.1.5 Computer cases, tapeman's surveying equipment cases, clamps, clip board file, cloth, cord, crayons, flashlight, printed forms, pencil lead, level, maptack, writing paper pads, lens tissue, tracing paper, pencils, pencil pointers, plotting needles, protractor, repair kit, repair section, plotting scales, pencil sharpeners, sheaths, staplers, staples, tacks, tags, adhesive tape and star charts. Each item in the vendor's container, when furnished, shall be preserved method IC-1. When necessary to prevent damage from folding or flexing, the item shall be placed between sheets of fiberboard having a pH value between 5.0 and 8.0 before preserving method IC-1.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:16Z
Check the source to verify that this is the current version before use.

3.3.1.6 Arrow sets, target lights, plumb bobs, range poles, tension handles and tripods. Each item shall be preserved method III in a close-fitting box conforming to PPP-B-636, W5c or W6c as applicable. Items shall be reduced to the minimum dimension; and when a carrying case is provided, the item shall be placed in the case before the item is preserved. All sharp points shall be nested in a wood block to prevent damage to the container. After closure the box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.7 Ax, machete and measuring tapes. Each item shall be preserved in accordance with PPP-P-40, level A.

3.3.1.8 Consolidated packaging. Set components shall be consolidated packaged in the chest in accordance with the chest loading plan where space permits. Components listed on the chest loading plan that will not fit into the chest and other small components shall be consolidated packaged in close-fitting boxes conforming to PPP-B-636, W5c. Cushioning and blocking shall be provided to control movement of components within the chest or boxes. After closure the boxes shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification. Large components packaged in fiberboard boxes shall not require consolidated packaging.

3.3.2 Level B.

3.3.2.1 Cleaning and drying, preservative, methods of preservation and preparation of exposed threads and metal surfaces. Cleaning and drying, preservative, methods of preservation and preparation of exposed threads and metal surfaces shall be as specified for level A.

3.3.2.2 Computer cases, tapeman's surveying equipment cases, clamps, clip board file, cloth, cord, crayons, flashlight, printed forms, pencil lead, level, maptack, writing paper pads, lens tissue, tracing paper, pencils, pencil pointers, plotting needles, protractor, repair kit, repair section, plotting scales, pencil sharpeners, sheaths, staplers, staples, tacks, tags, adhesive tape and star charts. These items shall be preserved as specified for level A.

3.3.2.3 Arrow sets, target lights, plumb bobs, range poles, tension handles and tripods. These items shall be preserved as specified for level A, except that boxes shall be domestic type and waterproof sealing of boxes shall not be required.

3.3.2.4 Ax, machete and measuring tape. Each item shall be preserved in accordance with PPP-P-40, level B.

Source: https://assist.dla.mil -- Downloaded: 20260-22T21:16Z
Check the source to verify that this is the current version before use.

3.3.2.5 Consolidated packaging. Consolidated packaging shall be as specified for level A except that boxes shall be domestic type and waterproof sealing of boxes shall not be required.

3.3.3 Level C. Components of each complete set shall be preserved and packaged to afford protection against deterioration and damage from the supplier to the initial destination.

3.4 Packing. Packing shall be level A, B or C as specified.

3.4.1 Level A. The chest and other components of each complete surveying set shall be packed together in a close-fitting box conforming to PPP-B-601, overseas type, style optional. Blocking, bracing and anchoring shall be in accordance with MIL-STD-1186. Strapping shall be zinc coated and shall be placed adjacent to the box skids. Components shall be arranged to provide a box of minimum cube.

3.4.2 Level B. The chest and other components of each complete surveying set shall be packed as specified for level A except the box shall be domestic type and strapping will not be required to be zinc coated.

3.4.3 Level C. The chest and other components of each complete surveying set shall be packed to insure carrier acceptance and safe delivery to destination at lowest rating in a container complying with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. Marking shall be in accordance with MIL-STD-129.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Acceptability criteria. Preservation, packaging, packing, and marking of surveying sets which conform to all requirements in section 3 of this specification and pass all applicable examinations and testing in section 4 of this specification will be considered acceptable by the Government.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:16Z
Check the source to verify that this is the current version before use.

4.1.2 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined and tested in accordance with referenced specifications and standards.

4.2 Classification of inspection. Inspection shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects specified in 4.5.1. Presence of one or more defects shall be cause for rejection.

4.3.2 Test. The preproduction pack shall be tested in accordance with FED. TEST METHOD STD. No. 101, method 5012. Shifting of contents, any visible damage to the contents, deformation of containers within the pack or shifting of packages within the pack shall constitute failure of the test. Failure of the test shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Inspection stages. Inspection shall be in two stages as follows:

(a) The first stage shall include inspection of materials, methods, containers and markings inside the shipping container.
(b) The second stage shall include inspection of materials and markings after closing the container.

4.4.2 Unit of product. For the purpose of inspection, a completed pack of any one level prepared for shipment shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" for the applicable level in table I. Acceptable quality level (AQL) shall be 2.5 percent defective.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:16Z
Check the source to verify that this is the current version before use.

4.5 Inspection procedure.

4.5.1 Examination. Packs shall be examined for the following defects:

Table I. Classification of Defects

Defect	Level A	Level B	Level C
101. Materials, methods or containers not as specified. Each incorrect material, method, or container shall constitute one defect.	X	X	-
102. Exposed threads and metal surfaces not processed as specified.	X	X	-
103. Boxes not waterproof sealed with tape as specified.	X	-	-
104. Consolidated packaging not as specified.	X	X	-
105. Strapping not zinc coated as specified.	X	-	-
106. Components not arranged to provide a shipping box of minimum cube.	X	X	-
107. Marking illegible, incomplete, incorrect or missing.	X	X	X

5. PREPARATION FOR DELIVERY

(Not applicable to this specification)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or orders for the preservation, packaging, packing and marking of Surveying Set, SC 6675-97-CL-E29, (FSN 6675-664-4662).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4). Level B preservation and packaging is intended to provide economical but limited protection and should be specified only when it is determined the sets will be held in covered storage.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:16Z
Check the source to verify that this is the current version before use.

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack and mark the surveying sets in accordance with this specification.

Custodian:

Army - ME
Navy - YD

Review activity:

Army - SM

Preparing activity:

Army - ME

Project No. 6675-0600

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:16Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION MIL-S-52365B Surveying Set, Artillery-Fire-Control: Fourth-Order, Packaging of

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1426

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:16Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. A. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: AMSME-RZG
FORT BELVOIR, VIRGINIA 22060

OFFICIAL BUSINESS

POSTAGE AND FEES PAID

DEPARTMENT OF THE ARMY
U. S. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: AMSME-RZG
FORT BELVOIR, VIRGINIA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:16Z
Check the source to verify that this is the current version before use.