MIL-I-23548(CG)
AMENDMENT 2
1 February 1971

MILITARY SPECIFICATION

ITEM IDENTIFICATION DATA FROM SUPPLIERS

This amendment forms a part of Military Specification MIL-I-23548(CG), 14 December 1962.

Page 1, bottom right hand corner, delete and substitute: "FSC MISC".

Page 3, paragraph 3.2, fourth sentence, delete and substitute: "If items have already been properly identified for other military services or government agencies, the assigned Federal Stock Number followed by the name of the sponsoring service, if available, shall be indicated."

Page 3, paragraph 3.3.1, subparagraph (g), delete and substitute: "Unless otherwise stipulated, completed Item Identifications on specific items shall be forwarded by the contractor to the cognizant Coast Guard cataloging activity within sixty (60) days after award of contract."

Page 4, paragraph 3.3.1, add the following new subparagraph(h): "(h) No later than the time that the item identifications are forwarded, the equipment contractor shall also submit the following additional data to the Coast Guard cataloging activity only (one print copy of each applicable item);

1. Arrangement, schematic, outline and assembly drawings, certification data sheet and other descriptive data, as applicable, necessary for complete and positive identification of the component or equipment and for determination of the relationship of one component or assembly to another or to the system as a whole.

2. Detail drawing, shop drawing (or sketch and brief description) or item description sufficient to establish positive identification of each item recommended, or selected as an on board repair part and each item of sufficient maintenance significance to warrant consideration for system stock and for other logistical purposes.

FSC MISC

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:11Z
Check the source to verify that this is the current version before use.

The identifying data submitted shall contain complete identification including physical, electrical, mechanical and dimensional characteristics. These data are not required under the following conditions:

a. When a Federal Stock Number is furnished, and the item is identical in all respects as when the Federal Stock Number was assigned.

b. When detailed drawings or item descriptions have been furnished previously to the Coast Guard cataloging activity.

c. When items are manufactured in accordance with drawings furnished by the Department of the Navy or the Coast Guard.

d. When items are listed in standard manufacturer's catalogs which contain complete identification, including physical, electrical, mechanical and dimensional characteristics.

Page 5, paragraph 3.4.3, last sentence, delete and substitute: "All completed item identifications shall be submitted to the cognizant Coast Guard Cataloging Activity within sixty (60) calendar days of the contractor's receipt of the Coast Guard annotated recommended items list."

Page 5, paragraph 3.5, first sentence, delete and substitute: "Federal Stock Numbers will be forwarded to the contractor within sixty (60) days after receipt of the item identifications."

Page 5, paragraph 3.6, subparagraph a., delete subparagraph heading and subsititute: "a. Type 1, Descriptive."

Page 1, next to heading "APPENDIX A" insert: "(See 3.7)".

Preparing Activity:
U. S. Coast Guard

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:11Z
Check the source to verify that this is the current version before use.

APPENDIX A

GENERAL PATTERN (CG)

Please provide specific and complete replies to those queries which are applicable to the item you are supplying the Coast Guard. All queries shown on this GENERAL PATTERN may not apply to the item being supplied. Additional or more detailed information for which no query has been presented should be added. The chief idea of item identifications is to enable the Government to differentiate each item of supply from any and all other similar items.

1. Name of the Item: _____

2. Physical Characteristics

   a. Material: _____ (If the item is composed of more than one material, give a breakdown by component parts, for each applicable characteristic.)

      (1) Specification: _____ (If the item is readily described with reference to material, e.g., composed of one or only a few materials, specify whether the material used conforms to a certain Military or Federal Specification.)

   b. Chemical Composition: _____

   c. Electrical Data: _____ (If applicable, be complete and specific.)

   d. Dimensions: _____ (Use length and depth for horizontal dimensions and height for vertical dimensions. Indicate whether dimensions include or exclude certain appurtenances or attachments.)

   e. Arrangements of Parts: _____ (If few enough in number to conveniently describe, e.g., Assembly consists of cam attached to sliding link by stud fixed in link and peened over to secure cam.)

   f. Principles of Operation: _____ (If capable of brief description, e.g., Provides mechanical actuation for electro-mechanical switching in End Item over-ride circuitry.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:11Z
Check the source to verify that this is the current version before use.

g. Other Data:_____(Anything else that might aid in identifying the item.)

3. Performance Characteristics:_____(e.g. Functions in temp. range 130 deg. F. to -50 deg. F. Link has maximum travel of 1-3/4", with min. of 3/8" necessary to actuate micro-switch.)

4. Application Data:_____(Every item will require replies to, below, either (c) only, (b) and (c) only, or (a), (b), and (c), depending on the function of the item. Your item may be a part of something used on another item, which is, in turn, a part of End Item, or your item may be used directly on, or itself be, an End Item.)

a. Part of:

(1) Name of Assembly:_____

(2) Name of Manufacturer:_____(If available)

(3) Identifying Number:_____

b. Used on:

(1) Name of Assembly:_____

(2) Name of Manufacturer:_____

(3) Identifying Number:_____

c. End Item:

(1) Name of Assembly:_____

(2) Name of Manufacturer:_____

(3) Identifying Number:_____

5. Component Parts:_____(If the item being described is a system, set, kit, assembly, subassembly, etc., composed of a number of different components, and it is necessary to list the components in order to segregate similar ones, list each component by manufacturer's name, manufacturer's item identifying number, manufacturer's name of the component, and quantity of each.)

Source: https://assist.dla.mil -- Downloaded: 202610-19T17:11Z
Check the source to verify that this is the current version before use.

APPENDIX B

(Sample Identification Prepared from
General Pattern of Appendix A)

1. COMPUTER, DITCH HEADING

2. Physical Characteristics

a. Discs-Plastic, Vinyl Resin, Indicator Arms-bronze

(1) N/A

b. N/A

c. N/A

d. Back disc - 8 - inches diameter, center disc - 6-3/8-inches diameter, Top disc 4-1/8-inches diameter

e. Assembled concentrically by means of a metal eyelet and spring washer.

f. N/A

g. Discs are marked with degree headings, colored indication of best and poor general headings, and graphs and instructions. Airplane-shaped ditch heading indicator arm and two divergency indicator arms also a part of the assembly.

3. Lining up known wind and swell data, computer indicates best heading for aircraft ditching at sea.

4. Application Data

a. N/A

b. N/A

C. End Item: (See Queries 1 and 9)

5 and 6. N/A

7. Packaged individually in 9x9-inch kraft envelopes with gummed flaps.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:11Z
Check the source to verify that this is the current version before use.

8. Specifications and/or Standards Data

   a. MIL

   b. MIL-C-23261(CG)

      (1) N/A

   c. N/A

9. The Manufacturer's Data

   a. Ditch Heading Computer Co.

   b. 18 Albemarle St., Weeping Water, Wisconsin

   c. Model #N15826

   d. N/A

Source: https://assist.dla.mil -- Downloaded: 20260-19T17:11Z
Check the source to verify that this is the current version before use.