MILITARY SPECIFICATION

ITEM IDENTIFICATION DATA FROM SUPPLIERS

1. SCOPE

1.1 Scope.- This specification covers requirements for obtaining item identification data from Government suppliers on items except electronic items. The requirements herein are intended to lead to the following end results of a quality acceptable to the Government:

a. Item identification data on specific items.

b. Item identification data on items to support equipment (provisioning).

1.1.1 This specification implements Federal Standard No. 5 for Coast Guard requirements.

2. APPLICABLE DOCUMENTS

2.1 The following standards, of the issue in effect on date of Invitation for Bids, forms a part of this specification to the extent specified herein:

STANDARDS

Federal

FED-STD-5	Standard Guides for Preparation of Item Descriptions by Government Suppliers.

Military

MIL-STD-129	Marking for Shipment and Storage

(Copies of standards required by contractors should be obtained as directed by the contracting officer.)

FSC 7610

Source: https://assist.dla.mil -- Downloaded: 202610-19T17:12Z
Check the source to verify that this is the current version before use.

PUBLICATIONS

DEPARTMENT OF DEFENSE

Cataloging Handbook H-4	Federal Supply Code for Manufacturers (Consists of two parts, Handbook H 4-1, Name to Code, and Handbook H 4-2, Code to Name)
Cataloging Handbook H-6	Federal Item Identification Guides for Supply Cataloging (Consists of three parts. Handbook H 6-1 contains an alphabetical Index of Approved Item Names, a numerical Index of Description Patterns and Reference Drawings, and a list of abbreviations and symbols. Handbook H 6-2 contains Description Patterns. Handbook H 6-3 contains reference drawings.)
Cataloging Manual M-1	Federal Manual for Supply Cataloging (Consists of six parts which are available separately. Applicable part is Cataloging Manual M 1-2, Item Identification.)

(Copies may be obtained from Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.)

2.2 Unless otherwise stipulated, contractor possession of above-cited Cataloging Handbook H 6 is mandatory for the implementation of this specification. At the date of this specification the price of the basic volume of Handbook H 6-1 and its monthly supplements for two years is $13.00, and the price of Handbooks H 6-2 and H 6-3 combined, together with two year subscriptions to supplements for all ten of their sections (A thru J) totals $147.00. Prices for each individual section, that is, the two handbooks plus the subscription, range from $12.00 to $18.00. Types of items covered by each section are listed in appendix D of FED-STD-5.

3. REQUIREMENTS

3.1 Outline.- Paragraphs 3.3 to 3.3.2 following give requirements to be followed by suppliers in furnishing item identification data on specific items alone. Paragraphs 3.4 to 3.4.3 give requirements to be followed by suppliers in furnishing item identification data on provisioning items.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:12Z
Check the source to verify that this is the current version before use.

3.2 Responsibility.- Item identification data is essential in order to obtain assignment of Federal Stock Numbers. The assignment of a Federal Stock number is a prerequisite to permit entrance of items into Coast Guard Supply System. Adherence to the requirements set forth herein is binding upon all parties to facilitate the assignment of a Federal Stock Number. If items have been already properly identified for other military services or government agencies, the assigned Federal Stock Number followed by the name of the sponsoring service shall be indicated. No item identification shall be required for items with Federal Stock Numbers, unless the item has been modified since assignment of the stock number.

3.2.1 Furnishing identification data.- When this Specification is cited in the procurement document or incorporated in the contract, the contractor shall prepare or obtain and furnish item identifications in the manner, and to the extent, stated herein. Item identifications shall conform to the requirements of FED-STD-5, except as otherwise specified herein.

3.3 Item identification data for specific items.-

3.3.1 Identification Process.- The identification process for specific items shall be as follows:

(a) The Invitation for Bids shall indicate the items for which item Identification shall be required.

(b) After award of contract, cataloging activity shall verify items to be identified by forwarding to the contractor a duplicate list of items to be identified. List shallindicate whether Approved Item Names conforming to Handbook H 6-1 are included. If the Approved Item Name is not forwarded, the Contractor shall ascertain from Cataloging Handbook H 6-1 the Approved Item Name that applies to the item.

(c) In Cataloging Handbook H 6-1, the contractor shall consult the column next to the Approved Item Name for the applicable Description Pattern Number.

(d) If a numbered Description Pattern exists for the Item Name, the contractor shall obtain a copy of the Pattern, using Cataloging Handbooks H 6-2 and H 6-3, and supply answers to all queries.

(e) If, on the other hand, the designation "RP" (Reference Pattern) occurs in the Description Pattern column, the Contractor shall answer the queries of Appendix A of this specification, consisting of General Pattern, SR-1, and SR-5, as completely as possible.

(f) Three copies of item identifications consisting of the resulting answers shall be submitted to the cognizant activity as designated by the procuring officer (see 6.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:12Z
Check the source to verify that this is the current version before use.

(g) Unless otherwise stipulated, completed Item Identifications on specific items shall be forwarded by the contractor to the cognizant Coast Guard cataloging activity at least 45 days prior to the contractor's first delivery.

3.3.2 Identification details.- Item Identifications shall be prepared as specified by Section 5 of FED-STD-5. Though coded or uncoded description patterns may be used, all identifications shall be prepared for mail submittal, that is with requirement answers written out. Material shall be double spaced in tabular arrangement and in the format illustrated in FED-STD-5. Forms shall normally be contractor-reproduced on 16 lb., 25 percent rag-bond paper.

3.4 Item identification data for provisioning items.-

3.4.1 List of recommended items.- At the provisioning conference (see 6.2) the supplier shall submit to the Coast Guard a list of items recommended for support of equipment. This list shall be arranged alphanumerically by supplier's part number and shall list the name of the supplier and the name of the item with a brief description of the item and a space sufficient for insertion of stock numbers.

3.4.1.1 No identifying number.- In the event that a part number does not exist, an item description shall be furnished by contractor. However, it is highly desirable that action be taken to properly assign part or designation numbers to all items of production used and listed.

3.4.1.2 Names and brief description.- It is required that Federal Item names as defined or listed in Cataloging Handbook H 6-1 be used if applicable. The description should briefly characterize the item in a manner to facilitate Coast Guard preliminary determination of the need of new items in system stock and hence the necessity of predetermination of item identification requirements.

3.4.2 Screening by Coast Guard.- Upon selection of the items required by Coast Guard for spare parts support, the contractor will be furnished a listing with those items requiring item identification annotated "I. I." This annotated copy of the spare parts list will be furnished the contractor within 15 days after receipt of recommended spare parts list by the Coast Guard.

3.4.3 Preparation and forwarding of descriptions.- Upon receipt of annotated recommended items list the contractor shall immediately prepare (or obtain) and submit item identifications in accordance with this specification for all items marked "I. I." unless a Federal Stock Number exists. Item identifications required for provisioning items shall be prepared in conformance with the requirements of para. 3.3.1 (c) thru (f)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:12Z
Check the source to verify that this is the current version before use.

and 3.3.2 of this specification. All completed item identifications shall be submitted to the cognizant Coast Guard Cataloging Activity within 30 calendar days of the contractor's receipt of the Coast Guard annotated recommended items list, and at least 45 calendar days prior to the contractor's first delivery.

3.5 Forwarding of Federal Stock Numbers.- Federal Stock Numbers will be forwarded to the contractor within thirty (30) days after receipt of item identifications. In the event that a stock number is not received within thirty days, the contractor shall notify the contracting officer, who may or may not authorize postponement of delivery date of the finished item by the same number of days as the delay of forwarding of stock number.

3.6 Types of item identifications.- Descriptive types 1, 1a, or 1b item identifications shall be submitted in all cases where a numbered Description Pattern has been indicated in Handbook H-6. Where "RP" (Reference Pattern) has been indicated in Handbook H-6, Appendix A shall be used. Types 1, 1a, and 1b item identifications are as described below:

a. Type 1a, Descriptive.- Enumerates the characteristics of an item by a series of statements in words or numerals. Contains Specifications and/or Standards Data (SR-1) where existent.

b. Type 1a, Descriptive-Reference.- Enumerates the characteristics of an item in the same manner and to the same extent as Type 1, plus it makes use of Manufacturers Data (SR-5). Inclusion of Manufacturer's Data, e.g., an item reference number, serves to pin down the identification to one item, but, in this type identification, only when the manufacturer's number covers one item.

c. Type 1b, Descriptive-Reference-Descriptive.- Enumerates the characteristics of an item in the same manner and to the same extent as Type 1, plus contains Manufacturer's Data (SR-5) in the same manner and to the same extent as 1a, plus contains a statement of those minimum characteristics required to differentiate the item from other items having the same manufacturer's reference number.

3.6.1 Other types of item identifications.- Use of Appendix A shall result in types 1, 1a, or 1b identifications or in types 2 or 2a reverence identifications. Types 2 and 2a identifications are described as follows:

a. Type 2, Reference.- Identifies only by reference to the manufacturer of the item. Information required is the

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:12:2
Check the source to verify that this is the current version before use.

name of the item, code number for the manufacturer from the Federal Supply Code for Manufacturers, and the manufacturer's reference number. Specs. and/or Standards Data is permitted here in lieu of a manufacturer's reference number. In this type Identification the manufacturer's reference number or the Specs. and Standards Data must apply to only one item. This type identification applies in lieu of a type 1 when Specs. and/or Standards data is available but other complete information is lacking. This type also applies in lieu of a type 1a when complete descriptive information is lacking but the manufacturer's reference number is available.

b. Type 2a, Reference-Descriptive.- Contains identification information the same as type 2, plus contains description of the minimum characteristics needed to differentiate the item from other items having the same manufacturer's number. Information required is name of the item, name of the manufacturer of item, manufacturer's address, Federal Supply Code number for that manufacturer, manufacturer's number for item, minimum characteristics required to differentiate the item from other items having the same manufacturer's reference number, and specific application of the item. Spec. and/or Standards Data is not applicable for this type Identification. This type is used in lieu of a 1b when complete descriptive information is not available or in lieu of a type 2 when the manufacturer's reference number covers a range of items.

3.7 When an item has an approved Item Name for which a numbered description pattern exists but an emergency arises whereby the contractor cannot submit an adequate Identification conforming to this specification and FED-STD-5, the contractor shall instead use the material of appendix A of this specification, that is, the General Pattern and the Standard Requirements. This method shall only be used as a last resort and must have the approval of the contracting officer. In cases where the contractor has responsibility for selecting an Approved Item name and none can be found, the item may also be identified by appendix A, using the manufacturer's name for the item. In forwarding such an Identification the contractor shall inform the cataloging activity that the name used is not an Approved Item Name.

3.8 Labeling of item packages and containers.- Upon receipt of the Federal Stock Number from the cataloging activity, or if a Federal Stock Number is already known and has been approved for use, the contractor shall label the unit and intermediate packages and intermediate and exterior containers with the applicable stock number, unless the contracting officer specifically waives

Source: https://assist.dla.mil -- Downloaded: 202640-19T17:12Z
Check the source to verify that this is the current version before use.

this requirement (see 3.5). Where there are a multiple number of differently numbered items packed in one exterior container, the stock numbers shall not be placed on the container but the packing list identifying the items and Federal Stock Numbers shall be attached to the container. Unless otherwise stipulated in the item specification, marking for shipment and storage shall be in accordance with MIL-STD-129.

3.9 Where this specification or FED-STD-5 may not serve to answer special questions arising with the Item Identification process, further assistance may be obtained from consulting Federal Cataloging Manual M 1-2, Item Identification. Cataloging Manual M 1-2 shall serve as the final authority on all Item Identification matters.

4. QUALITY ASSURANCE PROVISIONS

4.1 Inspection and accpetance.- Item identifications furnished in accordance with this specification and FED-STD-5 shall be subject to approval by the cognizant Coast Guard cataloging activity. In all cases, the Coast Guard will review and edit descriptions before preparing them for submission to the Department of Defense. Receipt of a Federal Stock Number by the contractor shall be sufficient evidence for certifying that the Item Identification was accepted by the Government.

4.2 Rejected Item Identifications.- The Government reserves the right to reject item identifications for incompleteness, inaccuracy, or nonconformance with requirements of applicable handbooks, manuals, standards, and data referenced or required herein, and to return such unacceptable item identifications to the contractor for correction. The exercise of this right by the Government shall not be deemed to be an excusable cause for delay under the default article of the contract nor a change under the changes article of the contract.

5. PREPARATION FOR DELIVERY

5.1 The item identifications furnished in accordance with FED-STD-5 and this specification shall be prepared for delivery to assure arrival at destination in a satisfactory condition and shall be shipped by first class or registered mail to the cognizant Coast Guard cataloging activity with notification to the Contracting Officer.

6. NOTES

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:12Z
Check the source to verify that this is the current version before use.

6.1 At time of award of contract, the contracting officer shall furnish the contractor the address of the cognizant Coast Guard cataloging activity to which subsequent cataloging correspondence should be addressed (see 3.3.1 (f)). Addresses of Coast Guard Cataloging Activities are:

Commandant (FS-4)
U. S. Coast Guard Headquarters
Room 6020, Station 6-19
1300 E Street, N. W.
Washington 25, D. C.

Commanding Officer
U. S. Coast Guard Aircraft Repair and Supply Base
Chief, Cataloging Branch
Elizabeth City, North Carolina

6.2 Provisioning items.- Where the contract calls for provisioning items, the schedules and procedures of the provisioning specification cited in the contract shall be followed concurrently with the requirements of this specification (see 3.4.1).

6.3 Completion of process.- In the last letter by which Federal Stock Numbers are returned to the contractor, the cataloging activity shall make a notation reading as follows:

"This completes the responsibility of (enter Contractor's name) for submission of Item Identification Data as required by Contract Number (enter Contract number)."

The letter shall be signed by the Contracting Officer.

Notice.- When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Preparing Activity
U. S. Coast Guard

Source: https://assist.dla.mil -- Downloaded: 202610-19T17:12Z
Check the source to verify that this is the current version before use.

APPENDIX A

GENERAL PATTERN (CG)

Please provide specific and complete replies to those queries which are applicable to the item you are supplying the Coast Guard. All queries shown on this GENERAL PATTERN may not apply to the item being supplied. Additional or more detailed information for which no query has been presented should be added. The chief idea of item identifications is to enable the Government to differentiate each item of supply from any and all other similar items.

1. Name of the Item:_____

2. Physical Characteristics

   a. Material:_____(If the item is composed of more than one material, give a breakdown by component parts, for each applicable characteristic.)

      (1) Specification:_____(If the item is readily described with reference to material, e.g., composed of one or only a few materials, specify whether the material used conforms to a certain Military or Federal Specification.)

   b. Chemical Composition:_____

   c. Electrical Data:_____(If applicable, be complete and specific.)

   d. Dimensions:_____(Use length and depth for horizontal dimensions and height for vertical dimensions. Indicate whether dimensions include or exclude certain appurtenances or attachments.)

   e. Arrangements of Parts:_____(If few enough in number to conveniently describe, e.g., Assembly consists of cam attached to sliding link by stud fixed in link and peened over to secure cam.)

   f. Principles of Operation:_____(If capable of brief description, e.g., Provides mechanical actuation for electro-mechanical switching in End Item over-ride circuitry.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:12Z
Check the source to verify that this is the current version before use.

g. Other Data:_____(Anything else that might aid in identifying the item.)

3. Performance Characteristics:_____(e.g. Functions in temp. range 130 deg. F. to -50 deg. F. Link has maximum travel of 1-3/4", with min. of 3/8" necessary to actuate micro-switch.)

4. Application Data:_____(Every item will require replies to, below, either (c) only, (b) and (c) only, or (a), (b), and (c), depending on the function of the item. Your item may be a part of something used on another item, which is, in turn, a part of End Item, or your item may be used directly on, or itself be, an End Item.)

a. Part of:

(1) Name of Assembly:_____

(2) Name of Manufacturer:_____(If available)

(3) Identifying Number:_____

b. Used on:

(1) Name of Assembly:_____

(2) Name of Manufacturer:_____

(3) Identifying Number:_____

c. End Item:

(1) Name of Assembly:_____

(2) Name of Manufacturer:_____

(3) Identifying Number:_____

5. Component Parts:_____(If the item being described is a system, set, kit, assembly, subassembly, etc., composed of a number of different components, and it is necessary to list the components in order to segregate similar ones, list each component by manufacturer's name, manufacturer's item identifying number, manufacturer's name of the component, and quantity of each.)

Source: https://assist.dla.mil -- Downloaded: 202610-19T17:12Z
Check the source to verify that this is the currentversion before use.

6. Government Document Containing List of Components:_____. (Answer this Query and mark Query 5 as "N/A" if a Government document containing the information requested by Query 5 (such as a Military Supply Standard) is known to the manufacturer. The answer shall contain the name of the Government agency controlling the document, title of the series of the document, identifying number of the document, and page number.

7. Package Data:_____(When an item of supply is packaged in specific containers of various amounts and each such container constitutes a separate item of supply because of management requirements, reply shall indicate the unit quantity and the kind of package. "Package Data" shall be limited to the first tie, wrap, or container applied to the item being described (e.g., bottle; can; tube).

8. Specifications and/or Standards Data (SR-1). (Notes: Answer the three queries following if the item you are supplying is produced in accordance with a specification or standard. Specifications and standards to be cited include: Government (FED, MIL, etc.), Professional Association, Industrial Association, and Manufacturer's. Government Purchase Descriptions should be cited, if applicable to the item. If used, identify as being a Purchase Description and note the Government Agency which prepared the document. It is not necessary to describe applicable documents referenced within a specification or standard. Describe the governing document only.)

a. Identifying Title of the Series of Specification or Standard: _____. (e.g., FED, MIL, JAN, ANA, NEMA; Institute of Radio Engineers; Sperry Specifications; General Motors Engineering Standard)

b. Complete Symbol or Number of Specification or Standard:_____. (e.g., VV-O-123; MIL-G-23171(CG); MS 25006; JAN-P-100; Pub. No. XC-1950)

(1) Specific Revision, Edition or Amendment to Spec or Std used:_____. (e.g. Revision A, 3rd Edition, Revision C and Amendment 1. Note: if the specification or standard being cited has never been revised or amended, it is not necessary to reply to Sub-query 8 (b) (1). Simply reply "N/A" meaning not applicable, being sure the complete symbol or number of the document has been given in reply to 8 (b). If, however, an older or obsolete version of a document, or a document less its known revisions or amendments, or a document and only certain of its revisions and amendments have been used in producing the item, complete reply to sub-query 8 (b) (1) will be needed).

Source: https://assist.dla.mil -- Downloaded: 20260-19T17:12Z
Check the source to verify that this is the current version before use.

e. Classification Designation within Specification or Standard (Type, Class, Grade, Style, etc.):_____ (e.g. Type II, Class A; Class III, Tape; Type No. (M-35-3B682K; Grade 90; Size 42. Note: Many Specifications and Standards are written so as to cover many individual items of supply in a single document. When this is the case, specify the section of the document which applies to the item you are supplying by relying to this Query. If the document covers a single item of supply only, respond N/A to the Query.)

9. The Manufacturer's Data.

a. Name of Manufacturer:_____ (Note: Here the manufacturer is not necessarily the firm actually producing the item, or supplying it to the Coast Guard, but rather is the firm or Government activity which controls the design and production of the item by means of its Engineering Drawings, Specifications, and Inspection Requirements.)

b. Address of Manufacturer:_____

c. Manufacturer's Reference Number, Symbol, or Trade Name for the Item:_____ (e.g. Pratt & Whitney Aircraft, Div. United Aircraft Corp. PART NUMBER A-672-52) (U. S. Coast Guard Part No. 56 on Drawing No. 5-7-L9) (General Motors Corporation "Ajax") (Note: This number, symbol, or trade name is that one by which the manufacturer as defined above can invariably identify the item. Be sure to note if numbers are Part #'s, Model #'s, Code #'s, etc. If the manufacturer has two or more items which bear the same number, symbol, or trade name, etc., but which are not truly identical in every respect, complete reply to Query 9 (d) below. If not, reply N/A to Query 9 (d).

d. Technical Deviations by Manufacturer's Number, Symbol, etc: _____(e.g. w/zinc chromate primer); (Tuned to 3025 kc by 75 uuf capacitor); (with exhaust outlet 180 degrees from intake inlet) (Note: this is to enable accurate differentiation between two or more items bearing the same Number, Symbol, or Trade Name, etc., but which differ in some respect and are not truly identical.)

Source: https://assist.dla.mil -- Downloaded: 20260-19T17:12Z
Check the source to verify that this is the current version before use.

APPENDIX B

(Sample Identification Prepared from General Pattern of Appendix A)

1. COMPUTER, DITCH HEADING

2. Physical Characteristics

   a. Discs-Plastic, Vinyl Resin, Indicator Arms-bronze

      (1) N/A

   b. N/A

   c. N/A

   d. Back disc - 8 - inches diameter, center disc - 6-3/8-inches diameter, Top disc 4-1/8-inches diameter

   e. Assembled concentrically by means of a metal eyelet and spring washer.

   f. N/A

   g. Discs are marked with degree headings, colored indication of best and poor general headings, and graphs and instructions. Airplane-shaped ditch heading indicator arm and two divergency indicator arms also a part of the assembly.

3. Lining up known wind and swell data, computer indicates best heading for aircraft ditching at sea.

4. Application Data

   a. N/A

   b. N/A

   C. End Item: (See Queries 1 and 9)

5 and 6. N/A

7. Packaged individually in 9x9-inch kraft envelopes with gummed flaps.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:12Z
Check the source to verify that this is the current version before use.

8. Specifications and/or Standards Data

   a. MIL

   b. MIL-C-23261(CG)

      (1) N/A

   c. N/A

9. The Manufacturer's Data

   a. Ditch Heading Computer Co.

   b. 18 Albemarle St., Weeping Water, Wisconsin

   c. Model #N15826

   d. N/A

Source: https://assist.dla.mil -- Downloaded: 202610-19T17:12Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity *(as indicated on reverse hereof)*.

SPECIFICATION

ORGANIZATION *(Of submitter)*

CITY AND STATE

CONTRACT NO.

QUANTITY OF ITEM PROCURED

DOLLAR AMOUNT
$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*

DATE

DD FORM 1 APR 63 1426

REPLACES NAVSHIPS FORM 4863, WHICH IS OBSOLETE

PLATE NO. 15419

Source: https://assist.dla.mil -- Downloaded: 202610-19T17:12Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

POSTAGE AND FEES PAID
NAVY DEPARTMENT

OFFICIAL BUSINESS

COMMANDANT
U.S. COAST GUARD HEADQUARTERS
STATION C-19
WASHINGTON, D.C. 20226

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:12Z
Check the source to verify that this is the current version before use.