INCH-POUND

MIL-T-23480A(SH)
AMENDMENT 1
26 June 1992

MILITARY SPECIFICATION

TUMBLER-DRYER, LAUNDRY, STEAM AND ELECTRIC,
MODIFIED COMMERCIAL (SHIPBOARD)

This amendment forms a part of MIL-T-23480A(SH), dated 27 September 1990 and is approved for use by the Naval Sea Systems Command, Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.2, Add to the Type I, Class B classification:

"Style 2-Sectionalized".

PAGE 6

3.3.3, Line 1 and 2: Delete "in accordance with figure 1 and 2" and substitute 'VIA a method of mechanically fastening tumbler-dryer(s) to a rigid hull foundation or deck pads which are secured to the deck."

PAGE 8

3.3.7.1.15: Add as new paragraph:

"3.3.7.1.15 Power On/Off indicator light. An indicator light shall be provided adjacent to on/off switch to indicate dryer is energized."

3.3.7.1.16: Add as new paragraph:

"3.3.7.1.16 Bonnet indicator light. An indicator light shall be provided in the vicinity of the control panel to indicate steam coil or electrical heating element is energized."

AMSC N/A FSC 3510

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:03Z
Check the source to verify that this is the current version before use.

PAGE 10

3.5.4, Line 5: Delete “and at a minimum of 135 degrees from the closed position.”

3.5.9: Add the following sentence:

“Access door shall be provided with a keyless handle lever to provide quick and convenient access to lint screen.”

PAGE 12

3.5.16.1.2: Add as new paragraph:

“3.5.16.1.2 Motors. solid mount. Motors shall be mounted to supporting base without the use of resilient mounting material; bearing shall be metal to metal. Should motors require alignment adjustments the level of solid mounting shall not be compromised .”

PAGE 17

3.9, Line 1: Delete "belts or chains" and substitute "belts, chains or electrical terminals".

PAGE 18

4.4: Add the following sentence:

‘When specified in the contract or order, a first article test report shall be prepared (see 6.3)."

PAGE 21

4.4.1: Add the following sentence:

“Disposition instruction for first article sample shall be obtained from the contracting officer’s designated technical representative (see 6.2)."

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:03Z
Check the source to verify that this is the current version before use.

PAGE 26

4.7: Add as new paragraph:

"4.7 Test reports and certification. When specified in the contract or order, reports, procedures, and certifications shall be prepared (see 6.3)."

PAGE 28

6.2: Add the following:

"g. Disposition of first articles (see 4.4.1)"

6.3: Add the following Data Item Descriptions:

Reference paragraph	DID number	DID Title	Suggested Tailoring
"4.4	DI-NDTI-80809	Test, reports	-
4.4	DI-NDTI-80604	First article test report"	-
6.8	DI-V-7002A	Provisioning technical documentation"	-

6.4.1: Add as new paragraph:

"6.4.1 Technical manual development. Technical manuals (including technical repair standards (TRS) should be procured under separate Contract Line Number (CLINs) or subCLINs. Technical manual products (such as manuscript copy, preliminary copy, and reproducible copy) should be developed and delivered as specified in the Technical Manual Contract Requirements (TMCR) exhibit(s) to the contract. The TMCR is an exhibit or attachment to a contract specifying technical manual product development and delivery requirements, and/or management data development requirements. CDRLs and DID's should not be used for technical manual product procurements. Technical manual management data (such as plans and reports) should be procured under a separate data CLIN, but delivery should continue to be specified in CDRLs and DIDs. Technical manual quality assurance management data should be prepared and delivered as specified in the TMCR and contractor order."

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T17:03Z
Check the source to verify that this is the current version before use.

PAGE 29

6.8: Add as new paragraph:

6.8 Provisioning. Provisioning Technical Documentation (PTD), spare parts, and repair parts should be furnished as specified in the contract.

6.8.1: Spare or repair parts. When ordering spare parts or repair parts for the equipment covered by this specification, the contract should state that such spare parts and repair parts should meet the same requirements and quality assurance provisions as the parts used in the manufacture of the equipment. Packaging for such parts should also be specified."

PAGE 30

Figure 1: Delete in its entirety.

Figure 2: Delete in its entirety.

Preparing activity:
Navy - SH
(Project 3510-N325)

Source: https://assist.dla.mil -- Downloaded: 202610-19T17:03Z
Check the source to verify that this is the current version before use.