INCH-POUND
MIL-H-83511/6A
AMENDMENT 1
15 October 1999

MILITARY SPECIFICATION SHEET

HEADSET, ELECTRICAL, H-173C/AIC

This amendment forms part of Military Specification Sheet MIL-H-83511/6, dated 23 December 1981, and is approved by all Departments and Agencies of the Department of Defense.

PAGE 1

FIGURE 1: Add to Figure 1: Alternate configuration to the sliding action is a positive locking thumbnut.



Alternate locking thumbnut configuration.

AMSC N/A FSC 5965
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:26Z
Check the source to verify that this is the current version before use.

Figure 2: Delete and substitute:



FIGURE 2. Wiring diagram for H-173C/AIC

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:26Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Earphone: Delete and substitute:

“Earphone: 2 required, H-143/AIC, in accordance with MIL-PRF-25670 and MIL-E-25670/1.”

Earmuff assemblies: Delete.

Headband pressure: Delete.

Accessories: Delete and substitute:

“Accessories: The headset shall be capable of operating with the following which are not to be supplied as a part of the headset.

Cord assembly	CX-12973/AR (P/N M22442/20-1) in accordance with MIL-DTL-22442/20.
Cord assembly - Impedance matching network	CX-12988/AR (P/N M22442/23-1) in accordance with MIL-DTL-22442/23.
Cord assembly	CX-12974/AR (P/N M22442/21-1) in accordance with MIL-DTL-22442/21.
Cord assembly - Impedance matching network	CX-12987/AR (P/N M22442/22-1) in accordance with MIL-DTL-22442/22.
Microphone dynamic	M-87/AIC in accordance with MIL-PRF-26542/2.”

Cord data:

Jacket material and Specification: Delete.

Headband data: Delete in its entirety.

Earphone data: Delete in its entirety.

Custodians:
Army - CR
Navy - EC
Air Force - 85
DLA - CC

Preparing activity:
DLA - CC

(Project 5965-0267-06)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:26Z
Check the source to verify that this is the current version before use.