NOTICE OF CANCELLATION

INCH-POUND

AN919 REV 9
NOTICE 1
28 September 1999

AIR FORCE/NAVY AERONAUTICAL STANDARD

REDUCER – EXTERNAL THREAD FLARED TUBE

AN919 REV 9, dated 4 August 1983, is hereby cancelled. Future acquisitions for this item should refer to Society of Automotive Engineers (SAE) Aerospace Standard (AS) AS5174, "Fitting, Union and Reducer, Flared."

Table 1 provides a detailed cross-reference of cancelled AN919 Part or Identifying Numbers (PINs) and replacement AS5174 PINs. The use of "AS" parts is preferable, but "AN" parts may be used for a period of three years from the date of this notice to deplete existing stock. Users are cautioned to evaluate replacements for their particular application.

(DoD activities may obtain copies of SAE AS5174 from the DoDSSP, Standardization Document Order Desk, 700 Robbins Avenue, Building 4D, Philadelphia, PA 19111-5094. The private sector and other Government agencies may purchase copies from the Society of Automotive Engineers International, 400 Commonwealth Drive, Warrendale, PA 15096-0001.)

Custodians:
Army - AV
Navy - AS
Air Force - 99
DLA - CC

Review activity:
Air Force - 82

Preparing activity:
DLA - CC

(Project 4730-0800)

AMSC N/A

FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:17Z
Check the source to verify that this is the current version before use.

TABLE 1 - Cross-Reference Data

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN919-0	.188	AS5174-0302
AN919-0D	.188	AS5174D0302
AN919-0J	.188	AS5174J0302
AN919-0K	.188	AS5174K0302
AN919-0S	.188	AS5174R0302
AN919-0T	.188	AS5174T0302
AN919-0W	.188	AS5174W0302
AN919-1	.250	AS5174-0402
AN919-1D	.250	AS5174D0402
AN919-1J	.250	AS5174J0402
AN919-1K	.250	AS5174K0402
AN919-1S	.250	AS5174R0402
AN919-1T	.250	AS5174T0402
AN919-1W	.250	AS5174W0402
AN919-2	.250	AS5174-0403
AN919-2D	.250	AS5174D0403
AN919-2J	.250	AS5174J0403
AN919-2K	.250	AS5174K0403
AN919-2S	.250	AS5174R0403
AN919-2T	.250	AS5174T0403
AN919-2W	.250	AS5174W0403
AN919-3	.312	AS5174-0504
AN919-3D	.312	AS5174D0504
AN919-3J	.312	AS5174J0504
AN919-3K	.312	AS5174K0504
AN919-3S	.312	AS5174R0504
AN919-3T	.312	AS5174T0504
AN919-3W	.312	AS5174W0504
AN919-4	.375	AS5174-0602
AN919-4D	.375	AS5174D0602
AN919-4J	.375	AS5174J0602
AN919-4K	.375	AS5174K0602
AN919-4S	.375	AS5174R0602
AN919-4T	.375	AS5174T0602
AN919-4W	.375	AS5174W0602

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN919-5	.375	AS5174-0603
AN919-5D	.375	AS5174D0603
AN919-5J	.375	AS5174J0603
AN919-5K	.375	AS5174K0603
AN919-5S	.375	AS5174R0603
AN919-5T	.375	AS5174T0603
AN919-5W	.375	AS5174W0603
AN919-6	.375	AS5174-0604
AN919-6D	.375	AS5174D0604
AN919-6J	.375	AS5174J0604
AN919-6K	.375	AS5174K0604
AN919-6S	.375	AS5174R0604
AN919-6T	.375	AS5174T0604
AN919-6W	.375	AS5174W0604
AN919-7	.375	AS5174-0605
AN919-7D	.375	AS5174D0605
AN919-7J	.375	AS5174J0605
AN919-7K	.375	AS5174K0605
AN919-7S	.375	AS5174R0605
AN919-7T	.375	AS5174T0605
AN919-7W	.375	AS5174W0605
AN919-8	.500	AS5174-0802
AN919-8D	.500	AS5174D0802
AN919-8J	.500	AS5174J0802
AN919-8K	.500	AS5174K0802
AN919-8S	.500	AS5174R0802
AN919-8T	.500	AS5174T0802
AN919-8W	.500	AS5174W0802
AN919-9	.500	AS5174-0803
AN919-9D	.500	AS5174D0803
AN919-9J	.500	AS5174J0803
AN919-9K	.500	AS5174K0803
AN919-9S	.500	AS5174R0803
AN919-9T	.500	AS5174T0803
AN919-9W	.500	AS5174W0803

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:17Z
Check the source to verify that this is the current version before use.

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN919-10	.500	AS5174-0804
AN919-10D	.500	AS5174D0804
AN919-10J	.500	AS5174J0804
AN919-10K	.500	AS5174K0804
AN919-10S	.500	AS5174R0804
AN919-10T	.500	AS5174T0804
AN919-10W	.500	AS5174W0804
AN919-11	.500	AS5174-0805
AN919-11D	.500	AS5174D0805
AN919-11J	.500	AS5174J0805
AN919-11K	.500	AS5174K0805
AN919-11S	.500	AS5174R0805
AN919-11T	.500	AS5174T0805
AN919-11W	.500	AS5174W0805
AN919-12	.500	AS5174-0806
AN919-12D	.500	AS5174D0806
AN919-12J	.500	AS5174J0806
AN919-12K	.500	AS5174K0806
AN919-12S	.500	AS5174R0806
AN919-12T	.500	AS5174T0806
AN919-12W	.500	AS5174W0806
AN919-13	.625	AS5174-1004
AN919-13D	.625	AS5174D1004
AN919-13J	.625	AS5174J1004
AN919-13K	.625	AS5174K1004
AN919-13S	.625	AS5174R1004
AN919-13T	.625	AS5174T1004
AN919-13W	.625	AS5174W1004
AN919-14	.625	AS5174-1006
AN919-14D	.625	AS5174D1006
AN919-14J	.625	AS5174J1006
AN919-14K	.625	AS5174K1006
AN919-14S	.625	AS5174R1006
AN919-14T	.625	AS5174T1006
AN919-14W	.625	AS5174W1006

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN919-15	.625	AS5174-1008
AN919-15D	.625	AS5174D1008
AN919-15J	.625	AS5174J1008
AN919-15K	.625	AS5174K1008
AN919-15S	.625	AS5174R1008
AN919-15T	.625	AS5174T1008
AN919-15W	.625	AS5174W1008
AN919-16	.750	AS5174-1204
AN919-16D	.750	AS5174D1204
AN919-16J	.750	AS5174J1204
AN919-16K	.750	AS5174K1204
AN919-16S	.750	AS5174R1204
AN919-16T	.750	AS5174T1204
AN919-16W	.750	AS5174W1204
AN919-17	.750	AS5174-1205
AN919-17D	.750	AS5174D1205
AN919-17J	.750	AS5174J1205
AN919-17K	.750	AS5174K1205
AN919-17S	.750	AS5174R1205
AN919-17T	.750	AS5174T1205
AN919-17W	.750	AS5174W1205
AN919-18	.750	AS5174-1206
AN919-18D	.750	AS5174D1206
AN919-18J	.750	AS5174J1206
AN919-18K	.750	AS5174K1206
AN919-18S	.750	AS5174R1206
AN919-18T	.750	AS5174T1206
AN919-18W	.750	AS5174W1206
AN919-19	.750	AS5174-1208
AN919-19D	.750	AS5174D1208
AN919-19J	.750	AS5174J1208
AN919-19K	.750	AS5174K1208
AN919-19S	.750	AS5174R1208
AN919-19T	.750	AS5174T1208
AN919-19W	.750	AS5174W1208

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:17Z
Check the source to verify that this is the current version before use.

TABLE 1 - Cross-Reference Data (Continued)

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN919-20	.750	AS5174-1210
AN919-20D	.750	AS5174D1210
AN919-20J	.750	AS5174J1210
AN919-20K	.750	AS5174K1210
AN919-20S	.750	AS5174R1210
AN919-20T	.750	AS5174T1210
AN919-20W	.750	AS5174W1210
AN919-21	1.000	AS5174-1604
AN919-21D	1.000	AS5174D1604
AN919-21J	1.000	AS5174J1604
AN919-21K	1.000	AS5174K1604
AN919-21S	1.000	AS5174R1604
AN919-21T	1.000	AS5174T1604
AN919-21W	1.000	AS5174W1604
AN919-22	1.000	AS5174-1610
AN919-22D	1.000	AS5174D1610
AN919-22J	1.000	AS5174J1610
AN919-22K	1.000	AS5174K1610
AN919-22S	1.000	AS5174R1610
AN919-22T	1.000	AS5174T1610
AN919-22W	1.000	AS5174W1610
AN919-23	1.000	AS5174-1612
AN919-23D	1.000	AS5174D1612
AN919-23J	1.000	AS5174J1612
AN919-23K	1.000	AS5174K1612
AN919-23S	1.000	AS5174R1612
AN919-23T	1.000	AS5174T1612
AN919-23W	1.000	AS5174W1612
AN919-24	1.250	AS5174-2004
AN919-24D	1.250	AS5174D2004
AN919-24J	1.250	AS5174J2004
AN919-24K	1.250	AS5174K2004
AN919-24S	1.250	AS5174R2004
AN919-24T	1.250	AS5174T2004
AN919-24W	1.250	AS5174W2004

Cancelled AN PIN	Tube Size	Replacement AS PIN
AN919-25	1.250	AS5174-2012
AN919-25D	1.250	AS5174D2012
AN919-25J	1.250	AS5174J2012
AN919-25K	1.250	AS5174K2012
AN919-25S	1.250	AS5174R2012
AN919-25T	1.250	AS5174T2012
AN919-25W	1.250	AS5174W2012
AN919-26	1.250	AS5174-2016
AN919-26D	1.250	AS5174D2016
AN919-26J	1.250	AS5174J2016
AN919-26K	1.250	AS5174K2016
AN919-26S	1.250	AS5174R2016
AN919-26T	1.250	AS5174T2016
AN919-26W	1.250	AS5174W2016
AN919-27	1.500	AS5174-2416
AN919-27D	1.500	AS5174D2416
AN919-27J	1.500	AS5174J2416
AN919-27K	1.500	AS5174K2416
AN919-27S	1.500	AS5174R2416
AN919-27T	1.500	AS5174T2416
AN919-27W	1.500	AS5174W2416
AN919-28	1.500	AS5174-2420
AN919-28D	1.500	AS5174D2420
AN919-28J	1.500	AS5174J2420
AN919-28K	1.500	AS5174K2420
AN919-28S	1.500	AS5174R2420
AN919-28T	1.500	AS5174T2420
AN919-28W	1.500	AS5174W2420
AN919-29	1.000	AS5174-1608
AN919-29D	1.000	AS5174D1608
AN919-29J	1.000	AS5174J1608
AN919-29K	1.000	AS5174K1608
AN919-29S	1.000	AS5174R1608
AN919-29T	1.000	AS5174T1608
AN919-29W	1.000	AS5174W1608

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:17Z
Check the source to verify that this is the current version before use.