MIL-A-51306A(EA)
16 September 1974
SUPERSEEDING
MIL-A-51306(MU)
13 June 1968

MILITARY SPECIFICATION

ADAPTER, OXYGEN SUPPLY, CHEMICAL-BIOLOGICAL MASK, ABC-M8

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers one type of a connector-coupling assembly.

2. APPLICABLE DOCUMENTS

2.1 Government documents. The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

STANDARDS

FEDERAL

FED-STD-123 - Marking for Domestic Shipping (Civil Agencies).

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

DRAWINGS

US ARMY ARMAMENT COMMAND

C5-82-13 - Adapter, Oxygen Supply, Chemical-Biological Mask, ABC-M8

FSC 4240

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Materials and components. All materials and components shall conform to the specifications and drawings listed on Drawing C5-82-13 and on the subsidiary drawings.

3.2 Manufacture and assembly. The adapter shall be manufactured and assembled in accordance with Drawing C5-82-13.

3.3 Press fit joints. The press fit joints on the coupling assembly (Dwg. C5-82-14) shall withstand a minimum torque of 15 foot-pounds when tested as specified in 4.4.4.

3.4 Preproduction sample. Prior to the start of regular production a sample of ABC-M8 adapters shall be produced in accordance with this specification for examination and test (see 4.3).

3.5 Workmanship. The adapter shall be free from foreign matter and damage such as distortion, surface irregularities, tears, holes, cracks, and loss of paint.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.

4.1.1 Supplier's responsibility. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to specified requirements.

4.1.2 Objective evidence. The supplier shall provide objective evidence acceptable to the contracting officer that the requirements of 3.1 and section 5 for which specific inspection has not been provided in this specification have been satisfied.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspection. The inspection requirements specified herein are classified as follows:

(a) Preproduction inspection (see 4.3)
(b) Quality conformance inspection (see 4.4)

4.3 Preprcduction inspection.

4.3.1 Sample. A preproduction sample of seven ABC-M8 adapters shall be produced using the same methods, materials, and equipment as will be used in regular production.

4.3.2 Inspection procedure. The preproduction adapters shall be examined and tested for all the requirements of this specification.

4.3.3 Tests. Testing shall be conducted as specified in 4.4.4.

4.3.4 Acceptance/rejection criteria. The preproduction sample of ABC-M8 adapters shall comply with all the requirements of this specification to be acceptable. The supplier shall obtain written approval from the contracting officer prior to proceeding with regular production.

4.4 Quality conformance inspection.

4.4.1 Lotting. A lot shall consist of the adapters produced by one manufacturer, at one plant, from the same materials, and under essentially the same manufacturing conditions.

4.4.2 Sampling for examination. Sampling shall be conducted in accordance with MIL-STD-105.

4.4.3 Inspection procedure.

4.4.3.1 For examination. Sample adapters shall be examined in accordance with the classification of defects and MIL-STD-105.

4.4.3.2 For testing. Each ABC-M8 adapter shall be tested for torque in accordance with 4.4.4. The acceptance number is zero.

4.4.3.3 Classification of defects.

(a) Adapter, oxygen supply, chemical-biological mask, ABC-M8 (Dwg C5-82-13).

Categories	Defects
Critical:	None defined

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.

4.4.3.3 Classification of defects (continued).

(a) Adapter, oxygen supply, chemical-biological mask, ABC-M8 (Dwg C5-82-13).

Categories	Defects
Major:	AQL 1.0 percent defective
101	Component missing
102	Component incorrectly assembled
103	Workmanship (3.5)

4.4.4 Press fit joint tests. The adapters shall be subjected to the specified torque at the elbow and socket joints and at the elbow and connector joint using a suitable torque testing device.

5. PREPARATION FOR DELIVERY

5.1 Packaging, packing and marking, interplant shipment (see 6.3). The adapters shall be packaged and packed to provide adequate protection from physical damage from the supply source to the first receiving activity for immediate use or further processing. Shipping containers shall be in compliance with the rules and regulations applicable to the mode of transportation. Marking shall be in conformance with FED-STD-123 and shall include the contractors name, address, and contract number.

5.2 Repair parts. When this item is being procured for storage and issue as a repair part, preservation, packaging, packing, and marking shall be as specified on the packaging data sheet which is identified by its National Stock Number.

6. NOTES

6.1 Intended use. The adapter covered by this specification is intended to be used to connect the ABC-M24 Aircraft Mask to the aircraft oxygen supply.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Preproduction.

(1) Time allowed for supplier submission of samples for Government test and evaluation after award of contract.
(2) Name and address of test facility and shipping instructions when testing is performed by the Government.
(3) Time required for the Government to notify the supplier whether or not to proceed with production.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.

6.3 Interplant shipments. Packaging for supplies and materials which will not enter the military supply system. Typical interplant shipments are shipments from a vendor to a subcontractor or a prime contractor, or from a subcontractor to a prime contractor, or from a vendor or contractor to a military arsenal or plant.

6.4 International interest. Certain provisions of this specification are the subject of international standardization agreement QSTAG 234. When amendment, revision, or cancellation of this specification is proposed which will affect or violate the international agreement concerned, the preparing activity will take appropriate reconciliation action through international standardization channels including departmental standardization offices, if required.

6.5 Figure 1. Figure 1 is a miniature reproduction of assembly drawing and is attached for information only.

Custodian:


Army - EA

Preparing activity:

Army - EA

Project No. 4240-A652

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.



NOTES:
1. THE FOLLOWING ARE MANDATORY WHEN INDICATED BY ☐
   - ☐ REMOVE BURRS
   - ☐ BREAK SHARP EDGES .010 MAX
   - ☐ FILLETS .010 MAX R
   - ☐ ▽ ALL OVER EXCEPT AS NOTED, SURFACE ROUGHNESS, MIL-STD-10
   - ☐ DIMENSIONS APPLY AFTER PLATING
   - ☐ DIMENSIONING AND TOLERANCING SHALL BE INTERPRETED IN ACCORDANCE WITH MIL STD 8
   - ☐ THREAD DIMENSIONS AND DESIGNATIONS SHALL BE INTERPRETED IN ACCORDANCE WITH HANDBOOK H28 AND MIL STD 9, RESPECTIVELY
   - ☐ WELDING SYMBOLS SHALL BE INTERPRETED IN ACCORDANCE WITH JAN STD 19
   - ☐ TOLERANCES ON STOCK MATERIAL SIZES SHALL BE AS SPECIFIED IN APPLICABLE SPECIFICATIONS
2.

Figure 1
Adopter Oxygen Supply Chemical-Biological Mask, ABC-M8

THIS FIGURE IS A MINIATURE COPY OF AN EDGEWOOD ARSENAL DRAWING AND IS FOR INFORMATION ONLY: THE DRAWING REFERENCE IN PARAGRAPH 2.1 GOVERNS

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:56Z
Check the source to verify that this is the current version before use.