MILITARY SPECIFICATION

ADAPTER, MOUNTING MX-4773(*)/ASQ-56A

This Specification has been approved by the
Bureau of Naval Weapons, Department of the Navy.

1. SCOPE

1.1 Scope - This specification covers the requirements for the Adapter, Mounting MX-4773/ASQ-56A. When installed as part of Integrated Electronic Central AN/ASQ-56A, this equipment shall provide mounting facilities, cooling air channels and electrical wiring to adapt the RT-384/ARN-52 to the AN/ASQ-56A Integrated Electronic Central.

1.2 Associated Equipments - The equipment shall be capable of operating with the following associated equipment which is not to be supplied as part of this equipment.

Item	Type Designation
Mounting Plenum	MT-2243/ASQ-56
Receiver-Transmitter, Radio	RT-384/ARN-52V
Control, Radio Set	C-4684/ASQ-56A

2. APPLICABLE DOUMENTS

2.1 General - The following documents of the issue in effect on the date of invitation for bids form a part of this specification to the extent specified herein:

SPECIFICATIONS

Military

MIL-I-81007 Integrated Electronic Central AN/ASQ-56A

2.2 Availability of Documents

(1) When requesting specifications, drawings, and publications refer to both title and number. Copies of this specification and applicable specifications required by contractors in connection with specific procurement functions may be obtained upon application to the Commanding Officer, Naval Supply Depot, Code DCI, 5801 Tabor Avenue, Philadelphia 20, Pennsylvania.

3. REQUIREMENTS

3.1 Parts and Materials - In the selection of parts and materials, fulfillment of major design objectives shall be the prime consideration. In so doing, parts and material requirements shall conform to Specification MIL-I-81007.

FSC-5340

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:54Z
Check the source to verify that this is the current version before use.

3.2 Design and Construction -

3.2.1 General - This equipment shall conform with applicable requirements of Specification MIL-I-81007 for design, construction, and workmanship except in the paragraphs as modified below:

3.2.2 Cooling Air Requirements - The following table outlines adapter air flow rates and corresponding nominal pressure drops, where the pressure tolerance is + 10%, -0%.

Flow Rates lb/hr	Pressure Drop $\sigma \Delta P, \sigma = .0765 \frac{lb}{ft^3}$ in H_2O
20	.31
40	1.2
60	2.65
80	4.50

3.2.3 Flow Rate Leakage - Leakage from the ducts, plenum, and seals shall not exceed 8% of the total flow rate.

3.2.5 Cables and Connectors - Connectors for input wiring shall be Amphenol types 126-10753 and 126-10572 and Cannon type DPX57-33S or approved equivalents. The r-f connectors shall be Automatic Metals RF-100-B200N and RF-101-H2100A and FXR-311-81450 or approved equivalents. Connectors for plug-in relays shall be Filter types 6403-8, 6403-4 and 4040 or approved equivalents.

3.3 Detail Requirements -

3.3.1 Adapter, Mounting MX-4773/ASQ-56A - The mounting adapter shall meet the following additional requirements:

3.3.1.1 Form Factor - The mounting adapter shall be contained in a single unit capable of being directly mounted to the MT-2243/ASQ-56 using ordinary hand tools. The overall dimensions shall not exceed 13-7/16 inches wide by 24-1/2 inches long by 6-1/4 inches high.

3.3.1.2 Weight - The weight of the mounting adapter shall not exceed 10 pounds.

3.3.1.3 Extractor Mechanism - The mounting adapter shall include a positioning-extracting device to facilitate withdrawal of the receiver-transmitter.

3.3.1.4 Guide Pins - Guide pins at the rear of the adapter shall be of stainless steel.

3.3.1.5 Inserts - The guide pin holes at the front of the adapter shall have stainless steel inserts.

3.3.1.6 Electrical Requirements - Relays or other remote switching devices shall be provided to perform remote switching for functions of receive, transmit/receive, and air to air ranging for the RT-384/ARN-52.

4. QUALITY ASSURANCE PROVISIONS

4.1 General - Equipments shall be subjected to the test requirements of Specification MIL-I-81007 to determine compliance with all applicable requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:54Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 General - The adapter shall be preserved, packaged, packed and marked for the level of shipment specified in the contract or order in accordance with Specification MIL-I-81007.

6. NOTES

6.1 Intended Use - When installed as a part of Integrated Electronic Central AN/ASQ-56A, this equipment shall provide mounting facilities, cooling air-channels and electrical wiring to adapt the RT-384/ARN-52 to the AN/ASQ-56A Integrated Electronic Central.

6.2 Precedence - When the requirements of the contract, this specification, applicable subsidiary specifications are in conflict, the following precedence shall apply:

(1) Contract - The contract shall have precedence over any specification.

(2) System Specification - Integrated Electronic Central AN/ASQ-56A Specification MIL-I-81007 shall have precedence over this specification.

(3) This specification shall have precedence over all applicable subsidiary specifications. Any deviation from this specification, or from subsidiary specifications where applicable, shall be approved in writing by the procuring activity.

(4) Referenced Specifications - Any referenced specification shall have precedence over all applicable specifications referenced herein. All referenced specifications shall apply to the extent specified.

6.3 The parentheses (*), when used in the type designation, shall be replaced by either a number or letter furnished by the procuring activity upon application by the contractor for assignment of nomenclature in accordance with 3.2.10 of Specification MIL-I-81007. The complete type number shall be used on nameplates, shipping records and instruction books, as applicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:54Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold lines on reverse side, staple in corner, and send to preparing activity *(as indicated on reverse hereof)*.

SPECIFICATION

MIL-A-81008(Wep) Adapter, Mounting MX-4773(*)/ASQ-56A

ORGANIZATION *(Of submitter)*	CITY AND STATE

CONTRACT NO.	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:54Z
Check the source to verify that this is the current version before use.

FOLD

PARTMENT OF THE NAVY

POSTAGE AND FEES PAID
NAVY DEPARTMENT

OFFICIAL BUSINESS

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T04:54Z
Check the source to verify that this is the current version before use.