INCH-POUND

A-A-54939
28 February 1994

COMMERCIAL ITEM DESCRIPTION

ENVELOPE, PHOTOGRAPHIC NEGATIVE

The General Services Administration has authorized the use of this Commercial Item Description as a replacement for Federal Specification G-E-550C, which is cancelled.

This Commercial Item Description covers paper envelopes intended for short term storage of photographic and x-ray, glass and film negatives. Short term storage is defined as the storage of film records intended for use (i.e. working copies of film records).

Salient characteristics:

Classification. The envelopes shall be of the following sizes, as specified:

Size 1 - 3 by 4-1/2 inches

Size 2 - 14-1/2 by 17-1/2 inches

Material. The materials of which the envelopes are made, and the physical and chemical properties of the manufactured envelope, shall meet the requirements of the American National Standards Institute (ANSI) Standard PH 1.53 and shall also be as specified herein. Treatment of paper for protection against fungus growth is not required. Tests indicated in ANSI PH 1.53, paragraph 3.2 Paper, shall not apply except for alpha cellulose content and phloroglucinol spot test. Tests indicated in ANSI PH 1.53, paragraph 6.1 Photographic Activity Test, shall not apply.

AMSC N/A FSC 7530

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:40Z
Check the source to verify that this is the current version before use.

Paper weight and bursting strength. The basis weight and bursting strength of the paper used in the manufacture of the envelopes shall be as shown below for the size indicated.

SIZE	Basis Weight (17 by 22, 1000 Sheets) ±5% TOLERANCE	Bursting Strength AVERAGE (Minimum)
1	48 lbs	44 pts
2	64 lbs	56 pts

Basis weight shall be tested in accordance with TAPPI Standard T410. Bursting strength shall be tested in accordance with TAPPI T403.

Fiber Analysis. Fiber analysis shall be as specified in ANSI PH 1.53 when tested as indicated in TAPPI Standard T401.

Construction. Envelopes shall be of the open-end type without seal flap designated as envelope (without protective flab) specified in ANSI PH 1.53. The open end shall have a finger cutout, as an alternate for Size 2, a raised lip having a minimum height of 3/8 inch and extending the complete width of the back of the envelope may be provided. Envelopes shall be fabricated of smooth light-colored Kraft paper suitable for use in storage of photographic and x-ray, glass and film negatives.

Glued seams. Adhesive bonded seams shall have a fiber-tearing bond which secures the full length and width of the seams. Adhesive shall be non-deliquescent and shall be suitable for the intended purpose.

Ruling and writing properties. Lines ruled and characters written shall be sharp, clear, legible and shall not feather.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:40Z
Check the source to verify that this is the current version before use.

Printing. Envelope shall be furnished with the following printing placed in the upper left corner of the front side:

Patient's Name _____

Grade _____ Date _____

Case or Service No. _____

Organization _____

The overall length of the printing (headings and lines) shall be a minimum of three inches. The orientation of the envelope to the printing shall be either with the opening at the right end or at the top. The distance between the lines of printing shall be one-half inch.

Workmanship. The envelope shall be free from defects which detract from their appearance or impair their serviceability.

Unit. Hundred (HD). One hundred envelopes of one size only, as specified, constitutes one unit. Each unit (100 envelopes) shall be bonded with kraft paper or other suitable material.

QUALITY ASSURANCE PROVISIONS.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:40Z
Check the source to verify that this is the current version before use.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Sampling for examination. Sampling for examination shall be conducted in accordance with MIL-STD-105, with an AQL of 1.0 (percent defective) and an inspection level of II. The unit of product for examination purposes shall be one envelope.

Sampling for tests. Sampling for tests (dimensional), shall be conducted in accordance with MIL-STD-105, with an AQL of 1.0 (percent defective) and an inspection level of S-2. The unit of product for test purposes shall be one envelope.

Tests. Tests shall be conducted to determine compliance with specification requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Contractor Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:40Z
Check the source to verify that this is the current version before use.

Regulatory requirements.

Federal Food, Drug, and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction , the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug, and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered material. The offeror/contractor is encouraged to use recovered material in accordance with Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

Ordering data. Intermediate/exterior package quantities, labeling and marking must be specified in the contract and/or order.

NOTES: The following National Stock Numbers are covered by this document:

NSN	Item Identification	SIZE
7530-00-299-8525	ENVELOPE, PHOTOGRAPHIC NEGATIVE	1
7530-00-612-4000	ENVELOPE, PHOTOGRAPHIC NEGATIVE	2

MILITARY INTERESTS:

Custodians:

Army-MD
Navy-MS
Air Force-03

PREPARING ACTIVITY:

DoD-MB

Agent:

DLA-DM

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:40Z
Check the source to verify that this is the current version before use.

A-A-54939

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
USPHS
FDA-MPQAS
GSA-FSS-FCGC

Project No. 7530-0215

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:40Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I. RECOMMEND A CHANGE:	1. DOCUMENT NUMBER A-A-54939	2. DOCUMENT DATE (YYMMDD) 28 February 1994

3. DOCUMENT TITLE
ENVELOPE, PHOTOGRAPHIC NEGATIVE

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING activity

a. NAME DEFENSE PERSONNEL SUPPORT CENTER ATTN: DPSC-MSE	b. TELEPHONE (Include Area Code) (1) Commercial AC 215-737-2870	(2) AUTOVON AV 444-2870
c. ADDRESS (Include Zip Code) 2800 SO. 20TH STREET PHILADELPHIA, PA 19145	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 Previous editions are obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:40Z
Check the source to verify that this is the current version before use.