MIL-P-5610D
AMENDMENT 4
1 Aug 78
SUPERSEDING
MIL-P-5610D
25 August 1971

MILITARY SPECIFICATION

PARACHUTE ASSEMBLIES AND SUB-ASSEMBLIES,
PACKAGING AND PACKING OF

This amendment forms a part of Military Specification MIL-P-5610D, dated 8 March 1968, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1: Under SPECIFICATIONS, Federal" delete:

"PPP-T-45 Tape, Gummed, Paper, Reinforced And Plain, For Sealing And Securing"

PAGE 2

2.1: Under SPECIFICATIONS, Military" add:

"MIL-L-10547 Liners, Case, And Sheet, Overwrap; Water-Vaporproof Or Waterproof, Flexible"

After 2.1, add the following new paragraph:

"2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated the issues in effect on date of invitation for bids or request for proposal shall apply:

NATIONAL MOTOR FREIGHT CLASSIFICATION

Issued by National Motor Freight Traffic Association, Inc., Agent

(Application for copies should be addressed to American Trucking Association, Attn: Tariff Order Section, 1616 P. Street, N.W., Washington DC 20036.)

UNIFORM CLASSIFICATION COMMITTEE

Uniform Freight Classification Rules

(Application for copies should be addressed to the Uniform Classification Committee Agent, Room 202, Union Station, 516 West Jackson Boulevard, Chicago IL 60606.)"

FSC 1670

Source: https://assist.dla.mil -- Downloaded: 202610-17T05:22Z
Check the source to verify that this is the current version before use.

3.3.1.1, lines 9 and 10: Delete "cloth tape conforming to type I" and substitute "tape conforming to type IV."

PAGE 3

3.3.1.2, line 5: Delete "and the suspension lines" and substitute "assembly."

3.3.1.2, line 7: After "T-T-871" delete the period and add "and the hardware items protected Method III of MIL-P-116. All unattached component parts shall be packaged as specified in 3.3.1.2.1."

3.3.1.2, lines 15 and 16: Delete "cloth tape conforming to type I" and substitute "tape conforming to type IV."

3.3.1.2.1, line 2: After "canopy" insert "assembly."

3.3.1.2.2.1, first and second sentences: Delete and substitute:

"One cargo or extraction parachute assembly, unit packaged as specified in 3.3.1.2 and 3.3.1.2.1, shall be packaged in a snug fitting fiberboard box conforming to stype RSC, grade W5c or W6c of PPP-B-636. Each box shall be closed with tape as specified in the appendix of PPP-B-636."

PAGE 4

3.3.1.4.1, line 3: Delete "method IC-1" and substitute "method IC-3 "

3.3.1.4.1, lines 10 and 11: Delete "cloth tape conforming to type I" and substitute "tape conforming to type IV."

3.3.1.4.1, line 17: Delete "class Q" and substitute "class A."

PAGE 5

3.4.1.1 continue.. line 7: Delete "cloth tape conforming to type I" and substitute "tape conforming to type IV."

3.4.1.1.1, line 4: Delete "style A" and substitute "style A or J,"

PAGE 6

3.4.1.2 and 3.4.1.2.1: Delete in their entirety and substitute the following:

"3.4.1.2 Type II cargo parachute assemblies and type III other parachute assemblies weighing up to 90 pounds inclusive. One assembly or multiple of assemblies of one description only, packaged as specified in 3.3.1.2, shall be packed in a snug fitting shipping container conforming to style RSC, grade V2s of PPP-B-636; or overseas type, style A or J, type 2 load of PPP-B-601, as specified (see 6.1). Each fiberboard container containing an unboxed parachute assembly or assemblies shall be fitted with a taped liner conforming to type CF, class weather-resistant, variety DV, grade V15c of PPP-P-320. Each plywood container, when packed with an unboxed parachute assembly or assemblies, shall be provided with a sealed case liner conforming to type I, grade B or C of MIL-L-10547. Unboxed parachute assembly components shall be packed in such a manner that the bagged

Source: https://assist.dla.mil -- Downloaded: 202640-17T05:22Z
Check the source to verify that this is the current version before use.

canopy assembly is placed on top with the suspension lines facing the bottom of the container. The plywood of the PPP-B-601 containers shall be surface treated with water repellent wood preservative as specified in the container specification. Each shipping container shall be closed and reinforced in accordance with the appendix of the applicable container specification. Weight of contents of each PPP-B-636 container shall not exceed the weight limitations of the container specification. Weight of contents of each PPP-B-601 container shall not exceed 150 pounds

3.4.1.3, line 4: After "style A" add "or J."

3.4.1.3, line 7: Delete "as specified in PPP-B-601" and insert the following new sentence: The fabricating, positioning, securing, and number of skids shall be as specified in PPP-B-601."

3.4.1.3, lines 12 and 13: Delete "which will fit snugly inside of liner."

PAGE 7

3.4.1.3 continued, line 2: Delete "type I" and substitute "type III or IV."

3.4.1.3, line 5: After "be" delete remainder of sentence and substitute "positioned and securely fastened on the inside of the side panel with not less than three staples. The corner joints of the tray shall be sealed with tape as specified above."

3.4.1.4.1, line 5: After "A" insert "or J."

PAGE 8

3.4.3, line 5: After "with" delete remainder of sentence and substitute:

"Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable."

PAGE 9

3.5.1, line 2: After "required" insert "identification."

3.5.1: Delete the last sentence and also the following:

"STOCK NUMBER
NOMENCLATURE
QUANTITY"

PAGE 10

4.3.1, line 7: Delete "215" and substitute "2.5."

PAGE 11

TABLE II, continued: Under "Examine" delete "Wood" and substitute "Cleated plywood."

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:22Z
Check the source to verify that this is the current version before use.

PAGE 12

TABLE II, continued: Under "Examine" delete "Wood" and substitute "Cleated plywood."

6.1(e): Delete "and other parachutes (see 3.4.1.1.1 and 3.4.1.2.1)" and substitute "or canopy assemblies (see 3.4.1.1.1)."

6.1: Add new subparagraph as follows:

"(f) Type of shipping container desired for level A packing of type II and type III parachute assemblies (3.4.1 2)."

PAGE 13

6.4: Delete the asterisks under "SPECIFICATION" for stock numbers 1670-957-3786 and 1670-066-7705 and substitute MIL-R-43608."

PAGE 14

6.4 continued: Delete the asterisks under "SPECIFICATION" for stock nurber 1670-063-4500 (in two places and substitute "MIL-R-43608."

PAGE 15

6.4 continued Delete the asterisk under "SPECIFICATION" for stock number 1670-063-4500 and substitute "MIL-R-43608."

PAGE 17

* After 6.4 add: "6.5 Reclaimed materiels. The use reclaimed materiels shall be encouraged to the maximum extent possible."

NOTE: The margins of this amendment are marekd with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Air Force - 99
Army - GL
Navy - AS

Review activities:
Air Force - 11
Army - AV, SM

User:
Navy - MC

Preparing activity:
Air Force - 99

(Project 1670-0610)

Source: https://assist.dla.mil -- Downloaded: 202610-17T05:22Z
Check the source to verify that this is the current version before use.