

MILITARY SPECIFICATION SHEET


MIL-S-5594/1A(AS)
8 March 1973
Superseding
MIL-S-5594/1(AS)
9 February 1971

SWITCH, TOGGLE, MAGNETIC HOLD-IN SPDT

The complete requirements for procuring the switches described herein shall consist of this document and the issue in effect of Specification MIL-S-5594











FIGURE I






FIGURE II
(SAME AS FIG I EXCEPT AS SHOWN)






FIGURE III
(SAME AS FIG I EXCEPT AS SHOWN)

FSC 5930

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:18Z
Check the source to verify that this is the current version before use.




FIGURE IV
(SAME AS FIG I EXCEPT AS SHOWN)

NOTES
1. Unless otherwise specified, tolerances are ±.005 on three place decimals, ±.015 on two place decimals, and ±.030 on one place decimals.
2. Energizing coil will not cause transfer of circuits.

REQUIREMENTS.

Dimensions and configuration	See figure
Weight	
M5594/1-1, -4, -5 and -6.	8.5 oz maximum
M5594/1-2, and -3	4.0 oz maximum
Operating characteristics	See Table I
Electrical ratings:	See Table II
Material	
Toggle lever and bushing.	Corrosion resistant steel
Enclosure	Steel with epoxy based enamel finish.
Enclosure design:	All entrances to the switch cavity except through the toggle bushing shall be sealed by fusion of glass to metal, metal to metal, or ceramic to metal.
Qualification:	
Group submission	See Table III

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:18Z
Check the source to verify that this is the current version before use.

TABLE I.

OPERATING CHARACTERISTICS AT 20°C

PART NUMBER	STEADY STATE	HOLD-IN	DROP-OUT	COIL RESISTANCE	OPERATING FORCE	OVERRIDE FORCE
-1	20-29 VDC	10 VDC	0-10 VDC	220 Ohm Min.	7 lb. Max.	10 lb. Max.
-2						
-3						
-4						
-5			.5-5 VDC	240 ±20 Ohm		2-10 lb. Max.
-6			0-10 VDC	220 Ohm Min.		10 lb. Max.

TABLE II.

ELECTRICAL RATINGS

LOAD	28 VDC	
	SEA LEVEL	65,000 FEET
Resistive	4	4
Inductive	3	2.5
Motor	4	4

TABLE III.

QUALIFICATION INSPECTION GROUP SUBMISSION

EXAMINATION OR TEST	BASIC SWITCH	OTHER SWITCH SAMPLES	EXTENT OF APPROVAL
Table II of MIL-S-5594. Sample No. 1 thru 14, 21, and 22.	M5594/1-1	M5594/1-2 thru M5594/1-6. Each part number submitted to sample no. 1 and 2 of Table II of MIL-S-5594.	All

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:18Z
Check the source to verify that this is the current version before use.

TABLE III (Continued)

PART NUMBER	DESIGN DETAIL PER	VARIATION FROM DESIGN DETAIL
M5594/1-1	Figure I	None
M5594/1-2	Figure II	None
M5594/1-3	Figure III	None
M5594/1-4	Figure IV	None
M5594/1-5	Figure I	Leads exit 180° from keyway.
M5594/1-6	Figure I	Leads exit 270° from keyway.

Preparing Activity:
Navy - AS

Project Number 5930-N102-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:18Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commander
Naval Air Systems Command (AIR 51122)
Washington, DC 20361

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:18Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1 DOCUMENT NUMBER	2 DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street City State ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5 PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a NAME OF SUBMITTER *(Last First MI)* – Optional	b WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c MAILING ADDRESS *(Street City, State ZIP Code)* – Optional	8 DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T05:18Z
Check the source to verify that this is the current version before use.