
MILITARY SPECIFICATION SHEET

# CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 12 THROUGH 20

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the crimping tools described herein shall consist of this document and the latest issue of specification MIL-C-22520.




**BASIC TOOL**


| PART NO. | FOR INSPECTION GAGING USE |
|---|---|
| M22520/29-01 | M22520/3-1 |

FIGURE 1. Pneumatic tool, wire barrel sizes 12 through 20.

FSC 5130



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:48Z
Check the source to verify that this is the current version before use.




DETAIL A. Guide ring turret head.


| INCHES | MM | INCHES | MM | INCHES | MM | INCHES | MM | INCHES | MM |
|---|---|---|---|---|---|---|---|---|---|
| .001 | .03 | .010 | .25 | .126 | 3.20 | .267 | 6.78 | .937 | 23.80 |
| .002 | .05 | .015 | .38 | .133 | 3.38 | .360 | 9.14 | 1.000 | 25.40 |
| .003 | .08 | .078 | 1.98 | .164 | 4.17 | .364 | 9.25 | 1.370 | 34.80 |
| .004 | .10 | .093 | 2.36 | .200 | 5.08 | .375 | 9.52 | 6.000 | 152.40 |
| .005 | .13 | .125 | 3.18 | .218 | 5.54 | .575 | 14.60 | 13.000 | 330.20 |

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.010 (.25 mm).
4. Unless otherwise specified, angle tolerance is ±1/2° or ±30'.
5. For applicable turrets and head assemblies, see MIL-C-22520/1. This tool produces the same crimp as basic tool M22520/1-01.

FIGURE 1. Pneumatic tool, wire barrel sizes 12 through 20 - Continued.



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:48Z
Check the source to verify that this is the current version before use.




Gaging limits of indenters

| Selector number | Gage - inspection | |
|---|---|---|
| | A ±.0001 (.003) Go Dia. | B ±.0001 (.003) No Go Dia. |
| 1 | .0280 (.711) | .0330 (.838) |
| 2 | .0320 (.813) | .0370 (.940) |
| 3 | .0360 (.914) | .0410 (1.041) |
| 4 | .0390 (.991) | .0440 (1.118) |
| 5 | .0450 (1.143) | .0500 (1.270) |
| 6 | .0520 (1.321) | .0570 (1.448) |
| 7 | .0590 (1.499) | .0640 (1.626) |
| 8 | .0680 (1.727) | .0730 (1.854) |

| INCHES | MM |
|---|---|
| .001 | .03 |
| .002 | .05 |
| .003 | .08 |
| .005 | .13 |
| .006 | .15 |
| .010 | .25 |
| .015 | .38 |
| .018 | .46 |
| .020 | .51 |
| .030 | .76 |
| .050 | 1.27 |
| .062 | 1.57 |
| .100 | 2.54 |
| .125 | 3.18 |
| .1840 | 4.674 |

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Unless otherwise specified, tolerance for decimals is ±.010 (.25 mm) and for angles is ±1/2° or ±30'.

FIGURE 2. Indenters.



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:48Z
Check the source to verify that this is the current version before use.

REQUIREMENTS - Continued.

Bench mount accessory: Shall conform to MIL-C-22520/30, part number M22520/30-01.

Foot valve accessory: Shall conform to MIL-C-22520/30, part number M22520/30-01.

Part number: M22520/29-01.

Custodians:
Army - EL
Navy - AS
Air Force - 85

Review activities:
Army - AV,GL,MI,AR,WC
Navy - EC,OS,SH
Air Force - 11,12,17,99
DLA-ES

User activities:
Army - AT,ME
Navy - MC,YD
Air Force - 19

Preparing activity:
Navy - AS

Agent:
DLA-ES

(Project 5130-0257)

☆ U. S. GOVERNMENT PRINTING OFFICE: 1977-703-122/6831



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:48Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. Both contractors, government activities, or manufacturers, vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-C-22520/

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

[ ] DIRECT GOVERNMENT CONTRACT [ ] SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

[ ] YES [ ] NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1812

Source: https://assist.dla.mil -- Downloaded: 20261O-19T12:48Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
NAEC
Attn: ESSD Code 9313
Lakehurst, N.J. 08733

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:48Z
Check the source to verify that this is the current version before use.