
MILITARY SPECIFICATION SHEET

# CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGES

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the gages described herein shall consist of this document and the latest issue of Specification MIL-C-22520.




NOTES:
1. Unless otherwise specified, dimensions in inches, tolerances: Decimals ±.010.
2. Dimensions A and D apply after chrome flashing.

(B) denotes change.



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:46Z
Check the source to verify that this is the current version before use.

| Part no. | A +.0002 -.0000 Dia. | B ±.02 | C ±.02 | D +.0000 -.0002 Dia. | E -.005 | Stamping | | | | Use for inspection of crimping dies M22520/5 | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Surface E .093 high | Surface G .093 high | Surface H .062 high | Surface J .062 high | Die closure A | Die closure B |
| M22520/6-001 | .1015 | .50 | .50 | .1085 | .062 | .1015 | .1085 | M22520/5-01 basic tool | Dies M22520/5-03B, -33B | | -03,-33 |
| M22520/6-002 | .1145 | | | .1215 | .062 | .1145 | .1215 | | Dies M22520/5-17A, -04B | -17 | -04 |
| M22520/6-003 | .1245 | | | .1315 | .062 | .1245 | .1315 | | Dies M22520/5-03A,-06A,-35B | -03,-06 | -35 |
| M22520/6-004 | .1475 | | | .1545 | .062 | .1475 | .1545 | | Dies M22520/5-37B | | -37 |
| M22520/6-005 | .1565 | | | .1635 | .125 | .1565 | .1635 | | Dies M22520/5-39B | | -39 |
| M22520/6-006 | .1745 | | | .1815 | .125 | .1745 | .1815 | | Dies M22520/5-09A,-05B,-41B | -09 | -05,-41 |
| M22520/6-007 | .1935 | | | .2005 | .125 | .1935 | .2005 | | Dies M22520/5-43B | | -43 |
| M22520/6-008 | .2095 | | | .2165 | .125 | .2095 | .2165 | | Dies M22520/5-05A,-11A,-57A,-19B | -05,-11,-57 | -19 |
| M22520/6-009 | .2145 | | | .2215 | .125 | .2145 | .2215 | | Dies M22520/5-45B | | -45 |
| M22520/6-010 | .2275 | | | .2345 | .125 | .2275 | .2345 | | Dies M22520/5-45A | -45 | |
| M22520/6-011 | .2515 | | | .2585 | .125 | .2515 | .2585 | | Dies M22520/5-07A,-13A,-19A,-59A | -07,-13,-19,-59 | |
| M22520/6-012 | .2595 | | | .2665 | .125 | .2595 | .2665 | | Dies M22520/5-15A | -15 | |
| M22520/6-013 | .2645 | | | .2715 | .125 | .2645 | .2715 | | Dies M22520/5-43A | -43 | |
| M22520/6-014 | .2865 | | | .2935 | .125 | .2865 | .2935 | | Dies M22520/5-41A | -41 | |
| M22520/6-015 | .3055 | | | .3125 | .125 | .3055 | .3125 | | Dies M22520/5-39A | -39 | |
| M22520/6-016 | .3105 | | | .3175 | .125 | .3105 | .3175 | | Dies M22520/5-37A | -37 | |
| M22520/6-017 | .3205 | | | .3275 | .125 | .3205 | .3275 | | Dies M22520/5-29A,-35A,-55A | -29,-35,-55 | |
| M22520/6-018 | .3395 | | | .3465 | .125 | .3395 | .3465 | | Dies M22520/5-33A | -33 | |
| M22520/6-019 | .3555 | | | .3625 | .125 | .3555 | .3625 | | Dies M22520/5-47A | -47 | |
| M22520/6-020 | .3805 | | | .3875 | .125 | .3805 | .3875 | | Dies M22520/5-23A | -23 | |
| M22520/6-021 | .3975 | | | .4045 | .125 | .3975 | .4045 | | Dies M22520/5-49A | -49 | |
| M22520/6-022 | .4255 | | | .4325 | .125 | .4253 | .4325 | | Dies M22520/5-25A,-61A | -25,-61 | |
| M22520/6-023 | .4275 | | | .4345 | .125 | .4275 | .4345 | | Dies M22520/5-51A | -51 | |
| M22520/6-024 | .4505 | | | .4575 | .125 | .4505 | .4575 | | Dies M22520/5-53A | -53 | |
| M22520/6-025 | .4715 | | | .4785 | .125 | .4715 | .4785 | | Dies M22520/5-21A | -21 | |
| M22520/6-026 | .4975 | | | .5045 | .125 | .4975 | .5045 | | Dies M22520/5-31A | -31 | |
| M22520/6-027 | .5285 | | | .5355 | .125 | .5285 | .5355 | | Dies M22520/5-27A | -27 | |
| M22520/6-028 | .1345 | | | .1415 | .125 | .1345 | .1415 | | Dies M22520/5-04A | -04 | |
| M22520/6-029 | .0645 | | | .0715 | .062 | .0645 | .0715 | | Dies M22520/5-02B,-09B,-11B,-13B, -15B | | -02,-09,-11, -13,-15 |
| M22520/6-030 | .0875 | | | .0945 | .062 | .0785 | .0945 | | Dies M22520/5-02A | -02 | |
| M22520/6-031 | .0965 | | | .1035 | .062 | .0965 | .1035 | | Dies M22520/5-25B,-29B,-57B,-59B | | -25,-29,-57, -59 |
| M22520/6-032 | .1025 | | | .1065 | .062 | .1025 | .1065 | M22520/32-01 tool | Hex cavity | M22520/32-01 | |

(B)



Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:46Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Gages shall be made in accordance with Department of Commerce Commercial Standard CS 8.
2. Material: Gage pins - Alloy tool steel per QQ-T-570, class optional. Harden to Rockwell C62-65.

   Gage handle - Aluminum alloy, No. 2W handle, per Department of Commerce Commercial Standard CS 8.
3. Finish: Gage pins; chrome flash, .0002 to .0003 thick, per QQ-C-320, class 2.
4. Unless otherwise specified, stamping shall be indented.
5. Each gage shall be furnished with a suitable container.

Custodians:
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - MI, AR, AV
Navy - EC, SH, OS
Air Force - 11, 12, 17, 99
DLA - ES

User activities:
Army - ME, AT, GL
Navy - MC

Preparing activity:
Navy - AS

Agent:
DLA - ES

(Project 5220-0182)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:46Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-C-22520/6B

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:46Z
Check the source to verify that this is the current version before use.