MIL-T-82373(TD)
15 August 1968
SUPERSEDING
3422-103
15 September 1958

MILITARY SPECIFICATION

TRAINING AID, MANEUVERING BOARD

This specification has been approved by the Naval Training Device Center, Department of the Navy.

1. SCOPE

1.1 This specification covers one type of training aid to provide an enlarged magnetic chalkboard copy of Hydrographic Office Chart No. 2665a for classroom use.

1.1.1 This item has been designated by the Naval Training Device Center as Device 29GA11, for Navy procurement (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on the date of invitaiton for bids or request for proposal form a part of this specification to the extent specified herein.

SPECIFICATIONS

Federal

PPP-B-621	Boxes, Wood, Nailed and Lock-corner
PPP-B-636	Box, Fiberboard
PPP-B-640	Boxes, Fiberboard, Corrugated, Triple-Wall

Military

MIL-P-116	Preservation; Method of
MIL-L-10547	Liners, Case and Sheet, Overwrap, Water-Vaporproof or Waterproof, Flexible

STANDARDS

Military

MIL-STD-129	Marking for Shipment and Storage

6910

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:04Z
Check the source to verify that this is the current version before use.

DRAWINGS

Naval Training Device Center (NAVTRADEVCEN)

809500B60001	Drawing of Maneuvering Board Training Aid, Device 29GA11

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the Contracting Officer.)

3. REQUIREMENTS

3.1 Materials.- Materials shall be as specified on drawing 809500B60001.

3.2 Design.- Design of the training aid is shown on figure 1 and drawing 809500B60001. It is an enlarged copy of Hydrographic Office Chart 2665a, silk screened on a magnetic chalkboard.

3.3 Construction.- Construction shall be in accordance with drawings 809500B60001.

3.4 Performance.- The writing surface shall resist the wear, scratches, and abrasion of normal classroom chalkboard use. The marking shall be fused to the writing surface and shall not be removed except by chipping the surface.

3.5 Dimensions and tolerances.- Dimensions and tolerances shall be as specified on drawing 809500B60001.

3.6 Finish and color.- Finish and color shall be as specified on drawing 809500B60001.

3.7 Nameplate or product markings.- Nameplates or product markings will be specified by the procuring activity (see 6.2).

3.8 Workmanship.- The training aid shall be constructed and finished with particular attention given to neatness and thoroughness in the silk screen printing and assembly of the frame.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection.- Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to presecribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:04Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspection.- Inspections to be performed are classified as follows:

(a) In-process inspection

(b) Quality conformance inspection.

4.3 In-process inspection.- In-process inspection shall include such visual, and mechanical examinations and testing of materials, subassemblies, parts and accessories (including purchased standard items) during the manufacturing process as may be necessary to assure conformance to all the requirements of this specification.

4.4 Quality conformance inspection.- Quality conformance inspection shall consist of the following.

4.4.1 Preproduction inspection.- Preproduction inspection shall be conducted on the preproduction model and shall consist of all the examinations specified in 4.5.

4.4.2 Production inspection.- Production models shall be inspected to the extent necessary to maintain quality control and conformance to the Government accepted preproduction model.

4.5 Examinations.- Examinations shall be performed to verify conformance to the following requirements:

(a) Materials

(b) Design

(c) Construction

(d) Performance

(e) Dimensions and tolerances

(f) Finish and color

(g) Nameplates or product markings

(h) Workmanship

(i) Preparation for delivery.

4.6 Tests.- The following tests shall be performed:

Source: https://assist.dla.mil -- Downloaded: 202610-23T07:04Z
Check the source to verify that this is the current version before use.

4.6.1 Writing surface test.- Chalk shall be used to mark on the writing surface to assure that it will adhere to the surface. The chalk markings shall be erased to assure that they can be removed without damaging the writing surface.

4.6.2 Markings test.- The markings shall be checked to assure that the marking material is fused to the writing surface to meet the requirements of 3.4.

5. PREPARATION FOR DELIVERY

5.1 Preservation and packaging.- Preservation and packaging shall be level A or C (see 6.2).

5.1.1 Level A.- For level A, each training aid shall be preserved and packaged for mechanical and physical protection in accordance with MIL-P-116, Method III.

5.1.1.1 Unit packaging.- Each training aid shall be packaged one unit to a container conforming to PPP-B-636.

5.1.2 Level C.- For level C, preservation and packaging shall conform to manufacturer's commercial practice.

5.2 Packing.- Packing shall be level A or C (see 6.2).

5.2.1 Level A.- Units packaged in accordance with 5.1.1 shall be packed in exterior containers conforming to PPP-B-621 or PPP-B-640. Unless otherwise specified by the procuring activity (see 6.2), the gross weight shall not exceed the weight limitations of the shipping container. Each exterior shipping container shall be lined with a waterproof moisture barrier sealed with adhesive or tape to effect water resistance in accordance with MIL-L-10547. A case liner shall not be required where the package(s) and package dunnage have been treated to resist water. Unit fiber boxes, conforming to PPP-B-636, Class 2, closed, reinforced and waterproofed as specified in the Appendix thereto, and used as shipping containers, shall not be overpacked.

5.2.2 Level C.- Units packaged in accordance with 5.1.2 shall be packed in containers which will insure acceptance by common carrier and safe delivery at destination. Shipping containers shall comply with common carrier rules and regulations as applicable to the mode of transportation and may be the supplier's commercial practice when such meets the requirements of this level.

5.3 Physical protection.- All material shall be packaged and packed in containers constructed to provide a compact and nonshifting load. Adequate cushioning, blocking and bracing shall be provided within shipping containers in a manner designed to prevent damage due to shock, vibration or impact during shipment, handling and storage.

5.4 Marking.- Interior packages and exterior shipping containers shall be marked in accordance with MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 202610-23T07:04Z
Check the source to verify that this is the currentversion before use.

6. NOTES

6.1 Intended use.- The training aid will be used in the classroom to demonstrate the use of Hydrographic Office Chart 2665a.

6.2 Ordering data.- Procurement documents should specify the following:

(a) Title, number, and date of this specification

(b) Procuring activity designation (Device number or other, see 1.1.1)

(c) Nameplate or product marking information (see 3.7)

(d) Selection of applicable levels of preservation, packaging and packing (see 5.1 and 5.2)

(e) Gross weight of shipping container (see 5.2.1).

6.3 Definitions.- Except as specified herein, definitions will be furnished upon written request to the procuring activity.

6.3.1 Preproduction sample.- A production item furnished under production contracts for the purpose of determining compliance with requirements of the detail training aid specification already established and accepted. It shall be electrically and mechanically representative of production sets though not necessarily made with production line jigs, fixtures and methods.

6.3.2 Production unit.- A unit in its final mechanical and electrical form of final production design made by production tools, jigs, fixtures and methods.

Custodian
Navy-TD

Preparing activity:
Navy-TD
Project No. 6910-N153

Source: https://assist.dla.mil -- Downloaded: 202610-23T07:04Z
Check the source to verify that this is the current version before use.




FIGURE 1. Maneuvering Board, Training Aid

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:04Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity *(as indicated on reverse hereof)*.

SPECIFICATION

ORGANIZATION *(Of submitter)* | CITY AND STATE

CONTRACT NO. | QUANTITY OF ITEMS PROCURED | DOLLAR AMOUNT $

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)* | DATE

DD, FORM 1 APR 63 1426 REPLACES NAVSHIPS FORM 4863, WHICH IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 202640-23T07:04Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY

POSTAGE AND FEES PAID
NAVY DEPARTMENT

OFFICIAL BUSINESS

Commanding Officer and Director
Naval Training Device Center
Specifications Control Division (334)
Orlando, Florida 32813

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T07:04Z
Check the source to verify that this is the current version before use.