[Metric]

A-A-28B
November 27, 1995
Superseding
A-A-28A
May 15, 1990

COMMERCIAL ITEM DESCRIPTION
HOLDER, LABEL, DESK TRAY, WOOD

This Commercial Item Description is approved by the Commissioner Federal Supply Services, General Services Administration for use by all federal agencies.

1. **Scope:**
This commercial item description covers label holders which clip onto 7.938 mm (5/16") thick vertical walls of wood desk trays.

2. **Salient Characteristics:**

2.1 Holders shall be made of plastic or metal, have a smooth finish and be resistant to corrosion. Holders shall measure 5.715 cm ± 6.35 mm (2-1/4" ± 1/4") by 3.175 cm ± 6.35 mm (1-1/4" ± 1/4").

2.2 Not less than two blank and three preprinted labels shall be provided with each holder. The preprinted labels shall display "Incoming" or "In", "Outgoing" or "Out", and "File" in neat characters at least 7.938 mm (5/16") high. Printing shall be entirely visible when inserted into the holder.

2.3 Labels shall be white, unruled, index, or ledger paper not less than 1.78 mm (0.007") thick. When inserted into the holder, the label shall be protected by clear transparent plastic.

2.4 The holders shall fit snugly and present a neat appearance when attached to the desk tray.

2.5 The finish of the desk tray shall not be marred as a result of having the holder fastened and removed.

2.6 Workmanship. Holders shall be free of sharp edges which could cause personal injury or scratch the desk tray and any defects which affects appearance or serviceablity.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278.

FSC 7510

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:56Z
Check the source to verify that this is the current version before use.

3. **Regulatory Requirements:**

3.1 The offeror / contractor is encouraged to use recovered materials in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

3.2 Certification: The contractor shall certify that if polystyrene is used in the manufacture of this item, it shall contain a minimum of 25 percent Postconsumer Recovered Materials in accordance with the 40 Code of Federal Regulations Part 247, Comprehensive Guideline for Procurement of Products Containing Recovered Material; Final rule. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provision of the contract.

4. **QUALITY ASSURANCE PROVISIONS:**

4.1. Contractor Certification. The contractor shall certify and maintain substantial evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provision of the contract.

4.2 Suppliers are encouraged to use quality control (QC) techniques that exhibits control over their processes (e.g. Statistical process Controls). These techniques shall ensure quality levels equal to, or greater than, those cited in the applicable technical document or herein. For those product characteristics which are controlled by such a method, requirements for end item inspection or test may be considered to have been met. End item inspection / testing may be used by the offeror, or the Government representative, as a means to determine the effectiveness of the inprocess quality controls. Inprocess controls shall not be substituted for end item performance testing, unless it can be demonstrated that there exists a direct correlation between the process and product performance, such that end item performance testing is obviated.

For those characteristics for which there are no such controls, or for end item performance test, lot by lot sampling for inspection / shall be required. Sampling shall be in accordance with the American National Standards Institute (ANSI) / American Society of Quality Control (ASQC) ANSI/ASQC Z1.4 1993, Sampling Procedures and Tables for Inspection by Attributes.

Source: https://assist.dla.mil -- Downloaded: 202610-24T02:56Z
Check the source to verify that this is the current version before use.

For Visual and Dimensional inspections the level shall be S-2 with an Acceptable Quality Level (AQL) of 4.0 Percent Defective. The sample unit shall be one holder.

5. **Packaging:**
Preservation, packaging, packing and marking requirements shall be specified in the contract or order.

6. **Application for copies of technical documents referenced herein:**

The issue date in effect on date of invitation for bids or request for proposal shall apply (unless otherwise specified).

6.1 Title 40, Code of Federal Regulations Protection of Environment, Part 247.
Copies of the U.S. Code of Federal Regulations may be purchased with a VISA, Master Card or prepaid check through :Government Printing Office, Washington, DC. Telephone (202)783-3238.
When ordering, ask for Title 40, Parts 190-250, Stock Number:869-013-146-0.

6.2 Application for copies of ANSI/ASQC Procedures should be addressed to
ANSI/ASQC Z1.4-1993
American Society of Quality Control
P.O. Box 3005
611E Wisconsin Avenue
Milwaukee, WI 53201-4606

7. **Notes:**

7.1 Ordering Information: Purchasers shall select the required options permitted herein, and include the following information in procurement documents:

1. Title, number, and date of this commercial item description.
2. Purchasers shall specify packaging, packing, and any special marking.
3. Purchasers shall specify identification marking, if other than required.

7.2 National Stock Number Listing:

7510-00-285-2828

MILITARY INTERESTS:
None:
DoD has determined that no military activity has an official interest in this Commercial Item Description.

PREPARING ACTIVITY:
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T02:56Z
Check the source to verify that this is the current version before use.