A-A-50169
July 26, 1988

COMMERCIAL ITEM DESCRIPTION

SKIN PROTECTIVE COMPOUNDS, CHEMICAL BARRIER

The General Services Administration has authorized the use of this Commercial Item Description in preference to P-S-411.

1. CLASSIFICATION

1.1 Classification. This commercial item description covers skin protective compounds of the following types:

Type I - Water dispersible compound (for protection against staining and adhering compounds).

Type II - Water miscible compound (for protection against hydrocarbons, oils, solvents, etc.).

Type III - Water insoluble compound (for protection against dilute acids, alkalies, and other water miscible chemicals).

2. SALIENT CHARACTERISTICS

2.1 Composition. The skin protective compounds shall be made from ingredients conforming to the standards set forth by the Federal Food, Drug and Cosmetic Act and the Occupational Safety and Health Administration regulations. All ingredients known for their ability to penetrate the skin surface and be absorbed by the metabolically active (live) parts of the skin or other live tissues shall be excluded from the skin protective compounds formulations. All compounds shall be homogeneous, soft in texture, free from grit, and readily removable from the skin with soap and water, without the need of a brush or cloth. The compounds shall be stable to storage conditions from minus 60°F (slow freezing) to plus 125°F. The compounds shall present no objectionable odor either during or after application to the skin.

2.2 Protection and application. The compounds shall protect the skin from injury when exposed to the materials cited in 1.1 for each type of compound. The compounds shall be readily applicable to the skin at temperatures ranging from 40° to 100°F and shall form a flexible adhering film which shall not be sticky, stiff, or greasy.

2.3 Standards compliance. The pH value shall be between 6.0 and 8.5 when a 5 gram sample of the compound is heated to boiling with 45 mL of boiled distilled water, allowed to cool to room temperature, and tested in accordance with ASTM E-70.

FSC 6850

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

2.4 Labeling. Each container of skin protective compound shall be labeled to conform to the regulations of the Federal Food, Drug, and Cosmetic Act. The label shall be printed clearly and shall include the nomenclature and type, warning, usage, and removal directions.

3. QUALITY ASSURANCE

3.1 Certification. The contractor shall certify that the product offered meets the salient characteristics of this description, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same as the product offered for sale in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4. PACKAGING

4.1 Packaging. Protective skin creams shall be packaged in 1-pound plastic jars with reclosable lids or in 8-ounce plastic tubes with threaded caps.

4.2 Packing. Twelve pounds of protective skin cream, packaged as specified, shall be packed in a snug-fitting RSC style corrugated fiberboard shipping container conforming to type CF, class domestic, grade 200 of PPP-B-636. Creams packaged in tubes shall have shipping containers with partitions that provide individual snug-fitting compartments for each tube. Each shipping container shall be completely filled with no voids and of a size that can be palletized in accordance with MIL-STD-147. Each shipping container shall be closed in accordance with the appendix of PPP-B-636.

4.3 Palletization. When required (see 5.2), protective skin cream, packed as specified, shall be palletized on a 4-way entry pallet in accordance with load type 1a of MIL-STD-147. Each prepared load shall be bonded by means K and L, or O or P, in accordance with MIL-STD-147.

4.4 Marking. In addition to any special markings required by the contract or purchase order, shipping containers and palletized loads shall be marked in accordance with MIL-STD-129.

5. NOTES

5.1 Intended use. The skin protective compounds are intended for use on human skin to assist in protecting the user against injury from contact with acids, solvents, oils, and other chemicals.

5.2 Ordering data.

a. Title, number, and date of this document.
b. Type of skin compound required (see 1.1).
c. Size container required (see 4.1).
d. When palletization is required (see 4.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

5.3 Sources for nongovernment associations documents.

ASTM E-70 - Test Method for pH of Aqueous Solutions with the Glass Electrode.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

5.4 Source for Laws and Regulations.

Federal Food, Drug, and Cosmetic Act, and regulations promulgated thereunder.

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

MILITARY INTERESTS:

Custodians

Army - GL
Air Force - 68

Review activities

Army - MD
DLA - GS

User activities

Navy - AS, MC
Air Force - 11

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

Army - GL

Project No. 6850-1022

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:40Z
Check the source to verify that this is the currenversion before use.