METRIC

A-A-50169A
19 August 2005

SUPERSEDING
A-A50169
26 July 1988

COMMERCIAL ITEM DESCRIPTION

SKIN PROTECTIVE COMPOUNDS, CHEMICAL BARRIER

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. CLASSIFICATION.

1.1 Classification. This commercial item description covers skin protective compounds of the following three types. None of these compounds are intended to provide protection against chemical or biological warfare agents:

Type I - Water dispersible compound (for protection against staining and adhering compounds).

Type II - Water miscible compound (for protection against hydrocarbons, oils, solvents, etc.).

Type III - Water insoluble compound (for protection against dilute acids, alkalies, and other water miscible chemicals).

Comments, suggestions, or questions on this document should be addressed to DET 3, WR-ALC/AFTT, 2430 C Street, Bldg 70, Area B, Wright-Patterson AFB OH 45433-7632 or e-mailed to AFPET.AFTT@wpafb.af.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at http://assist.daps.dla.mil.

AMSC N/A FSC 6850

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

2. SALIENT CHARACTERISTICS.

2.1 Composition. The skin protective compounds shall be made from ingredients conforming to the standards set forth by the Federal Food, Drug, and Cosmetic Act and the Occupational Safety and Health Administration regulations. All ingredients known for their ability to penetrate the skin surface and be absorbed by the metabolically active (live) parts of the skin or other live tissues shall be excluded from the skin protective compounds formulations. All compounds shall be homogenous, soft in texture, free from grit, and readily removable from the skin with soap and water, without the need of a brush or cloth. The compounds shall be stable to storage conditions from minus 51°C (-60°F) (slow freezing) to plus 52°C (125°F). The compounds shall present no objectionable odor either during or after application to the skin.

2.2 Protection and application. The compounds shall protect the skin from injury when exposed to the materials cited in 1.1 for each type of compound. The compounds shall be readily applicable to the skin at temperatures ranging from 4°C (40°F) to 38°C (100°F) and shall form a flexible adhering film which shall not be stick, stiff, or greasy.

2.3 Standards compliance. The pH value shall be between 6.0 and 8.5 when a 5 gram sample of the compound is heated to boiling with 45 mL of boiled distilled water, allowed to cool to room temperature, and tested in accordance with ASTM E-70.

2.4 Labeling. Each container of skin protective compound shall be labeled to conform to the regulations of the Federal Food, Drug, and Cosmetic Act. The label shall be printed clearly and shall include the nomenclature and type, warning, usage, and removal directions.

3. PRODUCT CONFORMANCE PROVISIONS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

3.1 Certification. The contractor shall certify that the product offered meets salient characteristics of this description, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4. PACKAGING.

4.1 Packaging. Protective skin creams shall be packaged in 1-pound plastic jars with re-closable lids or in 8-ounce plastic tubes with threaded caps.

4.2 Packing. Twelve pounds of protective skin cream, packaged as specified, shall be packed in a snug-fitting RSC style (RSC/0201) corrugated fiberboard shipping container conforming to type CF, class domestic, grade 200 of ASTM D5118. Creams packaged in tubes shall have shipping containers with partitions that provide individual snug-fitting compartments for each tube. Each shipping container shall be completely filled with no voids and of a size that can be palletized in accordance with MIL-HDBK-774. Each shipping container shall be closed in accordance with ASTM D1974.

4.3 Palletization. When required (see 5.2), protective skin cream, packed as specified, shall be palletized on a 4-way entry pallet in accordance with load type 1a of MIL-HDBK-774. Each prepared load shall be bonded by methods D, F, or G, in accordance with MIL-HDBK-774.

4.4 Marking. In addition to any special markings required by the contract or purchase order, shipping containers and palletized loads shall be marked in accordance with MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

5. NOTES.

5.1 Intended use. The skin protective compounds are intended for use on human skin to assist in protecting the user against injury from contact with acids, solvents, oils, and other chemicals.

5.2 Ordering data.

a. Title, number, and date of this document.

b. Type of skin compound required (see 1.1).

c. Size container required (see 4.1).

d. When palletization is required (see 4.3).

5.3 Sources for government documents.

MIL-HDBK-774 – Palletized Unit Loads

MIL-STD-129 – Military Marking for Shipment and Storage

(Copies of military standards, specifications, and handbooks may be obtained online at http://assist.daps.dla.mil/quicksearch or from the Superintendent of Documents, PO Box 371954, Pittsburgh, PA 15250-7954).

5.4 Sources for nongovernment associations documents.

ASTM D1974 – Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes

ASTM D5118 – Standard Practice for Fabrication of Fiberboard Shipping Boxes

ASTM E-70 – Standard Test Method for pH of Aqueous Solutions With the Glass Electrode

(ASTM standards are available online at http://www.astm.org or the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken PA 19428-2959).

5.5 Source for laws and regulations.

Federal Acquisition Regulations.

(Copies of the Federal Acquisition Regulations may be obtained from the Superintendent of Documents, PO Box 371954, Pittsburgh, PA 15250-7954 or online at http://www.arnet.gov/far).

Federal Food, Drug, and Cosmetic Act, and regulations promulgated thereafter.

(Copies of these documents are available online at http://www.access.gpo.gov or may be obtained from the Superintendent of Documents, PO Box 371954, Pittsburgh, PA 15250-7954).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.

5.6 Key Words.

Alkalies

Cream

Water dispersible compound

Water miscible compound

CONCLUDING MATERIAL

Custodians:

Army - GL
Navy – AS
Air Force - 68
DLA – GS

Review Activities:
Army – MD
Navy – MC

Preparing Activity:

Air Force - 68
(Project 6850-2005-002)

Note: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:40Z
Check the source to verify that this is the current version before use.