METRIC

A-A-50169C
10 February 2023

SUPERSEDING
A-A-50169B
26 October 2011

COMMERCIAL ITEM DESCRIPTION

SKIN PROTECTIVE COMPOUNDS, CHEMICAL BARRIER

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description covers skin protective compounds of the following three types. None of these compounds are intended to provide protection against chemical or biological warfare agents:

2. CLASSIFICATION. The skin protective compounds shall conform to the following types and sizes:

2.1. Type

Type I	–	Water dispersible compound (for protection against staining and adhering compounds).
Type II	–	Water miscible compound (for protection against hydrocarbons, oils, solvents, etc.).
Type III	–	Water insoluble compound (for protection against dilute acids, alkalis, and other water miscible chemicals).

2.2. Size

1-pound plastic jars with re-closable lids

3-ounce plastic tubes with threaded caps.

Comments, suggestions, or questions on this document should be addressed to AFPET/PTPS, 2430 C Street, Building 70, Area B, Wright-Patterson AFB, OH 45433 or e-mailed to AFPET.PTPS@us.af.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A FSC 6850

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

3. SALIENT CHARACTERISTICS.

3.1. Composition. The skin protective compounds shall be made from ingredients conforming to the standards set forth by the Federal Food, Drug, and Cosmetic Act and the Occupational Safety and Health Administration regulations. All ingredients known for their ability to penetrate the skin surface and be absorbed by the metabolically active (live) parts of the skin or other live tissues shall be excluded from the skin protective compounds formulations. All compounds shall be homogenous, soft in texture, free from grit, and readily removable from the skin with soap and water, without the need of a brush or cloth. The compounds shall be stable to storage conditions from minus 51°C (-60°F) (slow freezing) to plus 52°C (125°F). The compounds shall present no objectionable odor either during or after application to the skin.

3.2. Protection and application. The compounds shall protect the skin from injury when exposed to the materials cited in 2.1 for each type of compound. The compounds shall be readily applicable to the skin at temperatures ranging from 4°C (40°F) to 38°C (100°F) and shall form a flexible adhering film which shall not be sticky, stiff, or greasy.

3.3. Standards compliance. The pH value shall be between 6.0 and 8.5 when a 5-gram sample of the compound is heated to boiling with 45 mL of boiled distilled water, allowed to cool to room temperature, and tested in accordance with ASTM E70.

3.4. Labeling. Each container of skin protective compound shall be labeled to conform to the regulations of the Federal Food, Drug, and Cosmetic Act. The label shall be printed clearly and shall include the nomenclature and type, warning, usage, and removal directions.

4. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. PRODUCT CONFORMANCE PROVISIONS.

5.1. Certification. The contractor shall certify that the product offered meets salient characteristics of this description, conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

6. PACKAGING.

6.1. Packaging. Protective skin creams shall be packaged in 1-pound plastic jars with re-closable lids or in 3-ounce plastic tubes with threaded caps.

6.2. Packing. Twelve pounds of protective skin cream, packaged as specified, shall be packed in a snug-fitting RSC style (RSC/0201) corrugated fiberboard shipping container conforming to type CF, class domestic, grade 200 of ASTM D5118/D5118M. Creams packaged in tubes shall have shipping containers with partitions that provide individual snug-fitting compartments for each tube. Each shipping container shall be completely filled with no voids and of a size that can be palletized in accordance with MIL-STD-147. Each shipping container shall be closed in accordance with ASTM D1974/D1974M.

6.3. Palletization. When required (see 6.2), protective skin cream, packed as specified, shall be palletized on a 4-way entry pallet in accordance with load Type Ia of MIL-STD-147. Each prepared load shall be bonded by methods D, F, or G, in accordance with MIL-STD-147.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

6.4. Marking. In addition to any special markings required by the contract or purchase order, shipping containers and palletized loads shall be marked in accordance with MIL-STD-129.

7. NOTES.

7.1. Intended use. The skin protective compounds are intended for use on human skin to assist in protecting the user against injury from contact with acids, solvents, oils, and other chemicals.

7.2. Source of Documents.

7.2.1. Sources for government documents

MIL-STD-129 – Military Marking for Shipment and Storage

MIL-STD-147 – Palletized Unit Loads

(Copies of military specifications and standards are available for download from the ASSIST database at https://quicksearch.dla.mil.)

Federal Acquisition Regulations 23.403 – Use of Recovered Materials and Biobased Products

(Copies of the Federal Acquisition Regulations may be obtained online at https://www.acquisition.gov/far/.)

Federal Food, Drug, and Cosmetic Act.

(Copies of these documents are available online at https://www.fda.gov.)

7.2.2. Sources for non-Government documents

ASTM D1974/D1974M – Standard Practice for Methods of Closing, Sealing, and Reinforcing Fiberboard Boxes

ASTM D5118/D5118M – Standard Practice for Fabrication of Fiberboard Shipping Boxes

ASTM E70 – Standard Test Method for pH of Aqueous Solutions With the Glass Electrode

(ASTM standards are available from https://www.astm.org.)

7.3. National Stock Numbers (NSNs). The following is a list of NSNs assigned that correspond to this CID. The list may not be indicative of all possible NSNs associated with the CID.

NSN	Type	Size
6850-00-244-4893	I	1 lb jar
6850-00-244-4894	II	1 lb jar
6850-00-244-4892	III	1 lb jar
6850-01-057-4025	III	3 oz tube

7.4. Ordering data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.

a) Title, number, and date of this document.

b) Type of skin compound required (see 2.1).

c) Size container required (see 2.2).

d) When palletization is required (see 6.3).

7.5. Key Words.

Alkalis

Cream

Dilute acids

Oils

Solvents

Water dispersible compound

Water miscible compound

CONCLUDING MATERIAL

Custodians:

Army - GL

Navy - AS

Air Force - 68

DLA – GS

Review activities:

Army – MD

Navy – MC

Preparing activity:

Air Force - 68

(Project 6850-2021-010)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information using the ASSIST Online database at https://quicksearch.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:39Z
Check the source to verify that this is the current version before use.