MIL-C-92B
AMENDMENT 2
13 December 1971
SUPERSEDING
AMENDMENT 1
8 April 1970

MILITARY SPECIFICATION

CAPACITORS, VARIABLE, AIR DIELECTRIC (TRIMMER),

GENERAL SPECIFICATION FOR

This amendment forms a part of Military Specification MIL-C-92B, dated 24 February 1969, and is mandatory for use by all Departments and Agencies of the Department of Defense.

Page 1

1.2.1.1, delete and substitute:

"1.2.1.1 Style. The style is identified by the two-letter symbol "CT" followed by a two-digit number; the letters identify trimmer, air-dielectric, variable capacitors, and the number identifies the shaft type and shaft length or dimensions or both of the capacitor."

Page 2

TABLE II, last line: Delete "M - - - - - 10,000" and substitute:
"L - - - - - 2,500".

* 3.2, delete and substitute:

"3.2 First article. Capacitors furnished under this specification shall be a product which has been tested and has passed the first article inspection specified in 4.4."

Page 4

3.18, title: Delete "Shock, medium impact" and substitute "Shock (specified pulse). Make this same title change on pages 6 (TABLE III, Group V) and 8 (TABLE VI, Subgroup 2).

Page 5

* 4.2(a): Delete "Qualification" and substitute "First article".

* 4.4 through 4.4.2, delete and substitute:

"4.4 First article inspection.

4.4.1 First article sample. The first article sample shall consist of 37 capacitors and shall be representative of subsequent production. The sample units shall have been fabricated from the same material on the same facilities and with the same procedures normally used in production.

4.4.2 Inspection routine. Sample units shall be subjected to the first article inspection specified in TABLE III, in the order shown. All sample units shall be subjected to the examination and tests of Group I. The sample units shall then be divided into the remaining groups as shown in TABLE III. The sample units shall then be subjected to the inspection for their particular group."

FSC 5910

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T04:45Z
Check the source to verify that this is the current version before use.

Page 6

* 4.4.3, line 2: Delete "qualification" and substitute "first article approval."

* TABLE III, in title: Delete "Qualification" and substitute "First article".

* 4.4.4: Delete in its entirety.

Page 7

4.5.1.1, last line: Delete "style, voltage, and rotational life" and substitute "style and voltage."

Page 11

4.6.15, title: Delete "Shock medium impact" and substitute "Shock (specified pulse)"; in line 2, delete "205" and substitute "213"; and delete item (b) in its entirety and substitute:

"(b) Test condition - I."

Page 12

* 4.6.17, lines 2 and 3: Delete "250 cycle", and reinsert "the applicable number of cycles (see table II and 3.1)".

Page 13

4.6.18, item (d), line 2: Following "90 percent.", insert "of the fully meshed position."

* 6.2: Delete in its entirety.

* 6.2.1: Delete in its entirety.

6.3: Delete first three sentences and substitute "Rotational life of 10,000 cycles (symbol 'M') is unilaterally replaced by 250 cycles (symbol 'J')."

TABLE VIII: Delete in its entirety.

Page 14

Add following new paragraph:

"6.6 Selection and use information. Equipment designers should refer to MIL-STD-198, 'Capacitors, Selection and Use of,' for a selection of standard capacitor types and values for new equipment design. Application and use information concerning these capacitors are also provided in MIL-STD-198."

Page 15

* APPENDIX: Delete in its entirety.

NOTE: The margins of this amendment are marked with an asterisk to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T04:45Z
Check the source to verify that this is the current version before use.

Custodians:
Army - EL
Navy - EC
Air Force - 11

Review activities:
Army - EL
Navy - EC
Air Force - 11, 17, 80
DSA - ES

User activities:
Army -
Navy - AS, OS, CG
Air Force - 19

Preparing activity:
Army - EL

Agent:
DSA - ES

(Project 5910-1042)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T04:45Z
Check the source to verify that this is the current version before use.