MIL-B-43401
AMENDMENT-2

30 December 1969
SUPERSEDING
Amendment-1
3 December 1968

MILITARY SPECIFICATION

BOWL, BAPTISMAL

This amendment forms a part of Military Specification MIL-B-43401, dated 13 January 1966, and is mandatory for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1, under listing of Military Specifications.- Delete "MIL-P-116 - Preservation, Methods Of".

PAGE 2

2.2 Add new paragraph as follows:

"2.2 Other publications.- The following publications form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC.

National Motor Freight Classification

(Application for copies should be addressed to American Trucking Associations, ATTN: Tariff Order Section, 1616 P Street, N.W., Washington, D.C. 20036.)

UNIFORM CLASSIFICATION COMMITTEE

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Room 202 Union Station, 516 W. Jackson Blvd., Chicago, Illinois 60606.)

(Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal Agencies.)"

FSC 9925

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:20Z
Check the source to verify that this is the current version before use.

PAGE 2 (cont'd)

3.4 Delete and substitute the following:

"3.4 Finish.- The baptismal bowl shall be chromium plated in accordance with class 1, type I of QQ-C-320."

3.6, at end of paragraph.- Add "All solder joints shall be sound, and where exposed on the outside surface, shall be smoothly blended with surrounding area."

PAGE 4

Table I, under defect column.- Add the following defect applicable to soldering: "Not smoothly blended with surrounding area - - - Major."

Table II, under defect column.- Delete entries applicable to workmanship and substitute "Inadequate application of components such as bowls not completely wrapped, and bulging or distortion of containers."

Immediately following table II.- Add the following paragraph:

"4.3.3.1 Examination of shipping containers.- When shipping containers are required to be in accordance with PPP-B-636, examination for defects in closure and strapping shall be in accordance with the appendix of that specification."

PAGE 5

5.1.1, line 4.- Delete "type B, class a" and substitute "type G, class i".
Line 6.- Delete "(see 6.3)".

5.2.1, line 3.- Delete "V3c or V3s" and substitute "grade V2s".
Line 4.- Delete "flat steel".

5.2.2.1 Delete and substitute the following:

"5.2.2.1 When specified (see 6.2), the shipping container shall be grade V3c, V3s, or V4s fiberboard box fabricated in accordance with PPP-B-636 and closed in accordance with the appendix thereto."

5.2.3, last sentence.- Delete and substitute "Containers shall be in accordance with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

PAGE 6

6.3 Delete in its entirety.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:20Z
Check the source to verify that this is the current version before use.

Figure 1.- Delete and substitute new figure 1 attached.

Custodians:


Army - GL
Navy - PE
Air Force - 28

Preparing activity:

Army - GL

Project No. 9925-0207

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:20Z
Check the source to verify that this is the current version before use.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T21:20Z
Check the source to verify that this is the current version before use.