MILITARY SPECIFICATION

CAP, BLASTING, NON-ELECTRIC INERT

This amendment forms a part of Military Specification MIL-C-46916C(AR), dated 18 November 1987 and is approved for use within the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1: Under "Drawings" delete the following:

"2123915 - Inner Package.
2128219 - Package, Shipping and Storage (For 192 Cap, Blasting, Non-Electric).
3139687 - Pack, Shipping and Storage (For 768 Cap, Blasting, Non-Electric)."

and substitute with:

"8796522 - Marking Diagram and Sealing for Wood Packing Boxes."

PAGE 8

5.: Delete in its entirety and substitute with the following:

"5. PACKAGING

5.1 Preservation - packaging

5.1.1 Level A for navy/marine corps use. The Inert Blasting Caps shall be preserved and packaged in accordance with MIL-STD-1169 requirements.

5.1.2 Level B. The Inert Blasting Caps shall be preserved and packaged in accordance with MIL-STD-1169 requirements.

5.1.3 Level C. The Inert Blasting Caps shall be preserved and packaged in accordance with MIL-STD-1169 requirements.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:16Z
Check the source to verify that this is the current version before use.

5.2 Packing.

5.2.1 Level A for navy/marine corps use. The Inert Blasting Caps shall be packed in accordance with MIL-STD-1169 requirements.

5.2.2 Level B. The Inert Blasting Caps shall be packed in accordance with MIL-STD-1169 requirements.

5.2.3 Level C. The Inert Blasting Caps shall be packed in accordance with MIL-STD-1169 requirements.

5.3 Marking.

5.3.1 Level A for navy/marine corps use. Marking shall be in accordance with MIL-STD-1169 requirements. Marking of wood boxes shall be in accordance with Dwg. 8796522.

5.3.2 Level B. Marking of fiberboard boxes shall be in accordance with MIL-STD-1169 and MIL-STD-129. Marking of wood boxes shall be in accordance with Dwg. 8796522.

5.3.3 Level C. Marking of the fiberboard boxes shall be in accordance with MIL-STD-1169 and MIL-STD-129."

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project: 1375-A401)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:16Z
Check the source to verify that this is the current version before use.