MILITARY SPECIFICATION

OBTURATING MECHANISM PARTS FOR

This Amendment forms a part of Military Specification MIL-O-46190C (AR), dated 3 April 1981, and is approved for use within the U.S. Army Armament, Munitions and Chemcial Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

Add new paragraph:

"3.4 First article inspection. This Specification contains technical provisions for first article inspection. Requirements for the submission of first article samples by the contractor shall be as specified in the Contract."

4.2, Delete in its entirety and substitute a new paragraph:

"4.2 Classification of inspection. The following types of inspection shall be conducted on this item:

a. First Article Inspection

b. Quality Conformance Inspection."

4.3, Delete "Not required".

Add the following new paragraphs:

"4.3.1 Submission. The contractor shall submit a first article sample as designated by the contracting officer for evaluation in accordance with the provisions of 4.3.2. The first article sample shall consist of the items as required per Table I.

AMSC N/A FSC 1315

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:15Z
Check the source to verify that this is the current version before use.

4.3.2 Inspection to be performed. See MIL-A-48078 and Table I specified herein.

4.3.3 Rejection. See MIL-A-48078."

PAGE 4

Add new Table 1, Page 4A included.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:15Z
Check the source to verify that this is the current version before use.

TABLE I First article inspection

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
	Obturating Mechanism Parts For				See Below
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Point, Striker (Dwg. 8835181)				
	Examination for defects	~~25~~ 10	100%	3.2	4.4.2.1
	Plate, Striker (Dwg. 8835180)				
	Examination for defects	25	100%	3.2	4.4.2.2
	Nut Striker (Dwg. 8863663)				
	Examination for defects	25	100%	3.2	4.4.2.3
	Striker Nut Assembly (Dwg. 8863662)				
	Examination for defects	25	100%	3.2	4.4.2.4
	Plate Pressure (Dwg. 8835188)				
	Examination for defects	25	100%	3.2	4.4.2.5
	Nut, Pressure Plate (Dwg. 8835186)				
	Examination for defects	25	100%	3.2	4.4.2.6
	Disc, Rotating (Dwg. 8835189)				
	Examination for defects	25	100%	3.2	4.4.2.7
	Container, Cartridge (Dwg. 8835185)				
	Examination for defects	25	100%	3.2	4.4.2.8
Delete MIL-J-3001	~~Holder, Propellant (Dwg. 8835182)~~				
	Examination for defects	25	100%	3.2	4.4.2.9
	Pin (Dwg. 9204359)				
	Examination for defects	25	100%	3.2	4.4.2.10
	Support, Pin (Dwg. 9204360)				
	Examination for defects	25	100%	3.2	4.4.2.11
	Extension Assembly (Dwg. 9204361)				
	Examination for defects	25	100%	3.2	4.4.2.12
	Extension Parts Arrangement (Dwg. 9204362)				
	Examination for defects	25	100%	3.2	4.4.2.13

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:15Z
Check the source to verify that this is the current version before use.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1315-A780)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:15Z
Check the source to verify that this is the current version before use.