
MILITARY SPECIFICATION SHEET

AMPLIFIERS, RADIOFREQUENCY AND MICROWAVE, SOLID-STATE, LOW NOISE, WIDEBAND, FLATPACK CONFIGURATION

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring amplifiers described herein shall consist of this specification sheet and the latest issue of MIL-A- 28875.



INCHES	MM
.005	.13
.015	.38
.02	.5
.075	1.91
.08	2.0
.10	2.5
.150	3.81
.25	6.4
.313	7.95
.35	8.9
.38	9.7
.50	12.7

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Pins not marked are grounded.

FIGURE 1. Dimensions and configuration.

FSC 5985

Source: https://assist.dla.mil -- Downloaded: 202610-20T20:22Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Finish:

Case and leads - gold electroplated in accordance with MIL-G-45204, type I, class 1.

Cover - plated with electroless nickel in accordance with MIL-C-26074, class 1, 120 microinches thick.

Weight: 2.8 grams maximum.

Frequency range: 10-200 MHz.

DC input power:

+15 volts ±1%.

13 mA maximum.

RF Input power: Not greater than +20 dBm.

Gain: 7.7 dB minimum.

Gain flatness: ±0.3 dB.

Power output: +7 dBm minimum.

VSWR: 2.0:1 maximum.

Noise figure: 1.4 dB maximum.

Intercept point: +28 dBm minimum.

Temperature range:

Operating: -55°C to +85°C (case temperature).

Nonoperating: -55°C to +100°C.

Gain vs temperature: ±0.5 dB maximum.

Seal: Hermetic.

Electromagnetic interference: In accordance with CE03 of MIL-STD-461.

Part number: M28875/7-01S1, or S2 or N.

NOTE: Amplifiers covered by this specification sheet are substitutable for the following manufacturer's or user's part number. This information in no way implies that the manufacturer's part is suitable as a substitute for the military part number.

Dash number	Manufacturer's code	Manufacturer's part number
01S	21912	AM-117

Source: https://assist.dla.mil -- Downloaded: 20260-20T20:22Z
Check the source to verify that this is the current version before use.

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Army - MI
Navy - OS, SH
Air Force - 11, 17, 99
DLA - ES

User activities:
Army - AV
Navy - AS, MC
Air Force - 19

Agent:
DLA - ES

Preparing activity:
Navy - EC

(Project 5985-0968-7)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T20:22Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T20:22Z
Check the source to verify that this is the current version before use.