
MILITARY SPECIFICATION SHEET

AMPLIFIERS, RADIOFREQUENCY AND MICROWAVE, SOLID-STATE, NARROWBAND, DIP CONFIGURATION

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring amplifiers described herein shall consist of this specification sheet and the latest issue of MIL-A- 28875.



INCHES	MM
.001	.03
.002	.05
.010	.25
.017	.43
.100	2.54
.140	3.56
.150	3.81
.185	4.70
.200	5.08
.300	7.62
.498	12.65
.770	19.56
.970	24.64

NOTES.
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. All unidentified pins are no connections.

FIGURE 1. Dimensions and configuration.

FSC 5985

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T20:20Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Frequency range: 3 to 4 GHz.

DC input power:

15 volts ±1 percent.

80 mA maximum.

RF input power: Not greater than 7 dBm.

Gain: 5 dB minimum.

Gain flatness: ±0.5 dB maximum.

Power output: 11 dBm minimum.

VSWR: 1.5:1 maximum.

Noise figure: 9.5 dB maximum.

Third order intercept point: +21 dBm.

Operating temperature range: -54°C to +125°C (case temperature).

Vibration: Random test in accordance with 4.8.26.2.

Seal: Hermetic.

Salt spray: Test is required.

Explosion Test is required.

Thermal shock Temperature range -54°C to +85°C.

Electromagnetic interference

RF leakage 65 dB below the RF input signal level.

Susceptability 65 dB of isolation between external RF fields and internal signal paths.

Part number M28875 /1 -01S1 or -01S2 or -01N

NOTE: Amplifiers covered by this specification sheet are substituted for the following manufacturer's or user's part number. This information in no way implies that the manufacturer's part is suitable as a substitute for the military part number.

Dash number	Manufacturer's code	Commercial type
01S1 or S2	97942	582R593H01
01S1 or S2	24539	ASF 8940

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T20:20Z
Check the source to verify that this is the current version before use.

Custodians:
Army - ER
Navy - EC
Air Force - 85

Review activities:
Army - MI
Navy - OS, SH
Air Force - 11, 17, 99
DLA - ES

User activities:
Army - AV
Navy - AS, MC
Air Force - 19

Agent:
DLA - ES

Preparing activity:
Navy - EC

(Project 5985-0968-1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T20:20Z
Check the source to verify that this is the current version before use.