QUALIFICATIONS HAVE BEEN VALIDATED
(Frequency: See Specification)
BY TEST DATA

QPL-81044-17
18 August 2004
SUPERSEDING
QPL-81044-16
14 June 2002

QUALIFIED PRODUCTS LIST

OF

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-W-81044

WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY

This list has been prepared for use by or for the Government in the acquisition of products covered by the subject specification and such listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release or otherwise affect the obligation of the manufacturer to comply with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QUALIFIED PRODUCTS LIST (QPL) IS THE NAVAL AIR SYSTEMS COMMAND (COMMANDER, NAVAL AIR WARFARE CENTER AIRCRAFT DIVISION, HIGHWAY 547, CODE 414100B120-3, LAKEHURST, NJ 08733-5100). THE ACTIVITY RESPONSIBLE FOR QUALIFICATION APPROVAL IS THE NAVAL AIR SYSTEMS COMMAND (CODE 4.4.4.3), 22229 ELMER ROAD, BUILDING 2360, PATUXTENT RIVER, MD 20670-1900.

MANUFACTURER'S FULL NAME, OFFICE AND PLANT ADDRESSES ARE LISTED AT THE END OF THIS QPL.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

For the sake of brevity, part number designations are displayed and interpreted as shown:

M81044/7-	26 thru 20	-*	XXXXX-	26 thru 20	-*

Matrices generate the following fictitious part numbers: (intervals of two)

M81044/7-26-*	XXXXX-26-*
-24-*	XXXXX-24-*
-22-*	XXXXX-22-*
-20-*	XXXXX-20-*

* The asterisk in the part number will be replaced by the color code designations specified in the applicable MIL-W-81044 specification sheet.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
MIL-W-81044/5, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 °C. Inactive for new design						
M81044/5-	26 thru 0	-*	8445-	26 thru 0	-*	Berk-Tek Electronics Cable 01823601.ML/6-30-02
M81044/5-	24 thru 0	-*	44A0712-	24 thru 0	-*	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AF/2-28-03
MIL-W-81044/6, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 °C.						
M81044/6-	26 thru 0	-*	8446-	26 thru 0	-*	Berk-Tek Electronics Cable 01823601.ML/6-30-02

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/6-	24 thru 0	-*	44A0711-	24 thru 0	-*	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AF/2-28-03
MIL-W-81044/7, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, NORMAL WEIGHT, 600-VOLT, 150 °C.						
M81044/7-	26 thru 0	-*	8447-	26 thru 0	-*	Berk-Tek Electronics Cable 01823601.ML/6-30-02
M81044/7-	26 thru 20	-*	44A0714-	26 thru 20	-*	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AF/2-28-03
MIL-W-81044/8, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 °C. Inactive for new design						
M81044/8-	26 thru 0	-*	8448-	26 thru 0	-*	Berk-Tek Electronics Cable 01823601.ML/6-30-02
M81044/8-24-*			513-576-*			Huber and Suhner AG
-22-*			513-577-*			
-20-*			513-578-*			01812101.AC/11-30-03
-18-*			513-579-*			
-16-*			513-580-*			
-14-*			513-570-*			
-12-*			513-571-*			
-10-*			513-572-*			
- 8-*			513-566-*			

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION			MANUFACTURER'S DESIGNATION			MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/8-	24 thru 0	-*	44A0812-	24 thru 0	-*	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AF/2-28-03
M81044/8-24-*			ARR1936A-*			Rockbestos-Surprenant Cable Corp. (1) 01807401.AA/3-1-99
-22-*			ARR1934A-*			
-20-*			ARR1932A-*			
-18-*			ARR1930A-*			
-16-*			ARR1929A-*			
-14-*			ARR1927A-*			
-12-*			ARR3728A-*			
-10-*			ARR3726A-*			
MIL-W-81044/9, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 °C.						
M81044/9-	26 thru 0	-*	8449-	26 thru 0	-*	Berk-Tek Electronics Cable 01823601.ML/6-30-02
M81044/9-24-*			513-581-*			Huber and Suhner AG 01812101.AC/11-30-03
-22-*			513-582-*			
-20-*			513-583-*			
-18-*			513-584-*			
-16-*			513-585-*			
-14-*			513-573-*			
-12-*			513-574-*			
-10-*			513-575-*			
- 8-*			513-568-*			
- 6-*			513-569-*			
- 4-*			513-563-*			
- 2-*			513-564-*			
- 0-*			513-565-*			

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/9-26-*	H3009264-*	Judd Wire, Inc.
-24-*	H3009244-*	
-22-*	H3009224-*	01813501.AB/3-02-04
-20-*	H3009204-*	
-18-*	H3009184-*	
-16-*	H3009164-*	
-14-*	H3009144-*	
-12-*	H3009124-*	
-10-*	H3009104-*	
- 8-*	H3009088-*	
- 6-*	H3009068-*	
- 4-*	H3009048-*	
- 2-*	H3009029-*	
- 0-*	H3009009-*	
M81044/9- 24 thru 0 -*	44A0811- 24 thru 0 -*	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AF/2-28-03
M81044/9-24-*	ARR1936U-*	Rockbestos-Surprenant
-22-*	ARR1934U-*	Cable Corp. (1)
-20-*	ARR1932U-*	
-18-*	ARR1930U-*	01807401.AA/3-1-99
-16-*	ARR1929U-*	
-14-*	ARR1927U-*	
-12-*	ARR3728U-*	
-10-*	ARR3726U-*	
- 8-*	ARR13329U-*	
- 6-*	ARR13327U-*	
- 4-*	ARR13325U-*	
- 2-*	ARR66530U-*	
- 0-*	ARR104530U-*	

MIL-W-81044/10, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, MEDIUM WEIGHT, 600-VOLT, 150 °C

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/10- 26 thru 0 -*	84410- 26 thru 0 -*	Berk-Tek Electronics Cable 01823601.ML/6-30-02
M81044/10-26-* -24-* -22-* -20-*	513-568-* 513-586-* 513-587-* 513-588-*	Huber and Suhner AG 01812101.AC/11-30-03
M81044/10- 26 thru 20 -*	44A0814- 26 thru 20 -*	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AF/2-28-03
M81044/10-24-* -22-* -20-*	ARR1936AAY73-* ARR1934AAY73-* ARR1932AAY73-*	Rockbestos-Surprenant Cable Corp. (1) 01807401.AA/3-1-99
MIL-W-81044/11, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 °C.		
M81044/11-30-12	84411	Berk-Tek Electronics Cable 01823601.ML/2-1-02
M81044/11- 30 thru 12 -*	BR81044/11- 30 thru 12 -*	General Cable Brand Rex Brand 01803301.AA/2-28-98
M81044/11-30-* -28-* -26-* -24-* -22-*	513-589-* 513-590-* 513-591-* 513-598-* 513-599-*	Huber and Suhner AG 01812101.AC/11-30-03

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/11-20-*	513-600-*	Huber and Suhner AG (Continued)
-18-*	513-601-*	
-16-*	513-602-*	
-14-*	513-614-*	01812101.AC/11-30-03
-12-*	513-615-*	
M81044/11- 30 thru 12 -*	44A0112- 30 thru 12 -*	Raychem Wire and Cable Products Group Tyco Electronics
		01820201.AF/2-28-03
M81044/11-30-*	AR738A-*	Rockbestos-Surprenant Cable Corp. (1)
-28-*	AR736A-*	
-26-*	AR1938A-*	
-24-*	AR1936A-*	01807401.AA/3-1-99
-22-*	AR1934A-*	
-20-*	AR1932A-*	
-18-*	AR1930A-*	
-16-*	AR1929A-*	
-14-*	AR1927A-*	
-12-*	AR3728A-*	
M81044/11-30-*	AR738A-*	Rockbestos-Surprenant Cable Corp. (2)
-28-*	AR736A-*	
-26-*	AR1938A-*	
-24-*	AR1936A-*	01838401.AA/1-15-04
-22-*	AR1934A-*	
-20-*	AR1932A-*	
-18-*	AR1930A-*	
-16-*	AR1929A-*	
-14-*	AR1927A-*	
-12-*	AR3728A-*	

MIL-W-81044/12, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 °C.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/12-30-12	84412	Berk-Tek Electronics Cable 01823601.ML/2-1-02
M81044/12- 30 thru 12 -*	BR81044/12- 30 thru 12 -*	General Cable Brand Rex Brand 01803301.AA/2-28-98
M81044/12-30-* -28-* -26-* -24-* -22-* -20-* -18-* -16-* -14-* -12-*	513-592-* 513-593-* 513-594-* 513-603-* 513-607-* 513-608-* 513-609-* 513-610-* 513-616-* 513-617-*	Huber and Suhner AG 01812101.AC/11-30-03
M81044/12-30-* -28-* -26-* -24-* -22-* -20-* -18-* -16-* -14-* -12-*	H3012302-* H3012282-* H3012264-* H3012244-* H3012224-* H3012204-* H3012184-* H3012164-* H3012144-* H3012126-*	Judd Wire, Inc. 01813501.AB/3-2-04
M81044/12- 30 thru 12 -*	44A0111- 30 thru 12 -*	Raychem Wire and Cable Products Group Tyco Electronics 01820201.AF/2-28-03

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/12-30-*	AR738U-*	Rockbestos-Surprenant Cable Corp. (1) 01807401.AA/3-1-99
-28-*	AR736U-*	
-26-*	AR1938U-*	
-24-*	AR1936U-*	
-22-*	AR1934U-*	
-20-*	AR1932U-*	
-18-*	AR1930U-*	
-16-*	AR1929U-*	
-14-*	AR1927U-*	
-12-*	AR3728U-*	
M81044/12-30-*	AR738U-*	Rockbestos-Surprenant Cable Corp. (2) 01838401.AA/1-15-04
-28-*	AR736U-*	
-26-*	AR1938U-*	
-24-*	AR1936U-*	
-22-*	AR1934U-*	
-20-*	AR1932U-*	
-18-*	AR1930U-*	
-16-*	AR1929U-*	
-14-*	AR1927U-*	
-12-*	AR3728U-*	
MIL-W-81044/13, WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, LIGHT WEIGHT, 600-VOLT, 150 °C.		
M81044/13-30-20	84413	Berk-Tek Electronics Cable 01823601.ML/2-1-02
M81044/13- 30 thru 20 -*	BR81044/13- 30 thru 20 -*	General Cable Brand Rex Brand 01803301.AA/2-28-98

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION	MANUFACTURER'S NAME AND QUALIFICATION TEST REFERENCE
M81044/13-30-*	513-595-*	Huber and Suhner AG
-28-*	513-596-*	
-26-*	513-597-*	01812101.AC/11-30-03
-24-*	513-611-*	
-22-*	513-612-*	
-20-*	513-613-*	
M81044/13- 30 thru 20 -*	44A0114- 30 thru 20 -*	Raychem Wire and Cable Products Group Tyco Electronics
		01820201.AF/2-28-03
M81044/13-30-*	AR738AAY73-*	Rockbestos-Surprenant
-28-*	AR736AAY73-*	Cable Corp. (1)
-26-*	AR1938AAY73-*	
-24-*	AR1936AAY73-*	01807401.AA/3-1-99
-22-*	AR1934AAY73-*	
-20-*	AR1932AAY73-*	
M81044/13-30-*	AR738AAY73-*	Rockbestos-Surprenant
-28-*	AR736AAY73-*	Cable Corp. (2)
-26-*	AR1938AAY73-*	
-24-*	AR1936AAY73-*	01838401.AA/1-15-04
-22-*	AR1934AAY73-*	
-20-*	AR1932AAY73-*	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER	MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE NUMBER
Berk-Tek Electronics Cable 600 South Parker Street P.O. Box 909 Elm City, NC 27822-0909 Plant: Same address	12515	Raychem Wire and Cable Products Group Tyco Electronics 300 Constitution Drive Menlo Park, CA 94025 Plant: Raychem Wire and Cable Products Group Tyco Electronics Oakside at Northside Redwood City, CA 94063	06090
General Cable Brand Rex Brand P.O. Box 498 1600 West Main Street Willimantic, CT 06226-1128 Plant: Same address	71124	Rockbestos-Surprenant (1) Cable Corp. 172 Sterling Street Clinton, MA 01510 Plants: Same address (1)	90484
Huber and Suhner AG Tumbelenstrasse 20 Ch-8330 Pfaffikon Switzerland Plant: Same address	7W263	Rockbestos-Surprenant (2) Cable Corp. 680 Hayward Street Manchester, NH 03103	61123
Judd Wire, Inc. 124 Turnpike Road Turners Falls, MA 01376 Plant: Same address	12703		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T13:23Z
Check the source to verify that this is the current version before use.